Index to volume 186

AUTHOR INDEX*

A

Abalos E (*see* Borghi et al). 2002;186:221-8
Abel EL, Kruger M. Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers. 2002;186:768-72
Abundis MG (*see* Blackwell et al). 2002;186:1130-2
Acién P. Obstructive mullerian anomalies. 2002;186:854 (Letter)
Adamkiewicz G (*see* Nowicki et al). 2002;186:340-4
Adler DG (*see* Allen and Adler). 2002;186:1377-8 (Letter)
Adolphson KR (*see* Pierce et al). 2002;186:504-11
Aghajafari F, Murphy K, Matthews S, Ohlsson A, Amankwah K, Hannah M. Repeated doses of antenatal corticosteroids in animals: a systematic review. 2002;186:843-9 (AJOG reviews)
Agricola E (*see* Setacci et al). 2002;186:832-5
Akahane M (*see* Sakakibara et al). 2002;186:997-1004
Albanese CT (*see* Noah et al). 2002;186:773-7
Albrecht JT (*see* Gard et al). 2002;186:496-8
Alexander JM (*see* Gard et al). 2002;186:496-8
Alexander JS (*see* Wang et al). 2002;186:214-20
Alexander RL (*see* Zhang et al). 2002;186:315-20
Al-Kouatly HB (*see* Chasen et al). 2002;186:765-7
Allen M (*see* Quintero et al). 2002;186:155-7
Allen RH, Adler DG. Severe brachial plexus injury in the posterior arm: an alternative explanation. 2002;186:1377-8 (Letter)
Amankwah K (*see* Aghajafari et al). 2002;186:843-9 (AJOG reviews)
Amortegui A (*see* Ness et al). 2002;186:929-37
Amy J-J (*see* Cammu et al). 2002;186:240-4
Ananth CV (*see* Vintzileos et al). 2002;186:1011-6
Andersen LF (*see* Skouby et al). 2002;186:969-77
Anderson RJ (*see* Tate and Anderson). 2002;186:880-2 (Residents' papers)
Andrews JI (*see* Kim et al). 2002;186:853-4 (Letter reply)
Anthony J (*see* Drakeley et al). 2002;186:253-6
Arad I, Durkin MS, Hinton VJ, Kuhn L, Chiriboga C, Kuban K, Bellinger D. Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities. 2002;186:818-25
Aragaki A (*see* Hendrix et al). 2002;186:1160-6
Araki T (*see* Nakai et al). 2002;186:574-8
Armson BA (*see* Dubé et al). 2002;186:579-83
Arriola RM (*see* Cowan et al). 2002;186:1183-7
Asakura H (*see* Nakai et al). 2002;186:574-8
Ashraf QM (*see* Maulik et al). 2002;186:658-62
Ashton-Miller JA (*see* Perucchini et al). 2002;186:351-5
Ashton-Miller JA (*see* Perucchini et al). 2002;186:356-60
Atanackovic G (*see* Attard et al). 2002;186:S220-7
Athayde N (*see* Wang et al). 2002;186:557-63
Atkinson S (*see* Shackelford et al). 2002;186:701-4
Attard CL, Kohli MA, Coleman S, Bradley C, Hux M, Atanackovic G, Torrance GW. The burden of illness of severe nausea and vomiting of pregnancy in the United States. 2002;186:S220-7
Auclair D (*see* Sasaki et al). 2002;186:103-8
Audra P (*see* Dupuis et al). 2002;186:336 (Letter)

*January 1-170; February, 171-338; March, 339-598; April, 599-854; May, 855-1110, S1-S180; S181-S266; June, 1111-1430.

Austgulen R (*see* Ødegård et al). 2002;186:427-32
Austin DJ (*see* Kaplan et al). 2002;186:1244-9
Awerkiew S (*see* Heim et al). 2002;186:705-11
Ayustawati, Shiraishi H, Kikuchi Y, Hoshina M, Momoi MY, Sato I. Optimal ventricular pacing rate in fetal lambs with complete atrioventricular block. 2002;186:1052-5
Azavedo E (*see* Lundström et al). 2002;186:717-22

B

Backman V (*see* Georgakoudi et al). 2002;186:374-82
Bada HS (*see* Bauer et al). 2002;186:487-95
Badizadegan K (*see* Georgakoudi et al). 2002;186:374-82
Bagis T (*see* Ergin et al). 2002;186:204-9
Bahado-Singh R, Shahabi S, Karaca M, Mahoney MJ, Cole L, Oz UA. The comprehensive midtrimester test: high-sensitivity Down syndrome test. 2002;186:803-8
Bai J, Wong FWS, Bauman A, Mohsin M. Parity and pregnancy outcomes. 2002;186:274-8
Bailie CAL, Vedernikov YP, Saade GR, Garfield RE. Prostaglandin-induced activation of uterine contractility in pregnant rats does not involve potassium channels. 2002;186:453-7
Bajoria R, Ward S, Chatterjee R. Natriuretic peptides in the pathogenesis of cardiac dysfunction in the recipient fetus of twin-twin transfusion syndrome. 2002;186:121-7
Baka N-E (*see* Bayoumeu et al). 2002;186:518-22
Baker RS (*see* McElvy et al). 2002;186:55-60
Ballabh P (*see* Chasen et al). 2002;186:765-7
Barbour LA, Shao J, Qiao L, Pulawa LK, Jensen DR, Bartke A, Garrity M, Draznin B, Friedman JE. Human placental growth hormone causes severe insulin resistance in transgenic mice. 2002;186:512-7
Barkfeldt J (*see* Lundström et al). 2002;186:717-22
Barnabei V (*see* Hendrix et al). 2002;186:1160-6
Barrilleaux PS, Bofill JA, Terrone DA, Magann EF, May WL, Morrison JC. Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques. 2002;186:1124-9
Barsoom MJ (*see* Feldman et al). 2002;186:809-11
Barth WH Jr (*see* Fausett et al). 2002;186:180-3
Bartke A (*see* Barbour et al). 2002;186:512-7
Barton CB, Barton JR, O'Brien JM, Bergauer NK, Sibai BM. Mild gestational hypertension: differences in ethnicity are associated with altered outcomes in women who undergo outpatient treatment. 2002;186:896-8 (Residents' papers)
Barton JR (*see* Barton et al). 2002;186:896-8 (Residents' papers)
Barton JR (*see* Chames et al). 2002;186:1174-7
Barton JR (*see* O'Brien et al). 2002;186:475-9
Barton JR (*see* Tarter et al). 2002;186:910-2 (Residents' papers)
Bass DC (*see* Ness et al). 2002;186:929-37
Bastian LA (*see* Nanda et al). 2002;186:325-34 (AJOG reviews)
Batioglu S (*see* Ergin et al). 2002;186:204-9
Bauer CR, Shankaran S, Bada HS, Lester B, Wright LL, Krause-Steinrauf H, Smeriglio VL, Finnegan LP, Maza PL, Verter J. The Maternal Lifestyle Study: drug exposure during pregnancy and short-term maternal outcomes. 2002;186:487-95
Bauer CR (*see* Shankaran et al). 2002;186:796-802
Bauer M, Orescovic I, Schoell WM, Bianchi DW, Pertl B. Detection of maternal deoxyribonucleic acid in umbilical cord plasma by

using fluorescent polymerase chain reaction amplification of short tandem repeat sequences. 2002;186:117-20
Bauman A (*see* Bai et al). 2002;186:274-8
Baumgartner F. Hippocrates and the dignity of human life. 2002;186:1378-9 (Letter)
Bavendam T (*see* Lentz et al). 2002;186:1268-73
Bawdon RE (*see* Gard et al). 2002;186:496-8
Bayoumeu F, Subiran-Buisset C, Baka N-E, Legagneur H, Monnier-Barbarino P, Laxenaire MC. Iron therapy in iron deficiency anemia in pregnancy: intravenous route versus oral route. 2002;186:518-22
Beall MH (*see* Taber et al). 2002;186:1017-21
Beinder E (*see* Knerr et al). 2002;186:210-3
Bell JG, Kanellitsas I, Shaffer L. Selection of obstetrics and gynecology residents on the basis of medical school performance. 2002;186:1091-4 (Education)
Bellerose B (*see* Hughes et al). 2002;186:396-403
Bellinger D (*see* Arad et al). 2002;186:818-25
Bellocco R (*see* Ros et al). 2002;186:198-203
Belloni DR (*see* Harper et al). 2002;186:365-73
Bennett CL (*see* Lindau et al). 2002;186:938-43
Bennett PR (*see* Groom et al). 2002;186:1106-7 (Letter)
Bennett RA (*see* Cain et al). 2002;186:675-83
Bergant A (*see* Heim et al). 2002;186:705-11
Bergauer NK (*see* Barton et al). 2002;186:896-8 (Residents' papers)
Bergel E (*see* Borghi et al). 2002;186:221-8
Bergqvist D (*see* Rodriguez-Macias et al). 2002;186:189-94
Berkman ND (*see* Thorp et al). 2002;186:587-92 (AJOG reviews)
Berry SM (*see* Hassan et al). 2002;186:595-6 (Letter reply)
Berry SM (*see* Refuerzo et al). 2002;186:1150-4
Berumen M (*see* Fukushima et al). 2002;186:1207-15
Besinger RE (*see* Mittendorf et al). 2002;186:1111-8
Bessinger RC, McMurray RG, Hackney AC. Substrate utilization and hormonal responses to moderate intensity exercise during pregnancy and after delivery. 2002;186:757-64
Bhal PS (*see* Chui and Bhal). 2002;186:1104 (Letter)
Bianchi DW (*see* Bauer et al). 2002;186:117-20
Bienstock J (*see* Salvador et al). 2002;186:913-5 (Residents' papers)
Billett HH (*see* Kahn et al). 2002;186:109-16
Bishop KD (*see* Leung et al). 2002;186:869-71 (Residents' papers)
Bisits A (*see* McGrath et al). 2002;186:257-60
Bjarnadóttir RI, Tuppurainen M, Killick SR. Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol. 2002;186:389-95
Black FO. Maternal susceptibility to nausea and vomiting of pregnancy: is the vestibular system involved? 2002;186:S204-9
Blackwell SC, Abundis MG, Nehra PC. Five-year experience with midtrimester amniocentesis performed by a single group of obstetricians-gynecologists at a community hospital. 2002;186:1130-2
Blackwell SC (*see* Chaiworapongsa et al). 2002;186:1178-82
Blackwell SC (*see* Refuerzo et al). 2002;186:1150-4
Blakemore KJ (*see* Salvador et al). 2002;186:913-5 (Residents' papers)
Blanchard R (*see* Hirsch et al). 2002;186:523-30
Blanchette H. A VBAC question. 2002;186:851 (Letter reply)
Blanco CE (*see* Miller et al). 2002;186:261-7
Blass EM (*see* Kaufman et al). 2002;186:564-8
Bleker OP (*see* VanWijk et al). 2002;186:148-54. Correction 2002;186:722
Blessed WB, Lacoste H, Welch RA. Who should perform genetic amniocentesis? 2002;186:338 (Letter reply)
Blessed WB, Welch RA. Obstetrician-gynecologists performing genetic amniocentesis may be misleading themselves and their patients. 2002;186:851 (Letter reply)
Blickstein I, Jacques DL, Keith LG. Total and individual triplet birth weights as a function of gestational age. 2002;186:1372-5
Blickstein I (*see* Phung et al). 2002;186:1041-5
Blondel B (*see* Yang et al). 2002;186:433-7
Blust D (*see* Carlan et al). 2002;186:229-33
Boardman CH (*see* Dowdy et al). 2002;186:1167-73
Bobrow CS, Holmes RP, Muttukrishna S, Mohan A, Groome N, Murphy DJ, Soothill PW. Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound. 2002;186:283-7
Bodis J (*see* Domany et al). 2002;186:1108 (Letter)
Bodnar LM (*see* Siega-Riz et al). 2002;186:480-6
Boer K (*see* VanWijk et al). 2002;186:148-54. Correction 2002;186:722
Bofill JA (*see* Barrilleaux et al). 2002;186:1124-9
Bogic L (*see* Matsumoto et al). 2002;186:303-10
Bogle A (*see* Clewell et al). 2002;186:851 (Letter)
Böhm W (*see* Trotter et al). 2002;186:184-8
Böhmer G (*see* Petry et al). 2002;186:28-34
Bohn D (*see* Sokol et al). 2002;186:1085-90
Bolis P (*see* Ghezzi et al). 2002;186:268-73
Bonati F (*see* Gratacós et al). 2002;186:538-43
Bongiovanni AM (*see* Gerber et al). 2002;186:361-4
Bongiovanni AM (*see* Gerber et al). 2002;186:696-700
Borensztajn J (*see* Neithardt et al). 2002;186:883-6 (Residents' papers)
Borghi J, Fox-Rushby J, Bergel E, Abalos E, Hutton G, Carroli G. The cost-effectiveness of routine versus restrictive episiotomy in Argentina. 2002;186:221-8
Borgida AF (*see* Feldman et al). 2002;186:809-11
Bornick PW (*see* Quintero et al). 2002;186:155-7
Boskovic R (*see* Koren et al). 2002;186:S228-31
Bossi G (*see* Ghezzi et al). 2002;186:268-73
Boström A (*see* Rodriguez-Macias et al). 2002;186:189-94
Bovicelli A (*see* Montz et al). 2002;186:651-7
Brace RA (*see* Gagnon et al). 2002;186:1076-84
Brace RA (*see* Matsumoto et al). 2002;186:303-10
Brace RA (*see* Zhang et al). 2002;186:315-20
Bradley C (*see* Attard et al). 2002;186:S220-7
Brännström M (*see* Ekerhovd et al). 2002;186:745-50
Bréart G (*see* Yang et al). 2002;186:433-7
Bremme K (*see* van Rooijen et al). 2002;186:44-8
Brenner RM (*see* Otto et al). 2002;186:416-21
Brent R. Medical, social, and legal implications of treating nausea and vomiting of pregnancy. 2002;186:S262-6
Bricker L, Lavender T. Parenteral opioids for labor pain relief: a systematic review. 2002;186:S94-109 (Symposium)
Bristow RE (*see* Montz et al). 2002;186:651-7
Brival M-L (*see* Marcollet et al). 2002;186:784-9
Brown JS, Waetjen LE, Subak LL, Thom DH, Van Den Eeden S, Vittinghoff E. Pelvic organ prolapse surgery in the United States, 1997. 2002;186:712-6
Brubaker L. Outcomes of trial of labor after previous cesarean delivery. 2002;186:1104-5 (Letter)
Brumfield JA (*see* Mihm et al). 2002;186:858-60 (Residents' papers)
Brummer O (*see* Petry et al). 2002;186:28-34
Bryc W (*see* Nowicki et al). 2002;186:340-4
Buchanan TA (*see* Schaefer-Graf et al). 2002;186:751-6
Buchbinder A, Sibai BM, Caritis S, MacPherson C, Hauth J, Lindheimer MD, Klebanoff M, VanDorsten P, Landon M, Paul R, Miodovnik M, Meis P, Thurnau G, National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia. 2002;186:66-71
Buckwalter JG, Simpson SW. Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy. 2002;186:S210-4
Bufkin L (*see* Magann et al). 2002;186:1119-23
Bugert P (*see* Eichler et al). 2002;186:1366-71

Buhimschi CS, Buhimschi IA, Malinow AM, Kopelman JN, Weiner CP. Pushing in labor: performance and not endurance. 2002;186:1339-44
Buhimschi IA (*see* Buhimschi et al). 2002;186:1339-44
Bujold C (*see* Bujold et al). 2002;186:1326-30
Bujold E, Bujold C, Hamilton EF, Harel F, Gauthier RJ. The impact of a single-layer or double-layer closure on uterine rupture. 2002;186:1326-30
Bujold E, Gauthier RJ. Neonatal morbidity associated with uterine rupture: what are the risk factors? 2002;186:311-4
Bukowski R, Saade GR. Low maternal plasma volume may be the answer! 2002;186:852 (Letter reply)
Burciu B (*see* Clapp et al). 2002;186:142-7
Burgess T (*see* Naim et al). 2002;186:887-9 (Residents' papers)
Burk R (*see* Jamieson et al). 2002;186:21-7
Bytautiene E, Vedernikov YP, Saade GR, Romero R, Garfield RE. Endogenous mast cell degranulation modulates cervical contractility in the guinea pig. 2002;186:438-45

C

Cadematori S (*see* Sheffield et al). 2002;186:100-2
Cain JM, Zaino R, Shearer D, Bennett RA, Olt G, Weisz J. Expression of a retinol dehydrogenase (hRoDH-4), a member of the retinol/steroid dehydrogenase family implicated in retinoic acid biosynthesis, in normal and neoplastic endometria. 2002;186:675-83
Calhoun BC (*see* Pierce et al). 2002;186:504-11
Cammu H, Martens G, Ruyssinck G, Amy J-J. Outcome after elective labor induction in nulliparous women: a matched cohort study. 2002;186:240-4
Cappelli A (*see* Setacci et al). 2002;186:832-5
Capstick V (*see* Steed et al). 2002;186:861-5 (Residents' papers)
Carey JC (*see* Goldenberg et al). 2002;186:1107 (Letter reply)
Carey MP, Goh JT, Fynes MM, Murray CJ. Stress urinary incontinence after delayed primary closure of genitourinary fistula: a technique for surgical management. 2002;186:948-53
Carey TS (*see* Thorp et al). 2002;186:587-92 (AJOG reviews)
Caritis S (*see* Buchbinder et al). 2002;186:66-71
Caritis S (*see* Hnat et al). 2002;186:422-6
Caritis SN (*see* Moawad et al). 2002;186:990-6
Caritis SN (*see* Ramsey et al). 2002;186:458-63
Carlan SJ, Blust D, O'Brien WF. Buccal versus intravaginal misoprostol administration for cervical ripening. 2002;186:229-33
Carley ME (*see* Klingele et al). 2002;186:866-8 (Residents' papers)
Carraway RD (*see* Fett et al). 2002;186:1005-10
Carroli G (*see* Borghi et al). 2002;186:221-8
Castro EE (*see* Castro et al). 2002;186:336 (Letter reply)
Castro MA, Castro EE, Shipp TD. Is helical computed tomography 100% sensitive to diagnose acute appendicitis during pregnancy? 2002;186:336 (Letter reply)
Catalano PM (*see* England et al). 2002;186:1035-40
Caton D, Corry MP, Frigoletto FD, Hopkins DP, Lieberman E, Mayberry L, Rooks JP, Rosenfield A, Sakala C, Simkin P, Young D. The Nature and Management of Labor Pain: executive summary. 2002;186:S1-15 (Symposium)
Caton D, Frölich MA, Euliano TY. Anesthesia for childbirth: controversy and change. 2002;186:S25-30 (Symposium)
Catz C (*see* Goodwin et al). 2002;186:S181
Caughey AB, Parer JT. Recommendations for repeat courses of antenatal corticosteroids: a decision analysis. 2002;186:1221-9
Centretto CA (*see* Gibbs et al). 2002;186:234-9
Chaiworapongsa T, Kim JC, Kim YM, Blackwell SC, Yoon BH, Gomez R, Romero R. Evidence for fetal involvement in the pathologic process of clinical chorioamnionitis. 2002;186:1178-82
Chalmers RW (*see* Goff et al). 2002;186:613-7
Chames MC, Livingston JC, Ivester TS, Barton JR, Sibai BM. Late postpartum eclampsia: a preventable disease. 2002;186:1174-7
Chan JK, Manetta A. Prevention of femoral nerve injuries in gynecologic surgery. 2002;186:1-7 (Clin. opinion)
Chandra K (*see* Magee et al). 2002;186:S232-8
Chang ALS, Noah MS, Laros RK Jr. Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999. 2002;186:1299-1303
Chang PL (*see* Sauer and Chang). 2002;186:627-33
Chao CR (*see* Taber et al). 2002;186:1017-21
Chasen ST, Al-Kouatly HB, Ballabh P, Skupski DW, Chervenak FA. Outcomes of dichorionic triplet pregnancies. 2002;186:765-7
Chatterjee R (*see* Bajoria et al). 2002;186:121-7
Chauhan SP (*see* Magann et al). 2002;186:1119-23
Chedwick LR (*see* Craven et al). 2002;186:291-6
Chen H (*see* Hughes et al). 2002;186:396-403
Chen LB (*see* Sasaki et al). 2002;186:103-8
Chervenak FA (*see* Chasen et al). 2002;186:765-7
Chervenak FA (*see* Gurewitsch et al). 2002;186:1331-8
Cheung CY (*see* Matsumoto et al). 2002;186:303-10
Cheung CY (*see* Zhang et al). 2002;186:315-20
Child TJ (*see* Tan et al). 2002;186:684-9
Chiriboga C (*see* Arad et al). 2002;186:818-25
Chow GE (*see* Goff et al). 2002;186:613-7
Christensen FC, Tehranifar M, Gonzalez JL, Qualls CR, Rappaport VJ, Rayburn WF. Randomized trial of concurrent oxytocin with a sustained-release dinoprostone vaginal insert for labor induction at term. 2002;186:61-5
Christensen ND (*see* Heim et al). 2002;186:705-11
Christow A (*see* Lundström et al). 2002;186:717-22
Chui YK, Bhal PS. Role of hysteroscopy in the detection and extraction of endometrial polyps: results of a prospective study. 2002;186:1104 (Letter)
Cimo S (*see* Kaufman et al). 2002;186:564-8
Clapp JF III, Kim H, Burciu B, Schmidt S, Petry K, Lopez B. Continuing regular exercise during pregnancy: effect of exercise volume on fetoplacental growth. 2002;186:142-7
Clark A (*see* Hendrix et al). 2002;186:1160-6
Clark AL (*see* Otto et al). 2002;186:416-21
Clark KE (*see* McElvy et al). 2002;186:55-60
Clausen HV (*see* Larsen et al). 2002;186:531-7
Clemmens D (*see* Mayberry et al). 2002;186:S81-93 (Symposium)
Clewell WH, Bogle A, Weston N, Greensher S. Obstetrician-gynecologists performing genetic amniocentesis may be misleading themselves and their patients. 2002;186:851 (Letter)
Cnattingius S (*see* Ros et al). 2002;186:198-203
Coates KW (*see* Vineyard et al). 2002;186:1155-9
Cohen SB (*see* Lidor et al). 2002;186:984-9
Cole BF (*see* Harper et al). 2002;186:365-73
Cole L (*see* Bahado-Singh et al). 2002;186:803-8
Coleman RL, Muller CY. Effects of a laboratory-based skills curriculum on laparoscopic proficiency: a randomized trial. 2002;186:836-42 (Education)
Coleman S (*see* Attard et al). 2002;186:S220-7
Colombo M (*see* Scalori et al). 2002;186:195-7
Connors AF Jr (*see* Mihm et al). 2002;186:858-60 (Residents' papers)
Coppage KH, Polzin WJ. Severe preeclampsia and delivery outcomes: is immediate cesarean delivery beneficial? 2002;186:921-3 (Residents' papers)
Cornella JL (*see* Walter et al). 2002;186:723-8
Cornish J (*see* Cundy et al). 2002;186:978-83
Corry MP (*see* Caton et al). 2002;186:S1-15 (Symposium)
Cotter AM, Daly SF. Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia. 2002;186:1108 (Letter reply)
Cowan BD, Sewell PE, Howard JC, Arriola RM, Robinette LG. Interventional magnetic resonance imaging cryotherapy of uterine fibroid tumors: preliminary observation. 2002;186:1183-7

Craven CM, Chedwick LR, Ward K. Placental basal plate formation is associated with fibrin deposition in decidual veins at sites of trophoblast cell invasion. 2002;186:291-6
Creasy GW (*see* Dittrich et al). 2002;186:15-20
Crist KA (*see* Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)
Critchlow CW (*see* Mueller et al). 2002;186:446-52
Crosby RA, DiClemente RJ, Wingood GM, Davies SL, Harrington K. Adolescents' ambivalence about becoming pregnant predicts infrequent contraceptive use: a prospective analysis of nonpregnant African American females. 2002;186:251-2
Croughan MS (*see* Goldstein et al). 2002;186:1230-6
Crum CP (*see* Georgakoudi et al). 2002;186:374-82
Crum CP (*see* Hughes et al). 2002;186:396-403
Cruz AC (*see* DiMaio et al). 2002;186:890-2 (Residents' papers)
Cundiff GW (*see* Sewell and Cundiff). 2002;186:404-8
Cundy T, Cornish J, Roberts H, Reid IR. Menopausal bone loss in long-term users of depot medroxyprogesterone acetate contraception. 2002;186:978-83
Curet LB (*see* England et al). 2002;186:1035-40
Cu-Uvin S (*see* Jamieson et al). 2002;186:21-7

D

Daly S (*see* Molloy et al). 2002;186:499-503
Daly SF (*see* Cotter and Daly). 2002;186:1108 (Letter reply)
Dambrosia J (*see* Mittendorf et al). 2002;186:1111-8
Danielian P (*see* Shetty et al). 2002;186:72-6
Das A (*see* Moawad et al). 2002;186:990-6
Das A (*see* Ramsey et al). 2002;186:458-63
Dasari RR (*see* Georgakoudi et al). 2002;186:374-82
Davies JK (*see* Cibbs et al). 2002;186:234-9
Davies P (*see* Petry et al). 2002;186:28-34
Davies SL (*see* Crosby et al). 2002;186:251-2
Davis G (*see* Wapner et al). 2002;186:1133-6
Davis RL, Schuchat A. Implementation of group B *Streptococcus* prevention strategy. 2002;186:335 (Letter reply)
De A (*see* Mayberry et al). 2002;186:S81-93 (Symposium)
DeLancey JO (*see* Perucchini et al). 2002;186:356-60
DeLancey JOL (*see* Perucchini et al). 2002;186:351-5
De Leo V (*see* Setacci et al). 2002;186:832-5
Delivoria-Papadopoulos M (*see* Maulik et al). 2002;186:658-62
de Lucena Batista R (*see* Lorenzato et al). 2002;186:962-8
Dennedy MC (*see* Houlihan et al). 2002;186:778-83
Deprest JA (*see* Gratacós et al). 2002;186:538-43
D'Eril GVM (*see* Ghezzi et al). 2002;186:268-73
Derrick EJ (*see* Low et al). 2002;186:279-82
de Tayrac R, Fernandez H. Surgical repair of cystocele with mesh by the vaginal route. 2002;186:852 (Letter)
Devlieger R (*see* Gratacós et al). 2002;186:538-43
Deyrolle C (*see* Rouzier et al). 2002;186:49-52
Diament P (*see* Gurewitsch et al). 2002;186:1331-8
Dickey RP, Taylor SN, Lu PY, Sartor BM, Storment JM, Rye PH, Pelletier WD, Zender JL, Matulich EM. Spontaneous reduction of multiple pregnancy: incidence and effect on outcome. 2002;186:77-83
Dickinson JE, Evans SF. The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination. 2002;186:470-4
DiClemente RJ (*see* Crosby et al). 2002;186:251-2
DiMaio H, Edwards RK, Euliano TY, Treloar RW, Cruz AC. Vaginal birth after cesarean delivery: an historic cohort cost analysis. 2002;186:890-2 (Residents' papers)
Dimsdale JE (*see* Farag et al). 2002;186:954-61
Di Naro E (*see* Ghezzi et al). 2002;186:268-73
Dittrich R, Parker L, Rosen JB, Shangold G, Creasy GW, Fisher AC, Ortho Evra/Evra 001 Study Group. Transdermal contraception: evaluation of three transdermal norelgestromin/ethinyl estradiol doses in a randomized, multicenter, dose-response study. 2002;186:15-20
Divon MY (*see* Worth et al). 2002;186:924-5 (Residents' papers)
Dodds L (*see* Dubé et al). 2002;186:579-83
Domany B, Koppan M, Bodis J. Results with colposuspension by the Burch procedure in our practice. 2002;186:1108 (Letter)
Dombrowski M (*see* Hnat et al). 2002;186:422-6
Dombrowski M (*see* Moawad et al). 2002;186:990-6
Dombrowski MP (*see* Ramsey et al). 2002;186:458-63
Donovan EF (*see* Shankaran et al). 2002;186:796-802
Dooley SL (*see* Neithardt et al). 2002;186:883-6 (Residents' papers)
Dowdy SC, Boardman CH, Wilson TO, Podratz KC, Hartmann LC, Long HJ. Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer. 2002;186:1167-73
Dowell DL (*see* Fett et al). 2002;186:1005-10
Drakeley AJ, Le Roux PA, Anthony J, Penny J. Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit. 2002;186:253-6
Draznin B (*see* Barbour et al). 2002;186:512-7
Drozdzowska B (*see* Pluskiewicz and Drozdzowska). 2002;186:337 (Letter)
Dubé J, Dodds L, Armson BA. Does chorionicity or zygosity predict adverse perinatal outcomes in twins? 2002;186:579-83
Dueholm M, Lundorf E, Hansen ES, Ledertoug S, Olesen F. Accuracy of magnetic resonance imaging and transvaginal ultrasonography in the diagnosis, mapping, and measurement of uterine myomas. 2002;186:409-15
Duerr A (*see* Jamieson et al). 2002;186:21-7
Duncan KR (*see* Overton et al). 2002;186:826-31
Dupuis O, Audra P, Mellier G. Is helical computed tomography 100% sensitive to diagnose acute appendicitis during pregnancy? 2002;186:336 (Letter)
Duran H (*see* Ergin et al). 2002;186:204-9
Durand N (*see* Thomas et al). 2002;186:876-9 (Residents' papers)
Durkin MS (*see* Arad et al). 2002;186:818-25

E

Eckert LO, Hawes SE, Wölner-Hanssen PK, Kiviat NB, Wasserheit JN, Paavonen JA, Eschenbach DA, Holmes KK. Endometritis: the clinical-pathologic syndrome. 2002;186:690-5
Eckert LO, Sugar N, Fine D. Characteristics of sexual assault in women with a major psychiatric diagnosis. 2002;186:1284-91
Edwards RK (*see* DiMaio et al). 2002;186:890-2 (Residents' papers)
Egerman RS (*see* Smith et al). 2002;186:893-5 (Residents' papers)
Ehrenkranz RA (*see* Shankaran et al). 2002;186:796-802
Eichler H, Lese A, Meckies J, Zieger W, Klüter H, Bugert P. Prenatal HLA genotyping of uncultured amniotic fluid samples contaminated with maternal blood. 2002;186:1366-71
Eiff MP (*see* Emmons et al). 2002;186:1259-67
Einarson A (*see* Koren et al). 2002;186:S228-31
Ekerhovd E, Weijdegård B, Brännström M, Mattsby-Baltzer I, Norström A. Nitric oxide induced cervical ripening in the human: involvement of cyclic guanosine monophosphate, prostaglandin $F_{2\alpha}$, and prostaglandin E^2. 2002;186:745-50
Ellis J, Williams H, Graves W, Lindsay MK. Human immunodeficiency virus infection is a risk factor for adverse perinatal outcome. 2002;186:903-6 (Residents' papers)
Ellis MJ, Livesey JH, Inder WJ, Prickett TCR, Reid R. Plasma corticotropin-releasing hormone and unconjugated estriol in human pregnancy: gestational patterns and ability to predict preterm delivery. 2002;186:94-9
Emerson DS (*see* Smith et al). 2002;186:893-5 (Residents' papers)
Emmons S, Sells CW, Eiff MP. A review of medical and allied health learners' satisfaction with their training in women's health. 2002;186:1259-67
Emons G (*see* Völker et al). 2002;186:171-9
England LJ, Levine RJ, Qian C, Morris CD, Sibai BM, Catalano PM, Curet LB, Klebanoff MA. Smoking before pregnancy and

risk of gestational hypertension and preeclampsia. 2002; 186:1035-40
England LJ (*see* Levine et al). 2002;186:1107 (Letter)
Ergin T, Lembet A, Duran H, Kuscu E, Bagis T, Saygili E, Batioglu S. Does insulin secretion in patients with one abnormal glucose tolerance test value mimic gestational diabetes mellitus? 2002; 186:204-9
Esakoff T (*see* Noah et al). 2002;186:773-7
Escamilla JO. A VBAC question. 2002;186:851 (Letter)
Eschenbach DA (*see* Eckert et al). 2002;186:690-5
Euliano TY (*see* Caton et al). 2002;186:S25-30 (Symposium)
Euliano TY (*see* DiMaio et al). 2002;186:890-2 (Residents' papers)
Eure CR, Lindsay MK, Graves WL. Risk of adverse pregnancy outcomes in young adolescent parturients in an inner-city hospital. 2002;186:918-20 (Residents' papers)
Evans MI, Wapner RJ. Multiembryonic pregnancy reduction: the Hungarian experience. 2002;186:597 (Letter reply)
Evans MI (*see* Wapner et al). 2002;186:1133-6
Evans SF (*see* Dickinson and Evans). 2002;186:470-4

F

Fackler E (*see* Shackelford et al). 2002;186:701-4
Fanaroff AA (*see* Shankaran et al). 2002;186:796-802
Fanning J (*see* Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)
Farag NH, Nelesen RA, Parry BL, Loredo JS, Dimsdale JE, Mills PJ. Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy. 2002;186:954-61
Farrell J (*see* Noah et al). 2002;186:773-7
Fausett MB, Zahn CM, Kendall BS, Barth WH Jr. The significance of psammoma bodies that are found incidentally during endometrial biopsy. 2002;186:180-3
Feld MS (*see* Georgakoudi et al). 2002;186:374-82
Feldman DM, Borgida AF, Trymbulak WP, Barsoom MJ, Sanders MM, Rodis JF. Clinical implications of velamentous cord insertion in triplet gestations. 2002;186:809-11
Felix JC, Lonky NM, Tamura K, Yu K-J, Naidu Y, Lai C-R, Lonky SA. Aberrant expression of E-cadherin in cervical intraepithelial neoplasia correlates with a false-negative Papanicolaou smear. 2002;186:1308-14
Felix JC (*see* Goharkhay et al). 2002;186:1202-6
Felker RE (*see* Smith et al). 2002;186:893-5 (Residents' papers)
Fenner D (*see* Goff et al). 2002;186:613-7
Ferber A (*see* Worth et al). 2002;186:924-5 (Residents' papers)
Ferguson SS, Jamieson DJ, Lindsay M. Diagnosing postpartum depression: can we do better? 2002;186:899-902 (Residents' papers)
Fernandez H (*see* de Tayrac and Fernandez). 2002;186:852 (Letter)
Fett JD, Carraway RD, Dowell DL, King ME, Pierre RA. Peripartum cardiomyopathy in the Hospital Albert Schweitzer District of Haiti. 2002;186:1005-10
Fine D (*see* Eckert et al). 2002;186:1284-91
Finnegan LP (*see* Bauer et al). 2002;186:487-95
Finnerty JJ (*see* Mihm et al). 2002;186:858-60 (Residents' papers)
Fintor L (*see* Rigó et al). 2002;186:853 (Letter)
Firtion G (*see* Marcollet et al). 2002;186:784-9
Fiscella K, Franks P, Kendrick JS, Meldrum S, Kieke BA Jr. Risk of preterm birth that is associated with vaginal douching. 2002; 186:1345-50
Fish DN (*see* Sheffield et al). 2002;186:100-2
Fisher AC (*see* Dittrich et al). 2002;186:15-20
Fisk NM (*see* Overton et al). 2002;186:826-31
Flaxman SM (*see* Sherman and Flaxman). 2002;186:S190-7
Fleisher AA II. Who should perform genetic amniocentesis? 2002; 186:338 (Letter)
Flood C (*see* Steed et al). 2002;186:861-5 (Residents' papers)
Flynn DE (*see* Lipscomb et al). 2002;186:1192-5
Fong J (*see* Gurewitsch et al). 2002;186:1331-8
Fortenberry JD (*see* Mahon et al). 2002;186:1320-5
Foulkes WD (*see* Hébert-Blouin et al). 2002;186:53-4
Fox-Rushby J (*see* Borghi et al). 2002;186:221-8
Franchi M (*see* Ghezzi et al). 2002;186:268-73
Franks P (*see* Fiscella et al). 2002;186:1345-50
Fraser WD (*see* Xiong and Fraser). 2002;186:1106 (Letter reply)
Freund R (*see* Kaplan et al). 2002;186:1244-9
Friedman JE (*see* Barbour et al). 2002;186:512-7
Frigoletto FD (*see* Caton et al). 2002;186:S1-15 (Symposium)
Frölich MA (*see* Caton et al). 2002;186:S25-30 (Symposium)
Fujii E (*see* Mu et al). 2002;186:297-302
Fujii Y (*see* Sasaki et al). 2002;186:103-8
Fukuda H (*see* Mu et al). 2002;186:297-302
Fukushima T, Berumen M, Vargas N, Zadeh N, Hon EH. The effects of cardiovascular dynamics monitoring in the outpatient management of pregnancy hypertension. 2002;186:1207-15
Fulep EE, Vedernikov YP, Saade GR, Garfield RE. Flow rate–perfusion pressure relationships in situ in the uterine circulation of pregnant rats. 2002;186:1022-6
Fynes MM (*see* Carey et al). 2002;186:948-53

G

Gabbe SG, Melville J, Mandel L, Walker E. Burnout in chairs of obstetrics and gynecology: diagnosis, treatment, and prevention. 2002;186:601-12 (Pres. address)
Gabbe SG (*see* Welch and Gabbe). 2002;186:584-6 (Education)
Gagnon R, Harding R, Brace RA. Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep. 2002;186: 1076-84
Galecki A (*see* Perucchini et al). 2002;186:356-60
Gallus S (*see* Scalori et al). 2002;186:195-7
Gangula PRR (*see* Witlin et al). 2002;186:89-93
Garabelis N (*see* Quintero et al). 2002;186:155-7
Garcia P (*see* Lindau et al). 2002;186:938-43
Gard JW, Alexander JM, Bawdon RE, Albrecht JT. Oxytocin preparation stability in several common obstetric intravenous solutions. 2002;186:496-8
Garfield RE (*see* Bailie et al). 2002;186:453-7
Garfield RE (*see* Bytautiene et al). 2002;186:438-45
Garfield RE (*see* Fulep et al). 2002;186:1022-6
Garrity M (*see* Barbour et al). 2002;186:512-7
Garwood S, Reeder M, Mackenzie IZ, Guillebaud J. Tubal surface lidocaine mediates pre-emptive analgesia in awake laparoscopic sterilization: a prospective, randomized clinical trial. 2002;186: 383-8
Gauthier RJ (*see* Bujold and Gauthier). 2002;186:311-4
Gauthier RJ (*see* Bujold et al). 2002;186:1326-30
Gavin NI (*see* Thorp et al). 2002;186:587-92 (AJOG reviews)
Gebauer G. Role of hysteroscopy in the detection and extraction of endometrial polyps: results of a prospective study. 2002; 186:1104 (Letter reply)
Geerts L (*see* Savvidou et al). 2002;186:84-8
Genest DR (*see* Hughes et al). 2002;186:396-403
Georgakoudi I, Sheets EE, Müller MG, Backman V, Crum CP, Badizadegan K, Dasari RR, Feld MS. Trimodal spectroscopy for the detection and characterization of cervical precancers in vivo. 2002;186:374-82
Gerber S, Bongiovanni AM, Ledger WJ, Witkin SS. Defective regulation of the proinflammatory immune response in women with vulvar vestibulitis syndrome. 2002;186:696-700
Gerber S, Bongiovanni AM, Ledger WJ, Witkin SS. A deficiency in interferon-α production in women with vulvar vestibulitis. 2002;186:361-4
Ghezzi F, Franchi M, Raio L, Di Naro E, Bossi G, D'Eril GVM, Bolis P. Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery. 2002;186: 268-73

Gianopoulos JG (*see* Mittendorf et al). 2002;186:1111-8
Gibbs RS, Davies JK, McDuffie RS Jr, Leslie KK, Sherman MP, Centretto CA, Wolf DM. Chronic intrauterine infection and inflammation in the preterm rabbit, despite antibiotic therapy. 2002;186:234-9
Gibson C (*see* Hughes et al). 2002;186:396-403
Giles W (*see* McGrath et al). 2002;186:257-60
Gill EJ, Hurt WG. Results with colposuspension by the Burch procedure in our practice. 2002;186:1108-9 (Letter reply)
Gillett P (*see* Hébert-Blouin et al). 2002;186:53-4
Givens VA, Lipscomb GH, Meyer NL. A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery. 2002;186:1188-91
Goff BA, Nielsen PE, Lentz GM, Chow GE, Chalmers RW, Fenner D, Mandel LS. Surgical skills assessment: a blinded examination of obstetrics and gynecology residents. 2002;186:613-7
Goffinet F (*see* Marcollet et al). 2002;186:784-9
Goh JT (*see* Carey et al). 2002;186:948-53
Goharkhay N, Wing DA, Pan V, McCausland V, Hanna M, Naidu YM, Felix JC. The expression of EP3-6 and inducible nitric oxide synthase messenger RNA are correlated in pregnant and misoprostol-treated but not in nongravid or menopausal myometrium. 2002;186:1202-6
Goldenberg RL, Klebanoff MA, Carey JC. Antimicrobials in the prevention of prematurity. 2002;186:1107 (Letter reply)
Goldenberg RL (*see* Moawad et al). 2002;186:990-6
Goldenberg RL (*see* Ramsey et al). 2002;186:458-63
Goldman RD (*see* Phung et al). 2002;186:1041-5
Goldstein RRP, Croughan MS, Robertson PA. Neonatal outcomes in immediate versus delayed conceptions after spontaneous abortion: a retrospective case series. 2002;186:1230-6
Goldstein SR, Monteagudo A, Popiolek D, Mayberry P, Timor-Tritsch I. Evaluation of endometrial polyps. 2002;186:669-74
Gomez R (*see* Chaiworapongsa et al). 2002;186:1178-82
Gonzalez JL (*see* Christensen et al). 2002;186:61-5
Goodlin RC. Low maternal plasma volume may be the answer! 2002;186:851-2 (Letter)
Goodwin TM. Nausea and vomiting of pregnancy: an obstetric syndrome. 2002;186:S184-9
Goodwin TM, Niebyl J, Catz C, Romero R. Understanding and treating nausea and vomiting of pregnancy. 2002;186:S181
Goodwin TM (*see* Niebyl and Goodwin). 2002;186:S253-5
Graham MF (*see* Mahon et al). 2002;186:1320-5
Gram J (*see* Skouby et al). 2002;186:969-77
Grandone E, Margaglione M. Maternal and fetal inherited thrombophilias. 2002;186:1376 (Letter)
Granger DN (*see* Wang et al). 2002;186:214-20
Gratacós E, Wu J, Devlieger R, Bonati F, Lerut T, Vanamo K, Deprest JA. Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery. 2002;186:538-43
Graves W (*see* Ellis et al). 2002;186:903-6 (Residents' papers)
Graves WL (*see* Eure et al). 2002;186:918-20 (Residents' papers)
Gravett MG (*see* Novy and Gravett). 2002;186:595 (Letter reply)
Gravett MG (*see* Vadillo-Ortega et al). 2002;186:128-38
Green LR (*see* Miller et al). 2002;186:261-7
Greenberg S (*see* McElvy et al). 2002;186:55-60
Greensher S (*see* Clewell et al). 2002;186:851 (Letter)
Greer IA (*see* Norman et al). 2002;186:593-4 (Letter reply)
Griffin C. No headaches! 2002;186:593 (Letter)
Groom KM, Bennett PR, Poston L, Shennan AH. Antimicrobials in the prevention of prematurity. 2002;186:1106-7 (Letter)
Groome N (*see* Bobrow et al). 2002;186:283-7
Grou F (*see* Rodrigues et al). 2002;186:167-8 (Letter reply)
Gründker C (*see* Völker et al). 2002;186:171-9
Gu P (*see* Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)
Gu Y (*see* Speer et al). 2002;186:551-6
Gu Y (*see* Wang et al). 2002;186:214-20
Guevara-Silva R (*see* Vadillo-Ortega et al). 2002;186:128-38
Guillebaud J (*see* Garwood et al). 2002;186:383-8
Gulekli B (*see* Tan et al). 2002;186:684-9
Gurewitsch ED, Diament P, Fong J, Huang G-h, Popovtzer A, Weinstein D, Chervenak FA. The labor curve of the grand multipara: does progress of labor continue to improve with additional childbearing? 2002;186:1331-8
Guyatt GH (*see* Magee et al). 2002;186:S232-8

H

Haberman S (*see* Naim et al). 2002;186:887-9 (Residents' papers)
Hackney AC (*see* Bessinger et al). 2002;186:757-64
Haddad B (*see* Rouzier et al). 2002;186:49-52
Hadji P. Efficacy of hormone replacement therapy assessed by quantitative ultrasonography. 2002;186:337-8 (Letter reply)
Halderman LD (*see* Nelson and Halderman). 2002;186:1250-8
Halpern SH (*see* Leighton and Halpern). 2002;186:S69-77 (Symposium)
Haluska GJ (*see* Vadillo-Ortega et al). 2002;186:128-38
Hamilton EF (*see* Bujold et al). 2002;186:1326-30
Hammer RA (*see* Walter et al). 2002;186:1315-9
Hammer RH (*see* Walter et al). 2002;186:723-8
Hamsten A (*see* van Rooijen et al). 2002;186:44-8
Haney EI (*see* McMahon et al). 2002;186:1137-41
Hanna M (*see* Goharkhay et al). 2002;186:1202-6
Hannah M (*see* Aghajafari et al). 2002;186:843-9 (AJOG reviews)
Hansen ES (*see* Dueholm et al). 2002;186:409-15
Hanson MA (*see* Miller et al). 2002;186:261-7
Hard M (*see* Koren et al). 2002;186:S228-31
Harding JE (*see* McCowan et al). 2002;186:1069-75
Harding R (*see* Gagnon et al). 2002;186:1076-84
Harel F (*see* Bujold et al). 2002;186:1326-30
Harger JH. Poor design in cerclage studies. 2002;186:594-5 (Letter)
Harlow BL (*see* Hughes et al). 2002;186:396-403
Harmanli OH (*see* Hillebrand et al). 2002;186:916-7 (Residents' papers)
Harper DM, Noll WW, Belloni DR, Cole BF. Randomized clinical trial of PCR–determined human papillomavirus detection methods: self-sampling versus clinician-directed–biologic concordance and women's preferences. 2002;186:365-73
Harrington K (*see* Crosby et al). 2002;186:251-2
Harris M (*see* Quinn et al). 2002;186:168 (Letter)
Hartmann KE (*see* Thorp et al). 2002;186:587-92 (AJOG reviews)
Hartmann LC (*see* Dowdy et al). 2002;186:1167-73
Hassan SS, Berry SM, Maymon E. Poor design in cerclage studies. 2002;186:595-6 (Letter reply)
Hasselblad V (*see* Thorp et al). 2002;186:587-92 (AJOG reviews)
Hauth J (*see* Buchbinder et al). 2002;186:66-71
Hauth J (*see* Hnat et al). 2002;186:422-6
Hauth JC (*see* Jenkins et al). 2002;186:790-5
Hawes SE (*see* Eckert et al). 2002;186:690-5
Head BB (*see* Jenkins et al). 2002;186:790-5
Hébert-Blouin M-N, Koufogianis V, Gillett P, Foulkes WD. Fallopian tube cancer in a *BRCA1* mutation carrier: rapid development and failure of screening. 2002;186:53-4
Heikkilä A, Myllynen P, Keski-Nisula L, Heinonen S, Vähäkangas K, Ylä-Herttuala S. Gene transfer to human placenta ex vivo: a novel application of dual perfusion of human placental cotyledon. 2002;186:1046-51
Heim K, Widschwendter A, Pirschner G, Wieland U, Awerkiew S, Christensen ND, Bergant A, Marth C, Höpfl R. Antibodies to human papillomavirus 16 L1 virus-like particles as an independent prognostic marker in cervical cancer. 2002;186:705-11
Heinonen S (*see* Heikkilä et al). 2002;186:1046-51
Heinrichs L. Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache. 2002;186:S215-9

Hendrix SL, Clark A, Nygaard I, Aragaki A, Barnabei V, McTiernan A. Pelvic organ prolapse in the Women's Health Initiative: gravidity and parity. 2002;186:1160-6
Hendrix SL (*see* Ness et al). 2002;186:929-37
Hentz JG (*see* Walter et al). 2002;186:723-8
Hentz JG (*see* Walter et al). 2002;186:1315-9
Hernandez-Guerrero C (*see* Vadillo-Ortega et al). 2002;186:128-38
Hertz MI. Hippocrates and the dignity of human life. 2002;186:1379-80 (Letter reply)
Hickok J (*see* Matteson et al). 2002;186:S239-43
Hill RFC (*see* Klingele et al). 2002;186:866-8 (Residents' papers)
Hillebrand L, Harmanli OH, Whiteman V, Khandelwal M. Urinary tract infections in pregnant women with bacterial vaginosis. 2002;186:916-7 (Residents' papers)
Hillier SL (*see* Ness et al). 2002;186:929-37
Hines TM. The G-spot is the female prostate. 2002;186:850 (Letter reply)
Hinton AT (*see* Petersen et al). 2002;186:737-44
Hinton VJ (*see* Arad et al). 2002;186:818-25
Hirsch E, Muhle RA, Mussalli GM, Blanchard R. Bacterially induced preterm labor in the mouse does not require maternal interleukin-1 signaling. 2002;186:523-30
HIV Epidemiology Research Study (HERS) Group (*see* Jamieson et al). 2002;186:21-7
Hnat MD, Sibai BM, Caritis S, Hauth J, Lindheimer MD, MacPherson C, VanDorsten JP, Landon M, Miodovnik M, Paul R, Meis P, Thurnau G, Dombrowski M, National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. Perinatal outcome in women with recurrent preeclampsia compared with women who develop preeclampsia as nulliparas. 2002;186:422-6
Ho L (*see* Lorenzato et al). 2002;186:962-8
Hodnett ED. Pain and women's satisfaction with the experience of childbirth: a systematic review. 2002;186:S160-72 (Symposium)
Hoffman MK (*see* Shackelford et al). 2002;186:701-4
Holley RL (*see* Ness et al). 2002;186:929-37
Hollier LM (*see* Sheffield et al). 2002;186:100-2
Holmes KK (*see* Eckert et al). 2002;186:690-5
Holmes RP (*see* Bobrow et al). 2002;186:283-7
Hombo Y, Ohshita M, Takamura S, Uchide K, Inoue M. Direct prediction of amniotic fluid volume in the third trimester by 3-dimensional measurements of intrauterine pockets: a tool for routine clinical use. 2002;186:245-50
Hon EH (*see* Fukushima et al). 2002;186:1207-15
Höpfl R (*see* Heim et al). 2002;186:705-11
Hopkins DP (*see* Caton et al). 2002;186:S1-15 (Symposium)
Hornberger LK (*see* Sokol et al). 2002;186:1085-90
Hoshina M (*see* et al). 2002;186:1052-5
Houlihan DD, Dennedy MC, Morrison JJ. Polyamine effects on human myometrial contractility. 2002;186:778-83
Howard JC (*see* Cowan et al). 2002;186:1183-7
Huang G-h (*see* Gurewitsch et al). 2002;186:1331-8
Huch A (*see* Stiller et al). 2002;186:1351-7
Huch R (*see* Stiller et al). 2002;186:1351-7
Huettner PC (*see* Levy et al). 2002;186:1056-61
Hughes SA, Sun D, Gibson C, Bellerose B, Rushing L, Chen H, Harlow BL, Genest DR, Sheets EE, Crum CP. Managing atypical squamous cells of undetermined significance (ASCUS): human papillomavirus testing, ASCUS subtyping, or follow-up cytology? 2002;186:396-403
Hurt WG (*see* Gill and Hurt). 2002;186:1108-9 (Letter reply)
Hutton G (*see* Borghi et al). 2002;186:221-8
Hux M (*see* Attard et al). 2002;186:S220-7

I

Iams JD (*see* Moawad et al). 2002;186:990-6
Iams JD (*see* Ramsey et al). 2002;186:458-63
Iftner T (*see* Petry et al). 2002;186:28-34
Ikegami M (*see* Newnham et al). 2002;186:1062-8
Inder WJ (*see* Ellis et al). 2002;186:94-9
Inoue M (*see* Hombo et al). 2002;186:245-50
Inoue Y (*see* Sakakibara et al). 2002;186:997-1004
Ishihara N, Matsuo H, Murakoshi H, Laoag-Fernandez JB, Samoto T, Maruo T. Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation. 2002;186:158-66
Ivester TS (*see* Chames et al). 2002;186:1174-7

J

Jackson GL (*see* Wendel et al). 2002;186:618-26
Jackson GM (*see* Rode et al). 2002;186:321-4
Jackson LG (*see* Wapner et al). 2002;186:1133-6
Jacquemyn Y, Martens G, Ruyssinck G. Association of preeclampsia with high birth weight for gestational age. 2002;186:1105 (Letter)
Jacques DL (*see* Blickstein et al). 2002;186:1372-5
Jacques DL (*see* Tarter et al). 2002;186:910-2 (Residents' papers)
James WH. Is male sex an independent risk factor for preterm birth? 2002;186:594 (Letter)
Jamieson DJ, Duerr A, Burk R, Klein RS, Paramsothy P, Schuman P, Cu-Uvin S, Shah K, HIV Epidemiology Research Study (HERS) Group. Characterization of genital human papillomavirus infection in women who have or who are at risk of having HIV infection. 2002;186:21-7
Jamieson DJ (*see* Ferguson et al). 2002;186:899-902 (Residents' papers)
Jan C (*see* Koos et al). 2002;186:663-8
Janisse JJ (*see* Refuerzo et al). 2002;186:1150-4
Jenkins S (*see* Koenen et al). 2002;186:812-7
Jenkins SM, Head BB, Hauth JC. Severe preeclampsia at <25 weeks of gestation: maternal and neonatal outcomes. 2002;186:790-5
Jenkins TM (*see* Rode et al). 2002;186:321-4
Jennett RJ, Tarby TJ. Severe brachial plexus injury in the posterior arm: an alternative explanation. 2002;186:1378 (Letter reply)
Jennett RJ, Tarby TJ, Krauss RL. Erb's palsy contrasted with Klumpke's and total palsy: different mechanisms are involved. 2002;186:1216-20
Jensen DR (*see* Barbour et al). 2002;186:512-7
Jensen JT (*see* Phair et al). 2002;186:1304-1307
Jespersen J (*see* Skouby et al). 2002;186:969-77
Jobe AH (*see* Newnham et al). 2002;186:1062-8
Jolly M (*see* Overton et al). 2002;186:826-31
Joly J (*see* Rodrigues et al). 2002;186:167-8 (Letter reply)
Jønsson L (*see* Larsen et al). 2002;186:531-7

K

Kahhale S (*see* Takiuti et al). 2002;186:544-50
Kahn DJ, Richardson DK, Billett HH. Association of thrombocytopenia and delivery method with intraventricular hemorrhage among very-low-birth-weight infants. 2002;186:109-16
Kamp O (*see* Vogelvang et al). 2002;186:729-36
Kanellitsas I (*see* Bell et al). 2002;186:1091-4 (Education)
Kanzaki T (*see* Mu et al). 2002;186:297-302
Kaplan B (*see* Merlob et al). 2002;186:1377 (Letter)
Kaplan PF, Patel M, Austin DJ, Freund R. Assessing the risk of multiple gestation in gonadotropin intrauterine insemination cycles. 2002;186:1244-9
Karaca M (*see* Bahado-Singh et al). 2002;186:803-8
Kataria T (*see* Perucchini et al). 2002;186:351-5
Kaufman GE, Cimo S, Miller LW, Blass EM. An evaluation of the effects of sucrose on neonatal pain with 2 commonly used circumcision methods. 2002;186:564-8
Kawarabayashi T (*see* Sakakibara et al). 2002;186:997-1004
Keith LG (*see* Blickstein et al). 2002;186:1372-5
Keith LG (*see* Phung et al). 2002;186:1041-5

Kelsey SF (*see* Ness et al). 2002;186:929-37
Kendall BS (*see* Fausett et al). 2002;186:180-3
Kendrick JS (*see* Fiscella et al). 2002;186:1345-50
Kenemans P (*see* Vogelvang et al). 2002;186:729-36
Kerrigan AJ (*see* Schneider et al). 2002;186:907-9 (Residents' papers)
Kersemaekers W (*see* Lundström et al). 2002;186:717-22
Keski-Nisula L (*see* Heikkilä et al). 2002;186:1046-51
Khandelwal M (*see* Hillebrand et al). 2002;186:916-7 (Residents' papers)
Khoury A (*see* Tarter et al). 2002;186:910-2 (Residents' papers)
Khoury J (*see* McElvy et al). 2002;186:55-60
Kieke BA Jr (*see* Fiscella et al). 2002;186:1345-50
Kikuchi Y (*see* et al). 2002;186:1052-5
Killen H (*see* Low et al). 2002;186:279-82
Killick SR (*see* Bjarnadóttir et al). 2002;186:389-95
Kim H (*see* Clapp et al). 2002;186:142-7
Kim JC (*see* Chaiworapongsa et al). 2002;186:1178-82
Kim JG, Roh KR, Lee JY. The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea. 2002;186:345-50
Kim YJ, Williamson RA, Murray JC, Andrews JI, Pietscher JJ, Peraud PJ, Merrill DC. Factor V Leiden mutation and preeclampsia. 2002;186:853-4 (Letter reply)
Kim YM (*see* Chaiworapongsa et al). 2002;186:1178-82
King ME (*see* Fett et al). 2002;186:1005-10
Kirk N (*see* Quinn et al). 2002;186:168 (Letter)
Kirke PN (*see* Molloy et al). 2002;186:499-503
Kitamura K (*see* Sakakibara et al). 2002;186:997-1004
Kiviat NB (*see* Eckert et al). 2002;186:690-5
Kjos SL (*see* Schaefer-Graf et al). 2002;186:751-6
Klebanoff M (*see* Buchbinder et al). 2002;186:66-71
Klebanoff MA (*see* England et al). 2002;186:1035-40
Klebanoff MA (*see* Goldenberg et al). 2002;186:1107 (Letter reply)
Kleiber CM (*see* Petersen et al). 2002;186:737-44
Klein RS (*see* Jamieson et al). 2002;186:21-7
Klingele CJ, Carley ME, Hill RFC. Patient characteristics that are associated with urodynamically diagnosed detrusor instability and genuine stress incontinence. 2002;186:866-8 (Residents' papers)
Klüter H (*see* Eichler et al). 2002;186:1366-71
Knerr I, Beinder E, Rascher W. Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome. 2002;186:210-3
Knuppel RA (*see* Vintzileos et al). 2002;186:1011-6
Kobayashi M (*see* Sakakibara et al). 2002;186:997-1004
Koch KL. Gastrointestinal factors in nausea and vomiting of pregnancy. 2002;186:S198-203
Koenen SV, Mecenas CA, Smith GS, Jenkins S, Nathanielsz PW. Effects of maternal betamethasone administration on fetal and maternal blood pressure and heart rate in the baboon at 0.7 of gestation. 2002;186:812-7
Kohli MA (*see* Attard et al). 2002;186:S220-7
Kohli P (*see* Plunkett et al). 2002;186:926-8 (Residents' papers)
Kohn T (*see* Trotter et al). 2002;186:184-8
Kojima M (*see* Sakakibara et al). 2002;186:997-1004
Kokot F (*see* Nowicki et al). 2002;186:340-4
König V (*see* Stiller et al). 2002;186:1351-7
Koos BJ, Maeda T, Jan C, Lopez G. Adenosine A_{2A} receptors mediate hypoxic inhibition of fetal breathing in sheep. 2002;186:663-8
Kopelman JN (*see* Buhimschi et al). 2002;186:1339-44
Koppan M (*see* Domany et al). 2002;186:1108 (Letter)
Koren G, Boskovic R, Hard M, Maltepe C, Navioz Y, Einarson A. Motherisk—PUQE (pregnancy-unique quantification of emesis and nausea) scoring system for nausea and vomiting of pregnancy. 2002;186:S228-31
Koren G, Levichek Z. The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk. 2002;186:S248-52
Koren G (*see* Magee et al). 2002;186:S232-8
Koren G (*see* Magee et al). 2002;186:S256-61
Korones SB (*see* Shankaran et al). 2002;186:796-802
Koshino T (*see* Nakai et al). 2002;186:574-8
Koufogianis V (*see* Hébert-Blouin et al). 2002;186:53-4
Kramer BW (*see* Newnham et al). 2002;186:1062-8
Kramer MS (*see* Yang et al). 2002;186:433-7
Kraus FT (*see* Levy et al). 2002;186:1056-61
Krause-Steinrauf H (*see* Bauer et al). 2002;186:487-95
Krauss RL (*see* Jennett et al). 2002;186:1216-20
Krivchenia EL (*see* Wapner et al). 2002;186:1133-6
Krol DM (*see* Marmor and Krol). 2002;186:S173-80 (Symposium)
Krombach RS (*see* Newman et al). 2002;186:634-40
Kruger M (*see* Abel and Kruger). 2002;186:768-72
Kuban K (*see* Arad et al). 2002;186:818-25
Kuehl TJ (*see* Sulak et al). 2002;186:1142-9
Kuehl TJ (*see* Vineyard et al). 2002;186:1155-9
Kuhn L (*see* Arad et al). 2002;186:818-25
Kühnle H (*see* Petry et al). 2002;186:28-34
Kurman RJ (*see* Montz et al). 2002;186:651-7
Kuscu E (*see* Ergin et al). 2002;186:204-9

L

Lacoste H (*see* Blessed et al). 2002;186:338 (Letter reply)
Lacro RV (*see* Sokol et al). 2002;186:1085-90
Lai C-R (*see* Felix et al). 2002;186:1308-14
la Marca A (*see* Setacci et al). 2002;186:832-5
Landon M (*see* Buchbinder et al). 2002;186:66-71
Landon M (*see* Hnat et al). 2002;186:422-6
Langer JC (*see* Shankaran et al). 2002;186:796-802
Langille L (*see* Shynlova et al). 2002;186:1358-65
Langseth L (*see* Lindau et al). 2002;186:938-43
Laoag-Fernandez JB (*see* Ishihara et al). 2002;186:158-66
Laros RK Jr (*see* Chang et al). 2002;186:1299-1303
Larsen LG, Clausen HV, Jønsson L. Stereologic examination of placentas from mothers who smoke during pregnancy. 2002;186:531-7
Lau AF (*see* Pierce et al). 2002;186:504-11
Lave JR (*see* Ness et al). 2002;186:929-37
La Vecchia C (*see* Scalori et al). 2002;186:195-7
Lavender T (*see* Bricker and Lavender). 2002;186:S94-109 (Symposium)
Laxenaire MC (*see* Bayoumeu et al). 2002;186:518-22
Le Bret T (*see* Marcollet et al). 2002;186:784-9
Ledertoug S (*see* Dueholm et al). 2002;186:409-15
Ledger WJ (*see* Gerber et al). 2002;186:361-4
Ledger WJ (*see* Gerber et al). 2002;186:696-700
Lee JY (*see* Kim et al). 2002;186:345-50
Lee K-S (*see* Mittendorf et al). 2002;186:1111-8
Legagneur H (*see* Bayoumeu et al). 2002;186:518-22
Leighton BL, Halpern SH. The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review. 2002;186:S69-77 (Symposium)
Lembet A (*see* Ergin et al). 2002;186:204-9
Lemons JA (*see* Shankaran et al). 2002;186:796-802
Lentz GM, Bavendam T, Stenchever MA, Miller JL, Smalldridge J. Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain. 2002;186:1268-73
Lentz GM (*see* Goff et al). 2002;186:613-7
Le Roux PA (*see* Drakeley et al). 2002;186:253-6
Lerut T (*see* Gratacós et al). 2002;186:538-43
Lese A (*see* Eichler et al). 2002;186:1366-71
Leslie KK (*see* Gibbs et al). 2002;186:234-9
Lester B (*see* Bauer et al). 2002;186:487-95
Letsky E (*see* Overton et al). 2002;186:826-31
Leung MP, Bishop KD, Monga M. The effect of temperature on bactericidal properties of 10% povidone-iodine solution. 2002;186:869-71 (Residents' papers)

Leveno KJ (*see* Wendel et al). 2002;186:618-26
Levichek Z (*see* Koren and Levichek). 2002;186:S248-52
Levine EM. Implementation of group B *Streptococcus* prevention strategy. 2002;186:335 (Letter)
Levine RJ, England LJ, Sibai BM. Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia. 2002;186:1107 (Letter)
Levine RJ (*see* England et al). 2002;186:1035-40
Levy R, Smith SD, Yusuf K, Huettner PC, Kraus FT, Sadovsky Y, Nelson DM. Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression. 2002;186:1056-61
Leyland N (*see* Thomas et al). 2002;186:876-9 (Residents' papers)
Lichtenstein P (*see* Ros et al). 2002;186:198-203
Lidor AL, Cohen SB, Seidman DS, Novikov I, Rabinovici J, Mashiach S, Lipitz S. Effect of raloxifene on the ovarian circulation in women after menopause. 2002;186:984-9
Lieberman E, O'Donoghue C. Unintended effects of epidural analgesia during labor: a systematic review. 2002;186:S31-68 (Symposium)
Lieberman E (*see* Caton et al). 2002;186:S1-15 (Symposium)
Lindau ST, Tomori C, Lyons T, Langseth L, Bennett CL, Garcia P. The association of health literacy with cervical cancer prevention knowledge and health behaviors in a multiethnic cohort of women. 2002;186:938-43
Lindheimer MD (*see* Buchbinder et al). 2002;186:66-71
Lindheimer MD (*see* Hnat et al). 2002;186:422-6
Lindner DS (*see* Petersen et al). 2002;186:737-44
Lindsay M (*see* Ferguson et al). 2002;186:899-902 (Residents' papers)
Lindsay MK (*see* Ellis et al). 2002;186:903-6 (Residents' papers)
Lindsay MK (*see* Eure et al). 2002;186:918-20 (Residents' papers)
Ling FW (*see* Lipscomb et al). 2002;186:1192-5
Lipitz S (*see* Lidor et al). 2002;186:984-9
Lipscomb GH, Meyer NL, Flynn DE, Peterson M, Ling FW. Oral methotrexate for treatment of ectopic pregnancy. 2002;186:1192-5
Lipscomb GH (*see* Givens et al). 2002;186:1188-91
Liu M (*see* Shynlova et al). 2002;186:1358-65
Livesey JH (*see* Ellis et al). 2002;186:94-9
Livingston JC (*see* Chames et al). 2002;186:1174-7
Livingston JC (*see* Smith et al). 2002;186:893-5 (Residents' papers)
Lohr KN (*see* Thorp et al). 2002;186:587-92 (AJOG reviews)
Long HJ (*see* Dowdy et al). 2002;186:1167-73
Lonky NM (*see* Felix et al). 2002;186:1308-14
Lonky SA (*see* Felix et al). 2002;186:1308-14
Lopez B (*see* Clapp et al). 2002;186:142-7
Lopez G (*see* Koos et al). 2002;186:663-8
Loredo JS (*see* Farag et al). 2002;186:954-61
Lorenzato FR, Singer A, Ho L, Santos LC, de Lucena Batista R, Lubambo TM, Terry G. Human papillomavirus detection for cervical cancer prevention with polymerase chain reaction in self-collected samples. 2002;186:962-8
LoSasso RD (*see* Phung et al). 2002;186:1041-5
Louik C, Werler MM, Mitchell AA. Erythromycin use during pregnancy in relation to pyloric stenosis. 2002;186:288-90
Low JA, Killen H, Derrick EJ. The prediction and prevention of intrapartum fetal asphyxia in preterm pregnancies. 2002;186:279-82
Lowe NK. The nature of labor pain. 2002;186:S16-24 (Symposium)
Lu PY (*see* Dickey et al). 2002;186:77-83
Lubambo TM (*see* Lorenzato et al). 2002;186:962-8
Lucas MJ (*see* Speer et al). 2002;186:551-6
Lundorf E (*see* Dueholm et al). 2002;186:409-15
Lundström E, Christow A, Kersemaekers W, Svane G, Azavedo E, Söderqvist G, Mol-Arts M, Barkfeldt J, von Schoultz B. Effects of tibolone and continuous combined hormone replacement therapy on mammographic breast density. 2002;186:717-22
Lye SJ (*see* Shynlova et al). 2002;186:1358-65
Lykins D (*see* Sasaki et al). 2002;186:103-8
Lyons T (*see* Lindau et al). 2002;186:938-43

M

Maberry M (*see* Sheffield et al). 2002;186:569-73
Machin GA (*see* Phung et al). 2002;186:1041-5
Mackenzie F (*see* Norman et al). 2002;186:593-4 (Letter reply)
Mackenzie IZ (*see* Garwood et al). 2002;186:383-8
Macones GA (*see* Rode et al). 2002;186:321-4
MacPherson C (*see* Buchbinder et al). 2002;186:66-71
MacPherson C (*see* Hnat et al). 2002;186:422-6
Maeda T (*see* Koos et al). 2002;186:663-8
Magann EF, Chauhan SP, Rodts-Palenik S, Bufkin L, Martin JN Jr, Morrison JC. Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial. 2002;186:1119-23
Magann EF (*see* Barrilleaux et al). 2002;186:1124-9
Magee LA, Chandra K, Mazzotta P, Stewart D, Koren G, Guyatt GH. Development of a health-related quality of life instrument for nausea and vomiting of pregnancy. 2002;186:S232-8
Magee LA, Mazzotta P, Koren G. Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP). 2002;186:S256-61
Magrina JF (*see* Walter et al). 2002;186:723-8
Magrina JF (*see* Walter et al). 2002;186:1315-9
Magtibay PM (*see* Walter et al). 2002;186:723-8
Magtibay PM (*see* Walter et al). 2002;186:1315-9
Mahon BE, Rosenman MB, Graham MF, Fortenberry JD. Postpartum *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections. 2002;186:1320-5
Mahoney MJ (*see* Bahado-Singh et al). 2002;186:803-8
Maier L (*see* Trotter et al). 2002;186:184-8
Malinow AM (*see* Buhimschi et al). 2002;186:1339-44
Maltepe C (*see* Koren et al). 2002;186:S228-31
Mandel L (*see* Gabbe et al). 2002;186:601-12 (Pres. address)
Mandel LS (*see* Goff et al). 2002;186:613-7
Mandelbrot L (*see* Marcollet et al). 2002;186:784-9
Manetta A (*see* Chan and Manetta). 2002;186:1-7 (Clin. opinion)
Marcollet A, Goffinet F, Firtion G, Pannier E, Le Bret T, Brival M-L, Mandelbrot L. Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery. 2002;186:784-9
Margaglione M (*see* Grandone and Margaglione). 2002;186:1376 (Letter)
Marmor TR, Krol DM. Labor pain management in the United States: understanding patterns and the issue of choice. 2002;186:S173-80 (Symposium)
Martens G (*see* Cammu et al). 2002;186:240-4
Martens G (*see* Jacquemyn et al). 2002;186:1105 (Letter)
Marth C (*see* Heim et al). 2002;186:705-11
Martin JN Jr (*see* Magann et al). 2002;186:1119-23
Maruo T (*see* Ishihara et al). 2002;186:158-66
Mashiach S (*see* Lidor et al). 2002;186:984-9
Matorras R, Pijoan JI. The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated. 2002;186:597-8 (Letter)
Matsumoto LC, Bogic L, Brace RA, Cheung CY. Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta. 2002;186:303-10
Matsuo H (*see* Ishihara et al). 2002;186:158-66
Matteson S, Roscoe J, Hickok J, Morrow GR. The role of behavioral conditioning in the development of nausea. 2002;186:S239-43
Matteson SE (*see* Roscoe and Matteson). 2002;186:S244-7
Matthews S (*see* Aghajafari et al). 2002;186:843-9 (AJOG reviews)

Mattsby-Baltzer I (*see* Ekerhovd et al). 2002;186:745-50
Matulich EM (*see* Dickey et al). 2002;186:77-83
Maulik D, Ashraf QM, Mishra OP, Delivoria-Papadopoulos M. Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development. 2002;186:658-62
May WL (*see* Barrilleaux et al). 2002;186:1124-9
Mayberry L (*see* Caton et al). 2002;186:S1-15 (Symposium)
Mayberry LJ, Clemmens D, De A. Epidural analgesia side effects, co-interventions, and care of women during childbirth: a systematic review. 2002;186:S81-93 (Symposium)
Mayberry P (*see* Goldstein et al). 2002;186:669-74
Mayes DC (*see* Steed et al). 2002;186:861-5 (Residents' papers)
Maymon E (*see* Hassan et al). 2002;186:595-6 (Letter reply)
Maza PL (*see* Bauer et al). 2002;186:487-95
Mazzotta P (*see* Magee et al). 2002;186:S232-8
Mazzotta P (*see* Magee et al). 2002;186:S256-61
McCausland AM, McCausland VM. Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: a 10-year follow-up. 2002;186:1274-83
McCausland V (*see* Goharkhay et al). 2002;186:1202-6
McCausland VM (*see* McCausland and McCausland). 2002;186:1274-83
McCowan LME, Pryor J, Harding JE. Perinatal predictors of neurodevelopmental outcome in small-for-gestational-age children at 18 months of age. 2002;186:1069-75
McDuffie RS Jr (*see* Gibbs et al). 2002;186:234-9
McElvy S, Greenberg S, Baker RS, Khoury J, Clark KE. Effect of Ro 61-1790, a selective endothelin-A receptor antagonist, on systemic and uterine hemodynamics and fetal oxygenation in sheep. 2002;186:55-60
McGee DL (*see* Newman et al). 2002;186:634-40
McGrath S, McLean M, Smith D, Bisits A, Giles W, Smith R. Maternal plasma corticotropin-releasing hormone trajectories vary depending on the cause of preterm delivery. 2002;186:257-60
McIntire DD (*see* Sheffield et al). 2002;186:569-73
McIntire DD (*see* Wendel et al). 2002;186:618-26
McLean M (*see* McGrath et al). 2002;186:257-60
McMahon KS, Neerhof MG, Haney EI, Thomas HA, Silver RK, Peaceman AM. Prematurity in multiple gestations: identification of patients who are at low risk. 2002;186:1137-41
McMurray RG (*see* Bessinger et al). 2002;186:757-64
McPartlin J (*see* Molloy et al). 2002;186:499-503
McTiernan A (*see* Hendrix et al). 2002;186:1160-6
Mecenas CA (*see* Koenen et al). 2002;186:812-7
Meckies J (*see* Eichler et al). 2002;186:1366-71
Meis P (*see* Buchbinder et al). 2002;186:66-71
Meis P (*see* Hnat et al). 2002;186:422-6
Meis PJ (*see* Moawad et al). 2002;186:990-6
Meis PJ (*see* Ramsey et al). 2002;186:458-63
Meldrum S (*see* Fiscella et al). 2002;186:1345-50
Mellier G (*see* Dupuis et al). 2002;186:336 (Letter)
Melville J (*see* Gabbe et al). 2002;186:601-12 (Pres. address)
Menard MK (*see* Moawad et al). 2002;186:990-6
Mercer B (*see* Moawad et al). 2002;186:990-6
Mercer BM (*see* Ramsey et al). 2002;186:458-63
Merlob P, Kaplan B, Zangen S. Severe meconium aspiration syndrome. 2002;186:1377 (Letter)
Merrill DC (*see* Kim et al). 2002;186:853-4 (Letter reply)
Meyer NL (*see* Givens et al). 2002;186:1188-91
Meyer NL (*see* Lipscomb et al). 2002;186:1192-5
Michalski ST, Porter J, Pauli RM. Costs and consequences of comprehensive stillbirth assessment. 2002;186:1027-34
Mihm LM, Quick VA, Brumfield JA, Connors AF Jr, Finnerty JJ. The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding. 2002;186:858-60 (Residents' papers)
Mijatovic V (*see* Vogelvang et al). 2002;186:729-36
Milad MP (*see* Plunkett et al). 2002;186:926-8 (Residents' papers)
Miller F. Nausea and vomiting in pregnancy: the problem of perception—is it really a disease? 2002;186:S182-3
Miller JL (*see* Lentz et al). 2002;186:1268-73
Miller LW (*see* Kaufman et al). 2002;186:564-8
Miller SL, Green LR, Peebles DM, Hanson MA, Blanco CE. Effects of chronic hypoxia and protein malnutrition on growth in the developing chick. 2002;186:261-7
Milligan DA (*see* O'Brien et al). 2002;186:475-9
Mills JL (*see* Molloy et al). 2002;186:499-503
Mills PJ (*see* Farag et al). 2002;186:954-61
Minkoff H (*see* Naim et al). 2002;186:887-9 (Residents' papers)
Miodovnik M (*see* Buchbinder et al). 2002;186:66-71
Miodovnik M (*see* Hnat et al). 2002;186:422-6
Miodovnik M (*see* Moawad et al). 2002;186:990-6
Miodovnik M (*see* Ramsey et al). 2002;186:458-63
Mishra OP (*see* Maulik et al). 2002;186:658-62
Mitchell AA (*see* Louik et al). 2002;186:288-90
Mittendorf R, Dambrosia J, Pryde PG, Lee K-S, Gianopoulos JG, Besinger RE, Tomich PG. Association between the use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants. 2002;186:1111-8
Moawad A (*see* Wang et al). 2002;186:464-9
Moawad AH, Goldenberg RL, Mercer B, Meis PJ, Iams JD, Das A, Caritis SN, Miodovnik M, Menard MK, Thurnau GR, Dombrowski M, Roberts JM, NICHD MFMU Network. The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth. 2002;186:990-6
Moawad AH (*see* Ramsey et al). 2002;186:458-63
Mohan A (*see* Bobrow et al). 2002;186:283-7
Mohsin M (*see* Bai et al). 2002;186:274-8
Mol-Arts M (*see* Lundström et al). 2002;186:717-22
Molloy AM, Mills JL, McPartlin J, Kirke PN, Scott JM, Daly S. Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant. 2002;186:499-503
Momoi MY (*see* et al). 2002;186:1052-5
Monga M (*see* Leung et al). 2002;186:869-71 (Residents' papers)
Monga M (*see* Schneider et al). 2002;186:907-9 (Residents' papers)
Monnier-Barbarino P (*see* Bayoumeu et al). 2002;186:518-22
Monteagudo A (*see* Goldstein et al). 2002;186:669-74
Montz FJ, Bristow RE, Bovicelli A, Tomacruz R, Kurman RJ. Intrauterine progesterone treatment of early endometrial cancer. 2002;186:651-7
Moore TR. A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy. 2002;186:641-50
Morales WJ (*see* Quintero et al). 2002;186:155-7
Morgante G (*see* Setacci et al). 2002;186:832-5
Morin I (*see* Yang et al). 2002;186:433-7
Morris CD (*see* England et al). 2002;186:1035-40
Morris G (*see* Sheffield et al). 2002;186:569-73
Morrison JC (*see* Barrilleaux et al). 2002;186:1124-9
Morrison JC (*see* Magann et al). 2002;186:1119-23
Morrison JJ (*see* Houlihan et al). 2002;186:778-83
Morrow GR (*see* Matteson et al). 2002;186:S239-43
Morse AN (*see* Walter et al). 2002;186:723-8
Morse AN (*see* Walter et al). 2002;186:1315-9
Moss TJM (*see* Newnham et al). 2002;186:1062-8
Moulden M (*see* Pardey et al). 2002;186:1095-103 (AJOG reviews)
Moyal-Barracco M (*see* Rouzier et al). 2002;186:49-52
Moyer S (*see* Wapner et al). 2002;186:1133-6
Mu J, Kanzaki T, Tomimatsu T, Fukuda H, Fujii E, Takeuchi H, Murata Y. Investigation of intraplacental villous arteries by Doppler flow imaging in growth-restricted fetuses. 2002;186:297-302
Mueller BA, Zhang J, Critchlow CW. Birth outcomes and need for hospitalization after delivery among women with multiple sclerosis. 2002;186:446-52

Muhle RA (*see* Hirsch et al). 2002;186:523-30
Muller CY (*see* Coleman and Muller). 2002;186:836-42 (Education)
Müller MG (*see* Georgakoudi et al). 2002;186:374-82
Murakoshi H (*see* Ishihara et al). 2002;186:158-66
Murata Y (*see* Mu et al). 2002;186:297-302
Murphy DJ (*see* Bobrow et al). 2002;186:283-7
Murphy K (*see* Aghajafari et al). 2002;186:843-9 (AJOG reviews)
Murray CJ (*see* Carey et al). 2002;186:948-53
Murray JC (*see* Kim et al). 2002;186:853-4 (Letter reply)
Mussalli GM (*see* Hirsch et al). 2002;186:523-30
Muttukrishna S (*see* Bobrow et al). 2002;186:283-7
Myers MC (*see* Newman et al). 2002;186:634-40
Myllynen P (*see* Heikkilä et al). 2002;186:1046-51

N

Nachtigall RD. The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated. 2002;186:598 (Letter reply)
Naessen T, Rodriguez-Macias K. Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women. 2002;186:944-7
Naessen T (*see* Rodriguez-Macias et al). 2002;186:189-94
Nagy B (*see* Rigó et al). 2002;186:853 (Letter)
Naidu Y (*see* Felix et al). 2002;186:1308-14
Naidu YM (*see* Goharkhay et al). 2002;186:1202-6
Naim A, Haberman S, Burgess T, Navizedeh N, Minkoff H. Changes in cervical length and the risk of preterm labor. 2002;186:887-9 (Residents' papers)
Nakai A, Shibazaki Y, Taniuchi Y, Oya A, Asakura H, Koshino T, Araki T. Effect of dexamethasone on mitochondrial maturation in the fetal rat brain. 2002;186:574-8
Nanda K, Bastian LA, Schulz K. Hormone replacement therapy and the risk of death from breast cancer: a systematic review. 2002;186:325-34 (AJOG reviews)
Nathanielsz PW (*see* Koenen et al). 2002;186:812-7
National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (*see* Ramsey et al). 2002;186:458-63
National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (*see* Wang et al). 2002;186:464-9
National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units (*see* Buchbinder et al). 2002;186:66-71
National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units (*see* Hnat et al). 2002;186:422-6
Navioz Y (*see* Koren et al). 2002;186:S228-31
Navizedeh N (*see* Naim et al). 2002;186:887-9 (Residents' papers)
Neele SJM (*see* Vogelvang et al). 2002;186:729-36
Neerhof MG (*see* McMahon et al). 2002;186:1137-41
Nehra PC (*see* Blackwell et al). 2002;186:1130-2
Neithardt AB, Dooley SL, Borensztajn J. Prediction of 24-hour protein excretion in pregnancy with a single voided urine protein-to-creatinine ratio. 2002;186:883-6 (Residents' papers)
Nelesen RA (*see* Farag et al). 2002;186:954-61
Nelson AL, Halderman LD. Impact of early postpartum administration of progestin-only hormonal contraceptives compared with nonhormonal contraceptives on short-term breast-feeding patterns. 2002;186:1250-8
Nelson DM (*see* Levy et al). 2002;186:1056-61
Ness RB, Soper DE, Holley RL, Peipert J, Randall H, Sweet RL, Sondheimer SJ, Hendrix SL, Amortegui A, Trucco G, Songer T, Lave JR, Hillier SL, Bass DC, Kelsey SF, PID Evaluation and Clinical Health (PEACH) Study Investigators. Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease: results from the Pelvic Inflammatory Disease Evaluation and Clinical Health (PEACH) Randomized Trial. 2002;186:929-37
Ness RB (*see* Walker et al). 2002;186:8-14
Netelenbos JC (*see* Vogelvang et al). 2002;186:729-36
Newman RB, Krombach RS, Myers MC, McGee DL. Effect of cerclage on obstetrical outcome in twin gestations with a shortened cervical length. 2002;186:634-40
Newman RB (*see* Sims and Newman). 2002;186:1110 (Letter reply)
Newnham JP, Moss TJM, Kramer BW, Nitsos I, Ikegami M, Jobe AH. The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep. 2002;186:1062-8
NICHD MFMU Network (*see* Moawad et al). 2002;186:990-6
Nichols MD (*see* Phair et al). 2002;186:1304-7
Nicolaides KH (*see* Savvidou et al). 2002;186:84-8
Nicolaides KH (*see* Sonek and Nicolaides). 2002;186:139-41
Nicoll AE (*see* Norman et al). 2002;186:593-4 (Letter reply)
Niebyl J (*see* Goodwin et al). 2002;186:S181
Niebyl JR, Goodwin TM. Overview of nausea and vomiting of pregnancy with an emphasis on vitamins and ginger. 2002;186:S253-5
Nielsen PE (*see* Goff et al). 2002;186:613-7
Nilsen ST (*see* Ødegård et al). 2002;186:427-32
Nitsos I (*see* Newnham et al). 2002;186:1062-8
Noah MMS, Norton ME, Sandberg P, Esakoff T, Farrell J, Albanese CT. Short-term maternal outcomes that are associated with the EXIT procedure, as compared with cesarean delivery. 2002;186:773-7
Noah MS (*see* Chang et al). 2002;186:1299-1303
Nobles BJ (*see* Sheffield et al). 2002;186:100-2
Noll WW (*see* Harper et al). 2002;186:365-73
Norman JE, Nicoll AE, Greer IA, Mackenzie F. No headaches! 2002;186:593-4 (Letter reply)
Norström A (*see* Ekerhovd et al). 2002;186:745-50
Norton ME (*see* Noah et al). 2002;186:773-7
Novikov I (*see* Lidor et al). 2002;186:984-9
Novy MJ, Gravett MG. Poor design in cerclage studies. 2002;186:595 (Letter reply)
Novy MJ (*see* Vadillo-Ortega et al). 2002;186:128-38
Nowicki M, Adamkiewicz G, Bryc W, Kokot F. The influence of luteinizing hormone–releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma. 2002;186:340-4
Nygaard I (*see* Hendrix et al). 2002;186:1160-6

O

O'Brien JM, Shumate SA, Satchwell SL, Milligan DA, Barton JR. Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia. 2002;186:475-9
O'Brien JM (*see* Barton et al). 2002;186:896-8 (Residents' papers)
O'Brien WF (*see* Carlan et al). 2002;186:229-33
Ødegård RA, Vatten LJ, Nilsen ST, Salvesen KÅ, Austgulen R. Umbilical cord plasma leptin is increased in preeclampsia. 2002;186:427-32
O'Donoghue C (*see* Lieberman and O'Donoghue). 2002;186:S31-68 (Symposium)
Oh W (*see* Shankaran et al). 2002;186:796-802
O'Hara M (*see* Simkin and O'Hara). 2002;186:S131-59 (Symposium)
Ohlsson A (*see* Aghajafari et al). 2002;186:843-9 (AJOG reviews)
Ohshita M (*see* Hombo et al). 2002;186:245-50
Oláh KS. Vaginal birth after cesarean delivery: to induce or not to induce. 2002;186:1109-10 (Letter)
Oldenhof AD (*see* Shynlova et al). 2002;186:1358-65
Olesen F (*see* Dueholm et al). 2002;186:409-15
Olt G (*see* Cain et al). 2002;186:675-83
Onyeije CI (*see* Worth et al). 2002;186:924-5 (Residents' papers)

Orescovic I (*see* Bauer et al). 2002;186:117-20
Ortho Evra/Evra 001 Study Group (*see* Dittrich et al). 2002;186:15-20
Ortiz M (*see* Sulak et al). 2002;186:1142-9
Otto LN, Slayden OD, Clark AL, Brenner RM. The rhesus macaque as an animal model for pelvic organ prolapse. 2002;186:416-21
Overton TG, Duncan KR, Jolly M, Letsky E, Fisk NM. Serial aggressive platelet transfusion for fetal alloimmune thrombocytopenia: platelet dynamics and perinatal outcome. 2002;186:826-31
Oya A (*see* Nakai et al). 2002;186:574-8
Oz UA (*see* Bahado-Singh et al). 2002;186:803-8

P

Paavonen JA (*see* Eckert et al). 2002;186:690-5
Pan V (*see* Goharkhay et al). 2002;186:1202-6
Paniel B-J (*see* Rouzier et al). 2002;186:49-52
Pannier E (*see* Marcollet et al). 2002;186:784-9
Papile L-A (*see* Shankaran et al). 2002;186:796-802
Papp Z (*see* Patkós et al). 2002;186:596-7 (Letter)
Paramsothy P (*see* Jamieson et al). 2002;186:21-7
Pardey J, Moulden M, Redman CWG. A computer system for the numeric analysis of nonstress tests. 2002;186:1095-103 (AJOG reviews)
Parer JT (*see* Caughey and Parer). 2002;186:1221-9
Parker L (*see* Dittrich et al). 2002;186:15-20
Parry BL (*see* Farag et al). 2002;186:954-61
Partoll LM. Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery. 2002;186:1292-8
Patel M (*see* Kaplan et al). 2002;186:1244-9
Patkós P, Tóth-Pál E, Papp Z. Multiembryonic pregnancy reduction: the Hungarian experience. 2002;186:596-7 (Letter)
Paul R (*see* Buchbinder et al). 2002;186:66-71
Paul R (*see* Hnat et al). 2002;186:422-6
Paul RH (*see* Wing et al). 2002;186:1237-43
Pauli RM (*see* Michalski et al). 2002;186:1027-34
Peaceman AM (*see* McMahon et al). 2002;186:1137-41
Peacock WG. Bedlam beggars, Winchester geese, and mewling infants: medicine and women's health issues in Shakespeare. 2002;186:1196-1201 (Pres. address)
Peebles DM (*see* Miller et al). 2002;186:261-7
Peipert J (*see* Ness et al). 2002;186:929-37
Pelisse M (*see* Rouzier et al). 2002;186:49-52
Pelletier WD (*see* Dickey et al). 2002;186:77-83
Penny J (*see* Drakeley et al). 2002;186:253-6
Peraud PJ (*see* Kim et al). 2002;186:853-4 (Letter reply)
Pertl B (*see* Bauer et al). 2002;186:117-20
Perucchini D, DeLancey JO, Ashton-Miller JA, Galecki A, Schaer GN. Age effects on urethral striated muscle. II. Anatomic location of muscle loss. 2002;186:356-60
Perucchini D, DeLancey JOL, Ashton-Miller JA, Peschers U, Kataria T. Age effects on urethral striated muscle. I. Changes in number and diameter of striated muscle fibers in the ventral urethra. 2002;186:351-5
Peschers U (*see* Perucchini et al). 2002;186:351-5
Peters RK (*see* Schaefer-Graf et al). 2002;186:751-6
Petersen KR (*see* Skouby et al). 2002;186:969-77
Petersen LA, Lindner DS, Kleiber CM, Zimmerman MB, Hinton AT, Yankowitz J. Factors that predict low hematocrit levels in the postpartum patient after vaginal delivery. 2002;186:737-44
Peterson M (*see* Lipscomb et al). 2002;186:1192-5
Petersson G (*see* Ros et al). 2002;186:198-203
Petraglia F (*see* Setacci et al). 2002;186:832-5
Petry K (*see* Clapp et al). 2002;186:142-7
Petry KU, Böhmer G, Iftner T, Davies P, Brummer O, Kühnle H. Factors associated with an increased risk of prevalent and incident grade III cervical intraepithelial neoplasia and invasive cervical cancer among women with Papanicolaou tests classified as grades I or II cervical intraepithelial neoplasia. 2002;186:28-34
Phair N, Jensen JT, Nichols MD. Paracervical block and elective abortion: the effect on pain of waiting between injection and procedure. 2002;186:1304-7
Phung DT, Blickstein I, Goldman RD, Machin GA, LoSasso RD, Keith LG. The Northwestern Twin Chorionicity Study. I. Discordant inflammatory findings that are related to chorionicity in presenting versus nonpresenting twins. 2002;186:1041-5
Phy J, Stocco DM, Prien SD. Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes. 2002;186:872-5 (Residents' papers)
PID Evaluation and Clinical Health (PEACH) Study Investigators (*see* Ness et al). 2002;186:929-37
Pierce BT, Calhoun BC, Adolphson KR, Lau AF, Pierce LM. Connexin 43 expression in normal versus dysfunctional labor. 2002;186:504-11
Pierce LM (*see* Pierce et al). 2002;186:504-11
Pierre RA (*see* Fett et al). 2002;186:1005-10
Pietscher JJ (*see* Kim et al). 2002;186:853-4 (Letter reply)
Pijoan JI (*see* Matorras and Pijoan). 2002;186:597-8 (Letter)
Pines A (*see* Vogelvang et al). 2002;186:729-36
Pirschner G (*see* Heim et al). 2002;186:705-11
Platt RW (*see* Yang et al). 2002;186:433-7
Plunkett BA, Kohli P, Milad MP. The importance of physician gender in the selection of an obstetrician or a gynecologist. 2002;186:926-8 (Residents' papers)
Pluskiewicz W, Drozdzowska B. Efficacy of hormone replacement therapy assessed by quantitative ultrasonography. 2002;186:337 (Letter)
Podratz KC (*see* Dowdy et al). 2002;186:1167-73
Pohlandt F (*see* Trotter et al). 2002;186:184-8
Pohlod-Miller S, Fanning J, Gu P, Crist KA, You M. Detection of genomic alterations in human endometrial cancer by two-dimensional gel electrophoresis. 2002;186:855-7 (Residents' papers)
Polzin WJ (*see* Coppage and Polzin). 2002;186:921-3 (Residents' papers)
Pondo JS (*see* Worth et al). 2002;186:924-5 (Residents' papers)
Popiolek D (*see* Goldstein et al). 2002;186:669-74
Popovtzer A (*see* Gurewitsch et al). 2002;186:1331-8
Porter J (*see* Michalski et al). 2002;186:1027-34
Poston L (*see* Groom et al). 2002;186:1106-7 (Letter)
Pressman E (*see* Salvador et al). 2002;186:913-5 (Residents' papers)
Prickett TCR (*see* Ellis et al). 2002;186:94-9
Prien SD (*see* Phy et al). 2002;186:872-5 (Residents' papers)
Pryde PG (*see* Mittendorf et al). 2002;186:1111-8
Pryor J (*see* McCowan et al). 2002;186:1069-75
Pulawa LK (*see* Barbour et al). 2002;186:512-7

Q

Qian C (*see* England et al). 2002;186:1035-40
Qiao L (*see* Barbour et al). 2002;186:512-7
Qualls CR (*see* Christensen et al). 2002;186:61-5
Quick VA (*see* Mihm et al). 2002;186:858-60 (Residents' papers)
Quinn M, Slack M, Kirk N, Harris M. Obstetric denervation, gynecologic reinnervation. 2002;186:168 (Letter)
Quintero RA, Morales WJ, Bornick PW, Allen M, Garabelis N. Surgical treatment of spontaneous rupture of membranes: the amniograft—first experience. 2002;186:155-7

R

Rabinovici J (*see* Lidor et al). 2002;186:984-9
Rabinovitch M (*see* Sokol et al). 2002;186:1085-90
Raio L (*see* Ghezzi et al). 2002;186:268-73

Ramsey PS, Tamura T, Goldenberg RL, Mercer BM, Iams JD, Meis PJ, Moawad AH, Das A, Van Dorsten JP, Caritis SN, Thurnau G, Dombrowski MP, Miodovnik M, National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. The Preterm Prediction Study: elevated cervical ferritin levels at 22 to 24 weeks of gestation are associated with spontaneous preterm delivery in
asymptomatic women. 2002;186:458-63
Randall H (*see* Ness et al). 2002;186:929-37
Rappaport VJ (*see* Christensen et al). 2002;186:61-5
Rascher W (*see* Knerr et al). 2002;186:210-3
Rayburn WF (*see* Christensen et al). 2002;186:61-5
Raymond E, Taylor D. Timing of emergency contraception. 2002;186:167 (Letter)
Redman CWG (*see* Pardey et al). 2002;186:1095-103 (AJOG reviews)
Reeder M (*see* Garwood et al). 2002;186:383-8
Refuerzo JS, Sokol RJ, Blackwell SC, Berry SM, Janisse JJ, Sorokin Y. Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome. 2002;186:1150-4
Reid IR (*see* Cundy et al). 2002;186:978-83
Reid R (*see* Ellis et al). 2002;186:94-9
Richardson DK (*see* Kahn et al). 2002;186:109-16
Rigó J Jr, Nagy B, Fintor L. Factor V Leiden mutation and preeclampsia. 2002;186:853 (Letter)
Roberts H (*see* Cundy et al). 2002;186:978-83
Roberts J (*see* Sasaki et al). 2002;186:103-8
Roberts JM (*see* Moawad et al). 2002;186:990-6
Roberts JM (*see* Wang et al). 2002;186:214-20
Robertson PA (*see* Goldstein et al). 2002;186:1230-6
Robinette LG (*see* Cowan et al). 2002;186:1183-7
Rode ME, Jackson GM, Jenkins TM, Macones GA. Ultrasonographic measurement of the abdominal circumference in fetuses with congenital diaphragmatic hernia. 2002;186:321-4
Rodis JF (*see* Feldman et al). 2002;186:809-11
Rodrigues I, Grou F, Joly J. Timing of emergency contraception. 2002;186:167-8 (Letter reply)
Rodriguez-Macias K (*see* Naessen and Rodriguez-Macias). 2002;186:944-7
Rodriguez-Macias KA, Naessen T, Boström A, Bergqvist D. Arterial stiffness is not improved in long-term use of estrogen. 2002;186:189-94
Rodts-Palenik S (*see* Magann et al). 2002;186:1119-23
Roh KR (*see* Kim et al). 2002;186:345-50
Romero R (*see* Bytautiene et al). 2002;186:438-45
Romero R (*see* Chaiworapongsa et al). 2002;186:1178-82
Romero R (*see* Goodwin et al). 2002;186:S181
Rooks JP (*see* Caton et al). 2002;186:S1-15 (Symposium)
Ros HS, Lichtenstein P, Bellocco R, Petersson G, Cnattingius S. Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? 2002;186:198-203
Roscoe J (*see* Matteson et al). 2002;186:S239-43
Roscoe JA, Matteson SE. Acupressure and acustimulation bands for control of nausea: a brief review. 2002;186:S244-7
Rosen JB (*see* Dittrich et al). 2002;186:15-20
Rosen MA. Nitrous oxide for relief of labor pain: a systematic review. 2002;186:S110-26 (Symposium)
Rosen MA. Paracervical block for labor analgesia: a brief historic review. 2002;186:S127-30 (Symposium)
Rosenfield A (*see* Caton et al). 2002;186:S1-15 (Symposium)
Rosenman MB (*see* Mahon et al). 2002;186:1320-5
Ross MG (*see* Taber et al). 2002;186:1017-21
Roudebush WE. The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated. 2002;186:598 (Letter reply)
Rouzier R, Haddad B, Deyrolle C, Pelisse M, Moyal-Barracco M, Paniel B-J. Perineoplasty for the treatment of introital stenosis related to vulvar lichen sclerosus. 2002;186:49-52
Rushing L (*see* Hughes et al). 2002;186:396-403
Ruyssinck G (*see* Cammu et al). 2002;186:240-4
Ruyssinck G (*see* Jacquemyn et al). 2002;186:1105 (Letter)
Ryan G (*see* Sokol et al). 2002;186:1085-90
Rye PH (*see* Dickey et al). 2002;186:77-83

S

Saade GR (*see* Bailie et al). 2002;186:453-7
Saade GR (*see* Bukowski and Saade). 2002;186:852 (Letter reply)
Saade GR (*see* Bytautiene et al). 2002;186:438-45
Saade GR (*see* Fulep et al). 2002;186:1022-6
Sadovsky Y (*see* Levy et al). 2002;186:1056-61
Sadowsky DW (*see* Vadillo-Ortega et al). 2002;186:128-38
Sakakibara T, Inoue Y, Uzue S, Tsukamoto T, Kobayashi M, Kojima M, Akahane M, Kitamura K, Kawarabayashi T. Diversity of inhibitory responses to β_2-stimulants shown by term-pregnant human myometria in vitro is partly due to differences in receptor density. 2002;186:997-1004
Sakala C (*see* Caton et al). 2002;186:S1-15 (Symposium)
Salvador E, Bienstock J, Blakemore KJ, Pressman E. Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion. 2002;186:913-5 (Residents' papers)
Salvesen KÅ (*see* Ødegård et al). 2002;186:427-32
Samoto T (*see* Ishihara et al). 2002;186:158-66
Sánchez PJ (*see* Sheffield et al). 2002;186:569-73
Sánchez PJ (*see* Wendel et al). 2002;186:618-26
Sand PK. Surgical repair of cystocele with mesh by the vaginal route. 2002;186:852-3 (Letter reply)
Sandberg P (*see* Noah et al). 2002;186:773-7
Sanders MM (*see* Feldman et al). 2002;186:809-11
Santos LC (*see* Lorenzato et al). 2002;186:962-8
Sartor BM (*see* Dickey et al). 2002;186:77-83
Sasaki H, Roberts J, Lykins D, Fujii Y, Auclair D, Chen LB. Novel chemiluminescence assay for serum periostin levels in women with preeclampsia and in normotensive pregnant women. 2002;186:103-8
Satchwell SL (*see* O'Brien et al). 2002;186:475-9
Sato I (*see* et al). 2002;186:1052-5
Sauer MV, Chang PL. Establishing a clinical program for human immunodeficiency virus 1–seropositive men to father seronegative children by means of in vitro fertilization with intracytoplasmic sperm injection. 2002;186:627-33
Savitz DA (*see* Siega-Riz et al). 2002;186:480-6
Savvidou MD, Geerts L, Nicolaides KH. Impaired vascular reactivity in pregnant women with insulin-dependent diabetes mellitus. 2002;186:84-8
Saygili E (*see* Ergin et al). 2002;186:204-9
Scalori A, Tavani A, Gallus S, La Vecchia C, Colombo M. Oral contraceptives and the risk of focal nodular hyperplasia of the liver: a case-control study. 2002;186:195-7
Schaefer-Graf UM, Buchanan TA, Xiang AH, Peters RK, Kjos SL. Clinical predictors for a high risk for the development of diabetes mellitus in the early puerperium in women with recent gestational diabetes mellitus. 2002;186:751-6
Schaer GN (*see* Perucchini et al). 2002;186:356-60
Schepansky A (*see* Steed et al). 2002;186:861-5 (Residents' papers)
Schlesselman JJ (*see* Walker et al). 2002;186:8-14
Schmidt O (*see* Völker et al). 2002;186:171-9
Schmidt S (*see* Clapp et al). 2002;186:142-7
Schneider KM, Monga M, Kerrigan AJ. Stress in residency: reality or myth? 2002;186:907-9 (Residents' papers)
Schoell WM (*see* Bauer et al). 2002;186:117-20
Schubach G. The G-spot is the female prostate. 2002;186:850 (Letter)
Schuchat A (*see* Davis and Schuchat). 2002;186:335 (Letter reply)
Schulz J (*see* Steed et al). 2002;186:861-5 (Residents' papers)
Schulz K (*see* Nanda et al). 2002;186:325-34 (AJOG reviews)
Schulz K-D (*see* Völker et al). 2002;186:171-9
Schuman P (*see* Jamieson et al). 2002;186:21-7

Scorza WE (*see* Vintzileos et al). 2002;186:1011-6
Scott JM (*see* Molloy et al). 2002;186:499-503
Seidman DS (*see* Lidor et al). 2002;186:984-9
Sells CW (*see* Emmons et al). 2002;186:1259-67
Setacci C, la Marca A, Agricola E, Morgante G, Setacci F, Cappelli A, Petraglia F, De Leo V. Effects of the selective estrogen receptor modulator, raloxifene, on carotid artery pulsatility index in postmenopausal women. 2002;186:832-5
Setacci F (*see* Setacci et al). 2002;186:832-5
Sewell CA, Cundiff GW. Trends for inpatient treatment of tubal pregnancy in Maryland. 2002;186:404-8
Sewell PE (*see* Cowan et al). 2002;186:1183-7
Shackelford DP, Fackler E, Hoffman MK, Atkinson S. Use of topical recombinant human platelet–derived growth factor BB in abdominal wound separation. 2002;186:701-4
Shaffer L (*see* Bell et al). 2002;186:1091-4 (Education)
Shah K (*see* Jamieson et al). 2002;186:21-7
Shahabi S (*see* Bahado-Singh et al). 2002;186:803-8
Shangold G (*see* Dittrich et al). 2002;186:15-20
Shankaran S, Fanaroff AA, Wright LL, Stevenson DK, Donovan EF, Ehrenkranz RA, Langer JC, Korones SB, Stoll BJ, Tyson JE, Bauer CR, Lemons JA, Oh W, Papile L-A. Risk factors for early death among extremely low-birth-weight infants. 2002;186:796-802
Shankaran S (*see* Bauer et al). 2002;186:487-95
Shao J (*see* Barbour et al). 2002;186:512-7
Shearer D (*see* Cain et al). 2002;186:675-83
Sheets EE (*see* Georgakoudi et al). 2002;186:374-82
Sheets EE (*see* Hughes et al). 2002;186:396-403
Sheffield JS, Fish DN, Hollier LM, Cadematori S, Nobles BJ, Wendel GD Jr. Acyclovir concentrations in human breast milk after valaciclovir administration. 2002;186:100-2
Sheffield JS, Sánchez PJ, Morris G, Maberry M, Zeray F, McIntire DD, Wendel GD Jr. Congenital syphilis after maternal treatment for syphilis during pregnancy. 2002;186:569-73
Shennan AH (*see* Groom et al). 2002;186:1106-7 (Letter)
Sherman MP (*see* Gibbs et al). 2002;186:234-9
Sherman PW, Flaxman SM. Nausea and vomiting of pregnancy in an evolutionary perspective. 2002;186:S190-7
Shetty A, Danielian P, Templeton A. Sublingual misoprostol for the induction of labor at term. 2002;186:72-6
Shibazaki Y (*see* Nakai et al). 2002;186:574-8
Shipp TD (*see* Castro et al). 2002;186:336 (Letter reply)
Shiraishi H (*see* et al). 2002;186:1052-5
Shull BL (*see* Sulak et al). 2002;186:1142-9
Shull BL (*see* Vineyard et al). 2002;186:1155-9
Shumate SA (*see* O'Brien et al). 2002;186:475-9
Shynlova OP, Oldenhof AD, Liu M, Langille L, Lye SJ. Regulation of *c-fos* expression by static stretch in rat myometrial smooth muscle cells. 2002;186:1358-65
Sibai BM. Maternal and fetal inherited thrombophilias. 2002;186:1376-7 (Letter reply)
Sibai BM (*see* Barton et al). 2002;186:896-8 (Residents' papers)
Sibai BM (*see* Buchbinder et al). 2002;186:66-71
Sibai BM (*see* Chames et al). 2002;186:1174-7
Sibai BM (*see* England et al). 2002;186:1035-40
Sibai BM (*see* Hnat et al). 2002;186:422-6
Sibai BM (*see* Levine et al). 2002;186:1107 (Letter)
Sibai BM (*see* Tarter et al). 2002;186:910-2 (Residents' papers)
Sidelmann J (*see* Skouby et al). 2002;186:969-77
Siega-Riz AM, Bodnar LM, Savitz DA. What are pregnant women eating? Nutrient and food group differences by race. 2002;186:480-6
Siegel JD (*see* Wendel et al). 2002;186:618-26
Silveira A (*see* van Rooijen et al). 2002;186:44-8
Silver RK (*see* McMahon et al). 2002;186:1137-41
Simkin P (*see* Caton et al). 2002;186:S1-15 (Symposium)
Simkin PP, O'Hara M. Nonpharmacologic relief of pain during labor: systematic reviews of five methods. 2002;186:S131-59 (Symposium)
Simpson SW (*see* Buckwalter and Simpson). 2002;186:S210-4
Sims EJ, Newman RB. Vaginal birth after cesarean delivery: to induce or not to induce. 2002;186:1110 (Letter reply)
Singer A (*see* Lorenzato et al). 2002;186:962-8
Skouby SO, Gram J, Andersen LF, Sidelmann J, Petersen KR, Jespersen J. Hormone replacement therapy: estrogen and progestin effects on plasma C-reactive protein concentrations. 2002;186:969-77
Skupski DW (*see* Chasen et al). 2002;186:765-7
Slack M (*see* Quinn et al). 2002;186:168 (Letter)
Slayden OD (*see* Otto et al). 2002;186:416-21
Smalldridge J (*see* Lentz et al). 2002;186:1268-73
Smallhorn J (*see* Sokol et al). 2002;186:1085-90
Smeriglio VL (*see* Bauer et al). 2002;186:487-95
Smith D (*see* McGrath et al). 2002;186:257-60
Smith GS (*see* Koenen et al). 2002;186:812-7
Smith MD, Felker RE, Emerson DS, Livingston JC, Egerman RS. Sonographic visualization of ovarian veins during the puerperium: an assessment of efficacy. 2002;186:893-5 (Residents' papers)
Smith R (*see* McGrath et al). 2002;186:257-60
Smith SD (*see* Levy et al). 2002;186:1056-61
Smulian JC (*see* Vintzileos et al). 2002;186:1011-6
Söderqvist G (*see* Lundström et al). 2002;186:717-22
Sokol J, Bohn D, Lacro RV, Ryan G, Stephens D, Rabinovitch M, Smallhorn J, Hornberger LK. Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia. 2002;186:1085-90
Sokol RJ (*see* Refuerzo et al). 2002;186:1150-4
Sondheimer SJ (*see* Ness et al). 2002;186:929-37
Sonek JD, Nicolaides KH. Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome. 2002;186:139-41
Songer T (*see* Ness et al). 2002;186:929-37
Soothill PW (*see* Bobrow et al). 2002;186:283-7
Soper DE (*see* Ness et al). 2002;186:929-37
Sorokin Y (*see* Refuerzo et al). 2002;186:1150-4
Spaan JAE (*see* VanWijk et al). 2002;186:148-54. Correction 2002;186:722
Speer P, Zhang Y, Gu Y, Lucas MJ, Wang Y. Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro. 2002;186:551-6
Steed HL, Capstick V, Flood C, Schepansky A, Schulz J, Mayes DC. A randomized controlled trial of early versus "traditional" postoperative oral intake after major abdominal gynecologic surgery. 2002;186:861-5 (Residents' papers)
Stenchever MA (*see* Lentz et al). 2002;186:1268-73
Stephens D (*see* Sokol et al). 2002;186:1085-90
Stevenson DK (*see* Shankaran et al). 2002;186:796-802
Stewart D (*see* Magee et al). 2002;186:S232-8
Stiller R, von Mering R, König V, Huch A, Huch R. How well does reflectance pulse oximetry reflect intrapartum fetal acidosis? 2002;186:1351-7
Stocco DM (*see* Phy et al). 2002;186:872-5 (Residents' papers)
Stoll BJ (*see* Shankaran et al). 2002;186:796-802
Storment JM (*see* Dickey et al). 2002;186:77-83
Stroup DF (*see* Thacker and Stroup). 2002;186:S78-80 (Symposium)
Subak LL (*see* Brown et al). 2002;186:712-6
Subiran-Buisset C (*see* Bayoumeu et al). 2002;186:518-22
Sugar N (*see* Eckert et al). 2002;186:1284-91
Sulak PJ, Kuehl TJ, Ortiz M, Shull BL. Acceptance of altering the standard 21-day/7-day oral contraceptive regimen to delay menses and reduce hormone withdrawal symptoms. 2002;186:1142-9
Sun D (*see* Hughes et al). 2002;186:396-403
Svane G (*see* Lundström et al). 2002;186:717-22
Sweet RL (*see* Ness et al). 2002;186:929-37

T

Taber EB, Tan L, Chao CR, Beall MH, Ross MG. Pharmacokinetics of ionized versus total magnesium in subjects with preterm labor and preeclampsia. 2002;186:1017-21
Takamura S (*see* Hombo et al). 2002;186:245-50
Takeuchi H (*see* Mu et al). 2002;186:297-302
Takiuti NH, Kahhale S, Zugaib M. Stress in pregnancy: a new Wistar rat model for human preeclampsia. 2002;186:544-50
Tamura K (*see* Felix et al). 2002;186:1308-14
Tamura T (*see* Ramsey et al). 2002;186:458-63
Tan L (*see* Taber et al). 2002;186:1017-21
Tan SL, Child TJ, Gulekli B. In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography. 2002;186:684-9
Taniuchi Y (*see* Nakai et al). 2002;186:574-8
Tarby TJ (*see* Jennett and Tarby). 2002;186:1378 (Letter reply)
Tarby TJ (*see* Jennett et al). 2002;186:1216-20
Tarter JG, Khoury A, Barton JR, Jacques DL, Sibai BM. Demographic and obstetric factors influencing pregnancy outcome in twin gestations. 2002;186:910-2 (Residents' papers)
Tate DR, Anderson RJ. Recrudescence of cervical dysplasia among women who are infected with the human immunodeficiency virus: a case-control analysis. 2002;186:880-2 (Residents' papers)
Tavani A (*see* Scalori et al). 2002;186:195-7
Taylor D (*see* Raymond and Taylor). 2002;186:167 (Letter)
Taylor SN (*see* Dickey et al). 2002;186:77-83
Tehranifar M (*see* Christensen et al). 2002;186:61-5
Templeton A (*see* Shetty et al). 2002;186:72-6
Terrone DA (*see* Barrilleaux et al). 2002;186:1124-9
Terry G (*see* Lorenzato et al). 2002;186:962-8
Thacker SB, Stroup DF. Methods and interpretation in systematic reviews: commentary on two parallel reviews of epidural analgesia during labor. 2002;186:S78-80 (Symposium)
Thom DH (*see* Brown et al). 2002;186:712-6
Thomas HA (*see* McMahon et al). 2002;186:1137-41
Thomas JA, Leyland N, Durand N, Windrim RC. The use of oral misoprostol as a cervical ripening agent in operative hysteroscopy: a double-blind, placebo-controlled trial. 2002;186:876-9 (Residents' papers)
Thompson ML (*see* Witlin et al). 2002;186:89-93
Thorp JM Jr, Hartmann KE, Berkman ND, Carey TS, Lohr KN, Gavin NI, Hasselblad V. Antibiotic therapy for the treatment of preterm labor: a review of the evidence. 2002;186:587-92 (AJOG reviews)
Thurnau G (*see* Buchbinder et al). 2002;186:66-71
Thurnau G (*see* Hnat et al). 2002;186:422-6
Thurnau G (*see* Ramsey et al). 2002;186:458-63
Thurnau GR (*see* Moawad et al). 2002;186:990-6
Timor-Tritsch I (*see* Goldstein et al). 2002;186:669-74
Tomacruz R (*see* Montz et al). 2002;186:651-7
Tomich PG (*see* Mittendorf et al). 2002;186:1111-8
Tomimatsu T (*see* Mu et al). 2002;186:297-302
Tomori C (*see* Lindau et al). 2002;186:938-43
Torrance GW (*see* Attard et al). 2002;186:S220-7
Tóth-Pál E (*see* Patkós et al). 2002;186:596-7 (Letter)
Tran S (*see* Wing et al). 2002;186:1237-43
Treloar RW (*see* DiMaio et al). 2002;186:890-2 (Residents' papers)
Trotter A, Maier L, Kohn T, Böhm W, Pohlandt F. Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone. 2002;186:184-8
Trucco G (*see* Ness et al). 2002;186:929-37
Trudinger B (*see* Wang et al). 2002;186:557-63
Trymbulak WP (*see* Feldman et al). 2002;186:809-11
Tsukamoto T (*see* Sakakibara et al). 2002;186:997-1004
Tuppurainen M (*see* Bjarnadóttir et al). 2002;186:389-95
Tyson JE (*see* Shankaran et al). 2002;186:796-802

U

Uchide K (*see* Hombo et al). 2002;186:245-50
Usher R (*see* Yang et al). 2002;186:433-7
Uzue S (*see* Sakakibara et al). 2002;186:997-1004

V

Vadillo-Ortega F, Sadowsky DW, Haluska GJ, Hernandez-Guerrero C, Guevara-Silva R, Gravett MG, Novy MJ. Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys. 2002;186:128-38
Vähäkangas K (*see* Heikkilä et al). 2002;186:1046-51
Vanamo K (*see* Gratacós et al). 2002;186:538-43
VanBavel E (*see* VanWijk et al). 2002;186:148-54. Correction 2002;186:722
Van Den Eeden S (*see* Brown et al). 2002;186:712-6
van der Meulen ET (*see* VanWijk et al). 2002;186:148-54. Correction 2002;186:722
van der Mooren MJ (*see* Vogelvang et al). 2002;186:729-36
VanDorsten JP (*see* Hnat et al). 2002;186:422-6
Van Dorsten JP (*see* Ramsey et al). 2002;186:458-63
VanDorsten P (*see* Buchbinder et al). 2002;186:66-71
van Rooijen M, von Schoultz B, Silveira A, Hamsten A, Bremme K. Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII. 2002;186:44-8
VanWijk MJ, Boer K, van der Meulen ET, Bleker OP, Spaan JAE, VanBavel E. Resistance artery smooth muscle function in pregnancy and preeclampsia. 2002;186:148-54. Correction 2002;186:722
Vargas N (*see* Fukushima et al). 2002;186:1207-15
Vatten LJ (*see* Ødegård et al). 2002;186:427-32
Vedernikov YP (*see* Bailie et al). 2002;186:453-7
Vedernikov YP (*see* Bytautiene et al). 2002;186:438-45
Vedernikov YP (*see* Fulep et al). 2002;186:1022-6
Verter J (*see* Bauer et al). 2002;186:487-95
Vineyard DD, Kuehl TJ, Coates KW, Shull BL. A comparison of preoperative and intraoperative evaluations for patients who undergo site-specific operation for the correction of pelvic organ prolapse. 2002;186:1155-9
Vintzileos AM, Ananth CV, Smulian JC, Scorza WE, Knuppel RA. The impact of prenatal care on neonatal deaths in the presence and absence of antenatal high-risk conditions. 2002;186:1011-6
Vittinghoff E (*see* Brown et al). 2002;186:712-6
Vogelvang TE, Mijatovic V, Kamp O, Netelenbos JC, Neele SJM, Pines A, Kenemans P, van der Mooren MJ. Neither long-term treatment with raloxifene nor hormone replacement therapy modulate cardiac function in healthy postmenopausal women: two randomized, placebo-controlled, 2-year studies. 2002;186:729-36
Völker P, Gründker C, Schmidt O, Schulz K-D, Emons G. Expression of receptors for luteinizing hormone-releasing hormone in human ovarian and endometrial cancers: frequency, autoregulation, and correlation with direct antiproliferative activity of luteinizing hormone-releasing hormone analogues. 2002;186:171-9
von Mering R (*see* Stiller et al). 2002;186:1351-7
von Schoultz B (*see* Lundström et al). 2002;186:717-22
von Schoultz B (*see* van Rooijen et al). 2002;186:44-8

W

Waetjen LE (*see* Brown et al). 2002;186:712-6
Walker E (*see* Gabbe et al). 2002;186:601-12 (Pres. address)
Walker GR, Schlesselman JJ, Ness RB. Family history of cancer, oral contraceptive use, and ovarian cancer risk. 2002;186:8-14

Walter AJ, Magtibay PM, Morse AN, Hammer RA, Hentz JG, Magrina JF. Perioperative changes in serum creatinine after gynecologic surgery. 2002;186:1315-9
Walter AJ, Morse AN, Hammer RH, Hentz JG, Magrina JF, Cornella JL, Magtibay PM. Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs. 2002;186:723-8
Wang EY, Woodruff TK, Moawad A, National Institute of Child Health and Human Development Maternal Fetal Medicine Units Network. Follistatin-free activin A is not associated with preterm birth. 2002;186:464-9
Wang X, Yi S, Athayde N, Trudinger B. Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease. 2002;186:557-63
Wang Y, Gu Y, Granger DN, Roberts JM, Alexander JS. Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia. 2002;186:214-20
Wang Y (*see* Speer et al). 2002;186:551-6
Wapner RJ, Evans MI, Davis G, Weinblatt V, Moyer S, Krivchenia EL, Jackson LG. Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation. 2002;186:1133-6
Wapner RJ (*see* Evans and Wapner). 2002;186:597 (Letter reply)
Ward K (*see* Craven et al). 2002;186:291-6
Ward S (*see* Bajoria et al). 2002;186:121-7
Wasserheit JN (*see* Eckert et al). 2002;186:690-5
Weijdegård B (*see* Ekerhovd et al). 2002;186:745-50
Weinblatt V (*see* Wapner et al). 2002;186:1133-6
Weiner CP (*see* Buhimschi et al). 2002;186:1339-44
Weinstein D (*see* Gurewitsch et al). 2002;186:1331-8
Weisz J (*see* Cain et al). 2002;186:675-83
Welch GE II, Gabbe SG. Statistics usage in the *American Journal of Obstetrics and Gynecology*: has anything changed? 2002;186:584-6 (Education)
Welch RA (*see* Blessed and Welch). 2002;186:851 (Letter reply)
Welch RA (*see* Blessed et al). 2002;186:338 (Letter reply)
Wendel GD Jr, Leveno KJ, Sánchez PJ, Jackson GL, McIntire DD, Siegel JD. Prevention of neonatal group B streptococcal disease: a combined intrapartum and neonatal protocol. 2002;186:618-26
Wendel GD Jr (*see* Sheffield et al). 2002;186:100-2
Wendel GD Jr (*see* Sheffield et al). 2002;186:569-73
Werler MM (*see* Louik et al). 2002;186:288-90
Weston N (*see* Clewell et al). 2002;186:851 (Letter)
Whiteman V (*see* Hillebrand et al). 2002;186:916-7 (Residents' papers)
Widness JA (*see* Zhang et al). 2002;186:315-20
Widschwendter A (*see* Heim et al). 2002;186:705-11
Wieland U (*see* Heim et al). 2002;186:705-11
Wild RA. Polycystic ovary syndrome: a risk for coronary artery disease? 2002;186:35-43
Wilkins R (*see* Yang et al). 2002;186:433-7
Williams H (*see* Ellis et al). 2002;186:903-6 (Residents' papers)
Williamson RA (*see* Kim et al). 2002;186:853-4 (Letter reply)
Wilson TO (*see* Dowdy et al). 2002;186:1167-73
Windrim RC (*see* Thomas et al). 2002;186:876-9 (Residents' papers)
Wing DA, Tran S, Paul RH. Factors affecting the likelihood of successful induction after intravaginal misoprostol application for cervical ripening and labor induction. 2002;186:1237-43
Wing DA (*see* Goharkhay et al). 2002;186:1202-6
Wingood GM (*see* Crosby et al). 2002;186:251-2
Witkin SS (*see* Gerber et al). 2002;186:361-4
Witkin SS (*see* Gerber et al). 2002;186:696-700
Witlin AG, Gangula PRR, Thompson ML, Yallampalli C. Growth and fertility rates in the offspring of pregnant rats treated with L-ω nitro-L-arginine methyl ester (L-NAME), a nitric oxide inhibitor. 2002;186:89-93
Wolf DM (*see* Gibbs et al). 2002;186:234-9
Wölner-Hanssen PK (*see* Eckert et al). 2002;186:690-5
Wong FWS (*see* Bai et al). 2002;186:274-8
Woodruff TK (*see* Wang et al). 2002;186:464-9
Worth J, Onyeije CI, Ferber A, Pondo JS, Divon MY. The association between fetal and maternal sleep patterns in third-trimester pregnancies. 2002;186:924-5 (Residents' papers)
Wright LL (*see* Bauer et al). 2002;186:487-95
Wright LL (*see* Shankaran et al). 2002;186:796-802
Wu J (*see* Gratacós et al). 2002;186:538-43

X

Xiang AH (*see* Schaefer-Graf et al). 2002;186:751-6
Xiong X, Fraser WD. Association of preeclampsia with high birth weight for gestational age. 2002;186:1106 (Letter reply)

Y

Yallampalli C (*see* Witlin et al). 2002;186:89-93
Yang H, Kramer MS, Platt RW, Blondel B, Bréart G, Morin I, Wilkins R, Usher R. How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth? 2002;186:433-7
Yankowitz J (*see* Petersen et al). 2002;186:737-44
Yi S (*see* Wang et al). 2002;186:557-63
Ylä-Herttuala S (*see* Heikkilä et al). 2002;186:1046-51
Yoon BH (*see* Chaiworapongsa et al). 2002;186:1178-82
You M (*see* Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)
Young D (*see* Caton et al). 2002;186:S1-15 (Symposium)
Yu K-J (*see* Felix et al). 2002;186:1308-14
Yusuf K (*see* Levy et al). 2002;186:1056-61

Z

Zadeh N (*see* Fukushima et al). 2002;186:1207-15
Zahn CM (*see* Fausett et al). 2002;186:180-3
Zaino R (*see* Cain et al). 2002;186:675-83
Zangen S (*see* Merlob et al). 2002;186:1377 (Letter)
Zender JL (*see* Dickey et al). 2002;186:77-83
Zeray F (*see* Sheffield et al). 2002;186:569-73
Zhang J (*see* Mueller et al). 2002;186:446-52
Zhang L, Alexander RL, Widness JA, Cheung CY, Brace RA. Red cell mass responses to daily erythropoietin and iron injections in the ovine fetus. 2002;186:315-20
Zhang Y (*see* Speer et al). 2002;186:551-6
Zieger W (*see* Eichler et al). 2002;186:1366-71
Zimmerman MB (*see* Petersen et al). 2002;186:737-44
Zugaib M (*see* Takiuti et al). 2002;186:544-50

SUBJECT INDEX*

A

Abdomen

A randomized controlled trial of early versus "traditional" postoperative oral intake after major abdominal gynecologic surgery (Steed et al). 2002;186:861-5 (Residents' papers)

Ultrasonographic measurement of the abdominal circumference in fetuses with congenital diaphragmatic hernia (Rode et al). 2002;186:321-4

Use of topical recombinant human platelet–derived growth factor BB in abdominal wound separation (Shackelford et al). 2002;186:701-4

Ablation; *see* Catheter ablation

Abortion

Hippocrates and the dignity of human life (Baumgartner) (Letter); (Hertz) (Reply). 2002;186:1378-80

Multiembryonic pregnancy reduction: the Hungarian experience (Patkós et al) (Letter); (Evans and Wapner) (Reply). 2002;186:596-7

The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination (Dickinson and Evans). 2002;186:470-4

Paracervical block and elective abortion: the effect on pain of waiting between injection and procedure (Phair et al). 2002;186:1304-1307

Timing of emergency contraception (Raymond and Taylor) (Letter); (Rodrigues et al) (Reply). 2002;186:167-8

Abortion, habitual

Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9

Abortion, spontaneous

Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion (Salvador et al). 2002;186:913-5 (Residents' papers)

Neonatal outcomes in immediate versus delayed conceptions after spontaneous abortion: a retrospective case series (Goldstein et al). 2002;186:1230-6

Spontaneous reduction of multiple pregnancy: incidence and effect on outcome (Dickey et al). 2002;186:77-83

Acid-base equilibrium

Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery (Gratacós et al). 2002;186:538-43

Acidosis

How well does reflectance pulse oximetry reflect intrapartum fetal acidosis? (Stiller et al). 2002;186:1351-7

Activins

Follistatin-free activin A is not associated with preterm birth (Wang et al). 2002;186:464-9

Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7

*January 1-170; February, 171-338; March, 339-598; April, 599-854; May, 855-1110, S1-S180; S181-S266; June, 1111-1430.

Acupressure

Acupressure and acustimulation bands for control of nausea: a brief review (Roscoe and Matteson). 2002;186:S244-7

Acustimulation bands; *see* Alternative medicine

Acute renal failure; *see* Kidney failure, acute

Acyclovir

Acyclovir concentrations in human breast milk after valaciclovir administration (Sheffield et al). 2002;186:100-2

Adenocarcinoma

Detection of genomic alterations in human endometrial cancer by two-dimensional gel electrophoresis (Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)

Adenosine

Adenosine A_{2A} receptors mediate hypoxic inhibition of fetal breathing in sheep (Koos et al). 2002;186:663-8

Adenoviruses

Gene transfer to human placenta ex vivo: a novel application of dual perfusion of human placental cotyledon (Heikkilä et al). 2002;186:1046-51

Administration, buccal

Buccal versus intravaginal misoprostol administration for cervical ripening (Carlan et al). 2002;186:229-33

Administration, cutaneous

Transdermal contraception: evaluation of three transdermal norelgestromin/ethinyl estradiol doses in a randomized, multicenter, dose-response study (Dittrich et al). 2002;186: 15-20

Administration, intravaginal

Buccal versus intravaginal misoprostol administration for cervical ripening (Carlan et al). 2002;186:229-33

Factors affecting the likelihood of successful induction after intravaginal misoprostol application for cervical ripening and labor induction (Wing et al). 2002;186:1237-43

No headaches! (Griffin) (Letter); (Norman et al) (Reply). 2002;186:593-4

The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination (Dickinson and Evans). 2002;186:470-4

Administration, oral

Iron therapy in iron deficiency anemia in pregnancy: intravenous route versus oral route (Bayoumeu et al). 2002;186:518-22

Oral methotrexate for treatment of ectopic pregnancy (Lipscomb et al). 2002;186:1192-5

The use of oral misoprostol as a cervical ripening agent in operative hysteroscopy: a double-blind, placebo-controlled trial (Thomas et al). 2002;186:876-9 (Residents' papers)

Administration, sublingual

Sublingual misoprostol for the induction of labor at term (Shetty et al). 2002;186:72-6

Administration, topical

Use of topical recombinant human platelet–derived growth factor BB in abdominal wound separation (Shackelford et al). 2002;186:701-4

Adnexitis

Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease: results from the Pelvic Inflammatory Disease Evaluation and Clinical Health (PEACH) Randomized Trial (Ness et al). 2002;186:929-37

Adolescent pregnancy; *see* Pregnancy in adolescence

Adrenal cortex hormones

Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61

Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities (Arad et al). 2002;186:818-25

Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9

Recommendations for repeat courses of antenatal corticosteroids: a decision analysis (Caughey and Parer). 2002;186:1221-9

Repeated doses of antenatal corticosteroids in animals: a systematic review (Aghajafari et al). 2002;186:843-9 (AJOG reviews)

Adverse health outcome, infant; *see* Infant, diseases

African Americans

Adolescents' ambivalence about becoming pregnant predicts infrequent contraceptive use: a prospective analysis of nonpregnant African American females (Crosby et al). 2002;186:251-2

Age factors

Age effects on urethral striated muscle. I. Changes in number and diameter of striated muscle fibers in the ventral urethra (Perucchini et al). 2002;186:351-5

Age effects on urethral striated muscle. II. Anatomic location of muscle loss (Perucchini et al). 2002;186:356-60

Arterial stiffness is not improved in long-term use of estrogen (Rodríguez-Macías et al). 2002;186:189-94

Aged

Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women (Naessen and Rodríguez-Macías). 2002;186:944-7

AJOG reviews

AJOG reviews. 2002;186:325-34, 587-92, 843-9, 1095-103

Alcohol drinking

Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers (Abel and Kruger). 2002;186:768-72

Alkaline phosphatase

The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth (Moawad et al). 2002;186:990-6

Allied health personnel

A review of medical and allied health learners' satisfaction with their training in women's health (Emmons et al). 2002;186:1259-67

Alloimmune thrombocytopenia; *see* Thrombocytopenia

Alpha fetoproteins

The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth (Moawad et al). 2002;186:990-6

Who should perform genetic amniocentesis? (Fleisher) (Letter); (Blessed et al) (Reply). 2002;186:338

Alternative medicine

Acupressure and acustimulation bands for control of nausea: a brief review (Roscoe and Matteson). 2002;186:S244-7

Ambulatory care

The effects of cardiovascular dynamics monitoring in the outpatient management of pregnancy hypertension (Fukushima et al). 2002;186:1207-15

Mild gestational hypertension: differences in ethnicity are associated with altered outcomes in women who undergo outpatient treatment (Barton et al). 2002;186:896-8 (Residents' papers)

American Gynecological and Obstetrical Society

Transactions of the annual meeting of the American Gynecological and Obstetrical Society. 2002;186:601-89

American Journal of Obstetrics and Gynecology

Statistics usage in the *American Journal of Obstetrics and Gynecology*: has anything changed? (Welch and Gabbe). 2002;186:584-6 (Education)

Statistics usage in the *American Journal of Obstetrics and Gynecology*: things have changed. 2002;186:339 (Editorial)

Amniocentesis

Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery (Ghezzi et al). 2002;186:268-73

Five-year experience with midtrimester amniocentesis performed by a single group of obstetricians-gynecologists at a community hospital (Blackwell et al). 2002;186:1130-2

Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion (Salvador et al). 2002;186:913-5 (Residents' papers)

Obstetrician-gynecologists performing genetic amniocentesis may be misleading themselves and their patients (Clewell et al) (Letter); (Blessed and Welch) (Reply). 2002;186:851

Who should perform genetic amniocentesis? (Fleisher) (Letter); (Blessed et al) (Reply). 2002;186:338

Amniotic fluid

Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep (Gagnon et al). 2002;186:1076-84

A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy (Moore). 2002;186:641-50

Direct prediction of amniotic fluid volume in the third trimester by 3-dimensional measurements of intrauterine pockets: a tool for routine clinical use (Hombo et al). 2002;186:245-50

Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery (Ghezzi et al). 2002;186:268-73

Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38

Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery (Gratacós et al). 2002;186:538-43

Prenatal HLA genotyping of uncultured amniotic fluid samples contaminated with maternal blood (Eichler et al). 2002;186:1366-71

Ampicillin

Prevention of neonatal group B streptococcal disease: a combined intrapartum and neonatal protocol (Wendel et al). 2002;186:618-26

Analgesia

An evaluation of the effects of sucrose on neonatal pain with 2 commonly used circumcision methods (Kaufman et al). 2002;186:564-8

Tubal surface lidocaine mediates pre-emptive analgesia in awake laparoscopic sterilization: a prospective, randomized clinical trial (Garwood et al). 2002;186:383-8

Analgesia, epidural

Anesthesia for childbirth: controversy and change (Caton et al). 2002;186:S25-30 (Symposium)

The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review (Leighton and Halpern). 2002;186:S69-77 (Symposium)

Epidural analgesia side effects, co-interventions, and care of women during childbirth: a systematic review (Mayberry et al). 2002;186:S81-93 (Symposium)

Methods and interpretation in systematic reviews: commentary on two parallel reviews of epidural analgesia during labor (Thacker and Stroup). 2002;186:S78-80 (Symposium)

Unintended effects of epidural analgesia during labor: a systematic review (Lieberman and O'Donoghue). 2002;186: S31-68 (Symposium)

Analgesia, obstetrical

Paracervical block for labor analgesia: a brief historic review (Rosen). 2002;186:S127-30 (Symposium)

Anemia

Iron therapy in iron deficiency anemia in pregnancy: intravenous route versus oral route (Bayoumeu et al). 2002;186: 518-22

Anesthesia, conduction

Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9

Anesthesia, epidural

Pushing in labor: performance and not endurance (Buhimschi et al). 2002;186:1339-44

Anesthesia, inhalation

Anesthesia for childbirth: controversy and change (Caton et al). 2002;186:S25-30 (Symposium)

Anesthesia, local

A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery (Givens et al). 2002;186:1188-91

Anoxia

Adenosine A_{2A} receptors mediate hypoxic inhibition of fetal breathing in sheep (Koos et al). 2002;186:663-8

Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62

Effects of chronic hypoxia and protein malnutrition on growth in the developing chick (Miller et al). 2002;186:261-7

Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta (Matsumoto et al). 2002;186:303-10

Antenatal care; *see* Prenatal care

Antibiotics

Antibiotic therapy for the treatment of preterm labor: a review of the evidence (Thorp et al). 2002;186:587-92 (AJOG reviews)

Antimicrobials in the prevention of prematurity (Groom et al) (Letter); (Goldenberg et al) (Reply). 2002;186:1106-7

Chronic intrauterine infection and inflammation in the preterm rabbit, despite antibiotic therapy (Gibbs et al). 2002;186:234-9

Antibodies

Antibodies to human papillomavirus 16 L1 virus-like particles as an independent prognostic marker in cervical cancer (Heim et al). 2002;186:705-11

Antigens, tumor-associated, carbohydrate

Fallopian tube cancer in a *BRCA1* mutation carrier: rapid development and failure of screening (Hébert-Blouin et al). 2002;186:53-4

Apoptosis

Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63

Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation (Ishihara et al). 2002;186:158-66

Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Appendicitis

Is helical computed tomography 100% sensitive to diagnose acute appendicitis during pregnancy? (Dupuis et al) (Letter); (Castro et al) (Reply). 2002;186:336

Argentina

The cost-effectiveness of routine versus restrictive episiotomy in Argentina (Borghi et al). 2002;186:221-8

Arginine

Growth and fertility rates in the offspring of pregnant rats treated with L-ω nitro-L-arginine methyl ester (L-NAME), a nitric oxide inhibitor (Witlin et al). 2002;186:89-93

Arm

Erb's palsy contrasted with Klumpke's and total palsy: different mechanisms are involved (Jennett et al). 2002;186:1216-20

Severe brachial plexus injury in the posterior arm: an alternative explanation (Allen and Adler) (Letter); (Jennett and Tarby) (Reply). 2002;186:1377-8

Arteries

Arterial stiffness is not improved in long-term use of estrogen (Rodriguez-Macias et al). 2002;186:189-94

Investigation of intraplacental villous arteries by Doppler flow imaging in growth-restricted fetuses (Mu et al). 2002;186: 297-302

Resistance artery smooth muscle function in pregnancy and preeclampsia (VanWijk et al). 2002;186:148-54. Correction 2002;186:722

Asphyxia

The prediction and prevention of intrapartum fetal asphyxia in preterm pregnancies (Low et al). 2002;186:279-82

Atrial natriuretic factor

Natriuretic peptides in the pathogenesis of cardiac dysfunction in the recipient fetus of twin-twin transfusion syndrome (Bajoria et al). 2002;186:121-7

Atrioventricular block; *see* Heart block

Attending physicians; *see* Medical staff, hospital

Attitude of health personnel

Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers (Abel and Kruger). 2002;186:768-72

Atypical squamous cells of undetermined significance; *see* Vaginal smears

Autonomic nervous system

Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy (Farag et al). 2002;186:954-61

B

Bacteria

Bacterially induced preterm labor in the mouse does not require maternal interleukin-1 signaling (Hirsch et al). 2002;186:523-30

The effect of temperature on bactericidal properties of 10% povidone-iodine solution (Leung et al). 2002;186:869-71 (Residents' papers)

Bacterial vaginosis; *see* Vaginosis, bacterial

Behavior therapy

The role of behavioral conditioning in the development of nausea (Matteson et al). 2002;186:S239-43

Beta receptors, adrenergic; *see* Receptors, adrenergic, beta

Betamethasone

Effects of maternal betamethasone administration on fetal and maternal blood pressure and heart rate in the baboon at 0.7 of gestation (Koenen et al). 2002;186:812-7

Biopsy

The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding (Mihm et al). 2002;186:858-60 (Residents' papers)

The significance of psammoma bodies that are found incidentally during endometrial biopsy (Fausett et al). 2002;186: 180-3

Birth; *see* Labor

Birth injuries
Erb's palsy contrasted with Klumpke's and total palsy: different mechanisms are involved (Jennett et al). 2002;186:1216-20
Severe brachial plexus injury in the posterior arm: an alternative explanation (Allen and Adler) (Letter); (Jennett and Tarby) (Reply). 2002;186:1377-8

Birth intervals
Neonatal outcomes in immediate versus delayed conceptions after spontaneous abortion: a retrospective case series (Goldstein et al). 2002;186:1230-6

Birth outcome; *see* Pregnancy outcome

Birth weight
Association of preeclampsia with high birth weight for gestational age (Jacquemyn et al) (Letter); (Xiong and Fraser) (Reply). 2002;186:1105-6
Pushing in labor: performance and not endurance (Buhimschi et al). 2002;186:1339-44
Total and individual triplet birth weights as a function of gestational age (Blickstein et al). 2002;186:1372-5

Bladder diseases
Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain (Lentz et al). 2002;186:1268-73
Pelvic organ prolapse in the Women's Health Initiative: gravidity and parity (Hendrix et al). 2002;186:1160-6
Surgical repair of cystocele with mesh by the vaginal route (de Tayrac and Fernandez) (Letter); (Sand) (Reply). 2002;186:852-3

Blood
Prenatal HLA genotyping of uncultured amniotic fluid samples contaminated with maternal blood (Eichler et al). 2002;186:1366-71

Blood component transfusion
Serial aggressive platelet transfusion for fetal alloimmune thrombocytopenia: platelet dynamics and perinatal outcome (Overton et al). 2002;186:826-31

Blood flow velocity
Flow rate–perfusion pressure relationships in situ in the uterine circulation of pregnant rats (Fulep et al). 2002;186:1022-6

Blood platelets
Serial aggressive platelet transfusion for fetal alloimmune thrombocytopenia: platelet dynamics and perinatal outcome (Overton et al). 2002;186:826-31

Blood pressure
Effects of maternal betamethasone administration on fetal and maternal blood pressure and heart rate in the baboon at 0.7 of gestation (Koenen et al). 2002;186:812-7

Body composition
The influence of luteinizing hormone–releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma (Nowicki et al). 2002;186:340-4

Body mass index
Pushing in labor: performance and not endurance (Buhimschi et al). 2002;186:1339-44

Bone density
Efficacy of hormone replacement therapy assessed by quantitative ultrasonography (Pluskiewicz and Drozdzowska) (Letter); (Hadji) (Reply). 2002;186:337-8
Menopausal bone loss in long-term users of depot medroxyprogesterone acetate contraception (Cundy et al). 2002;186:978-83
The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea (Kim et al). 2002;186:345-50

Brachial plexus, injuries
Severe brachial plexus injury in the posterior arm: an alternative explanation (Allen and Adler) (Letter); (Jennett and Tarby) (Reply). 2002;186:1377-8

Brachial plexus palsy
Erb's palsy contrasted with Klumpke's and total palsy: different mechanisms are involved (Jennett et al). 2002;186:1216-20

Brain
Effect of dexamethasone on mitochondrial maturation in the fetal rat brain (Nakai et al). 2002;186:574-8
Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62

Breast
Effects of tibolone and continuous combined hormone replacement therapy on mammographic breast density (Lundström et al). 2002;186:717-22
Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8

Breast feeding
Diagnosing postpartum depression: can we do better? (Ferguson et al). 2002;186:899-902 (Residents' papers)
Impact of early postpartum administration of progestin-only hormonal contraceptives compared with nonhormonal contraceptives on short-term breast-feeding patterns (Nelson and Halderman). 2002;186:1250-8

Breast milk; *see* Milk, human

Breast neoplasms
Hormone replacement therapy and the risk of death from breast cancer: a systematic review (Nanda et al). 2002;186:325-34 (AJOG reviews)

Breathing; *see* Respiration

Buccal administration; *see* Administration, buccal

Burch urethropexy; *see* Vagina, surgery

Burden of illness; *see* Cost of illness

Burnout, professional
Burnout in chairs of obstetrics and gynecology: diagnosis, treatment, and prevention (Gabbe et al). 2002;186:601-12 (Pres. address)

C

***C-fos*; *see* RNA, messenger**

C-reactive protein
Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery (Ghezzi et al). 2002;186:268-73
Hormone replacement therapy: estrogen and progestin effects on plasma C-reactive protein concentrations (Skouby et al). 2002;186:969-77

Cadherins
Aberrant expression of E-cadherin in cervical intraepithelial neoplasia correlates with a false-negative Papanicolaou smear (Felix et al). 2002;186:1308-14

Calcium
Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62

Calmodulin
Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62

Cancer; *see* Neoplasms

Cannabinoids
Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61

Capillaries
Stereologic examination of placentas from mothers who smoke during pregnancy (Larsen et al). 2002;186:531-7

Cardiac dysfunction; *see* Heart diseases

Cardiac function tests; *see* Heart function tests

Cardiovascular system
Arterial stiffness is not improved in long-term use of estrogen (Rodriguez-Macias et al). 2002;186:189-94
Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy (Farag et al). 2002;186:954-61
The effects of cardiovascular dynamics monitoring in the outpatient management of pregnancy hypertension (Fukushima et al). 2002;186:1207-15

Carotid arteries
Effects of the selective estrogen receptor modulator, raloxifene, on carotid artery pulsatility index in postmenopausal women (Setacci et al). 2002;186:832-5

Catheter ablation
Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: a 10-year follow-up (McCausland and McCausland). 2002;186:1274-83

Catheterization
Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques (Barrilleaux et al). 2002;186:1124-9

Cell adhesion
Novel chemiluminescence assay for serum periostin levels in women with preeclampsia and in normotensive pregnant women (Sasaki et al). 2002;186:103-8

Cell adhesion molecules
Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro (Speer et al). 2002;186:551-6

Cells
Endogenous mast cell degranulation modulates cervical contractility in the guinea pig (Bytautiene et al). 2002;186:438-45
Regulation of *c-fos* expression by static stretch in rat myometrial smooth muscle cells (Shynlova et al). 2002;186:1358-65

Cerebral palsy
Evidence for fetal involvement in the pathologic process of clinical chorioamnionitis (Chaiworapongsa et al). 2002;186:1178-82

Cerebrovascular disorders
Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? (Ros et al). 2002;186:198-203

Cervical ripening; *see* Labor stage, first

Cervix
Changes in cervical length and the risk of preterm labor (Naim et al). 2002;186:887-9 (Residents' papers)
Endogenous mast cell degranulation modulates cervical contractility in the guinea pig (Bytautiene et al). 2002;186:438-45
The Preterm Prediction Study: elevated cervical ferritin levels at 22 to 24 weeks of gestation are associated with spontaneous preterm delivery in asymptomatic women (Ramsey et al). 2002;186:458-63
The use of oral misoprostol as a cervical ripening agent in operative hysteroscopy: a double-blind, placebo-controlled trial (Thomas et al). 2002;186:876-9 (Residents' papers)

Cervix dysplasia
Recrudescence of cervical dysplasia among women who are infected with the human immunodeficiency virus: a case-control analysis (Tate and Anderson). 2002;186:880-2 (Residents' papers)

Cervix incompetence
Effect of cerclage on obstetrical outcome in twin gestations with a shortened cervical length (Newman et al). 2002;186:634-40
Poor design in cerclage studies (Harger) (Letter); (Novy and Gravett) (Reply); (Hassan et al) (Reply). 2002;186:594-6

Cervix neoplasms
Aberrant expression of E-cadherin in cervical intraepithelial neoplasia correlates with a false-negative Papanicolaou smear (Felix et al). 2002;186:1308-14
Antibodies to human papillomavirus 16 L1 virus-like particles as an independent prognostic marker in cervical cancer (Heim et al). 2002;186:705-11
The association of health literacy with cervical cancer prevention knowledge and health behaviors in a multiethnic cohort of women (Lindau et al). 2002;186:938-43
Factors associated with an increased risk of prevalent and incident grade III cervical intraepithelial neoplasia and invasive cervical cancer among women with Papanicolaou tests classified as grades I or II cervical intraepithelial neoplasia (Petry et al). 2002;186:28-34
Human papillomavirus detection for cervical cancer prevention with polymerase chain reaction in self-collected samples (Lorenzato et al). 2002;186:962-8
Managing atypical squamous cells of undetermined significance (ASCUS): human papillomavirus testing, ASCUS subtyping, or follow-up cytology? (Hughes et al). 2002;186:396-403
Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer (Dowdy et al). 2002;186:1167-73
Trimodal spectroscopy for the detection and characterization of cervical precancers in vivo (Georgakoudi et al). 2002;186:374-82

Cesarean section
Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery (Marcollet et al). 2002;186:784-9
Outcome after elective labor induction in nulliparous women: a matched cohort study (Cammu et al). 2002;186:240-4
Outcomes of trial of labor after previous cesarean delivery (Brubaker). 2002;186:1104-5 (Letter)
A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery (Givens et al). 2002;186:1188-91
Severe preeclampsia and delivery outcomes: is immediate cesarean delivery beneficial? (Coppage and Polzin). 2002;186:921-3 (Residents' papers)
Short-term maternal outcomes that are associated with the EXIT procedure, as compared with cesarean delivery (Noah et al). 2002;186:773-7
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (Magann et al). 2002;186:1119-23
Vaginal birth after cesarean delivery: an historic cohort cost analysis (DiMaio et al). 2002;186:890-2 (Residents' papers)

Chemiluminescence
Novel chemiluminescence assay for serum periostin levels in women with preeclampsia and in normotensive pregnant women (Sasaki et al). 2002;186:103-8

Child development
Perinatal predictors of neurodevelopmental outcome in small-for-gestational-age children at 18 months of age (McCowan et al). 2002;186:1069-75

Childbirth; *see* Labor

Chlamydia trachomatis
Postpartum *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections (Mahon et al). 2002;186:1320-5

Chorioamnionitis
Evidence for fetal involvement in the pathologic process of clinical chorioamnionitis (Chaiworapongsa et al). 2002;186:1178-82

The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep (Newnham et al). 2002;186:1062-8
The Northwestern Twin Chorionicity Study. I. Discordant inflammatory findings that are related to chorionicity in presenting versus nonpresenting twins (Phung et al). 2002;186:1041-5

Chorion
Does chorionicity or zygosity predict adverse perinatal outcomes in twins? (Dubé et al). 2002;186:579-83
Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38

Chorionic villi sampling
Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation (Wapner et al). 2002;186:1133-6

Circumcision
An evaluation of the effects of sucrose on neonatal pain with 2 commonly used circumcision methods (Kaufman et al). 2002;186:564-8

Cisplatin
Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer (Dowdy et al). 2002;186:1167-73

Clinical competence
Surgical skills assessment: a blinded examination of obstetrics and gynecology residents (Goff et al). 2002;186:613-7

Clinical opinion
Clinical opinion. 2002;186:1-7, 1292-8

Coagulation factors
Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII (van Rooijen et al). 2002;186:44-8

Cocaine
Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome (Refuerzo et al). 2002;186:1150-4

Cognition
Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities (Arad et al). 2002;186:818-25

Coitus
Timing of emergency contraception (Raymond and Taylor) (Letter); (Rodrigues et al) (Reply). 2002;186:167-8

Collagen
Surgical treatment of spontaneous rupture of membranes: the amniograft—first experience (Quintero et al). 2002;186:155-7

Combination therapy; *see* Drug combinations

Combined modality therapy
Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer (Dowdy et al). 2002;186:1167-73

Community hospitals; *see* Hospitals, community

Computed tomography; *see* Tomography, x-ray computed

Computers
A computer system for the numeric analysis of nonstress tests (Pardey et al). 2002;186:1095-103 (AJOG reviews)

Conception; *see* Fertilization

Congenital syphilis; *see* Syphilis, congenital

Connective tissue
The rhesus macaque as an animal model for pelvic organ prolapse (Otto et al). 2002;186:416-21

Connexin
Connexin 43 expression in normal versus dysfunctional labor (Pierce et al). 2002;186:504-11

Contraception
Menopausal bone loss in long-term users of depot medroxyprogesterone acetate contraception (Cundy et al). 2002;186:978-83
Timing of emergency contraception (Raymond and Taylor) (Letter); (Rodrigues et al) (Reply). 2002;186:167-8
Transdermal contraception: evaluation of three transdermal norelgestromin/ethinyl estradiol doses in a randomized, multicenter, dose-response study (Dittrich et al). 2002;186:15-20

Contraceptive behavior
Adolescents' ambivalence about becoming pregnant predicts infrequent contraceptive use: a prospective analysis of nonpregnant African American females (Crosby et al). 2002;186:251-2

Contraceptive devices
Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol (Bjarnadóttir et al). 2002;186:389-95

Contraceptives, oral
Acceptance of altering the standard 21-day/7-day oral contraceptive regimen to delay menses and reduce hormone withdrawal symptoms (Sulak et al). 2002;186:1142-9
Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol (Bjarnadóttir et al). 2002;186:389-95
Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII (van Rooijen et al). 2002;186:44-8
Family history of cancer, oral contraceptive use, and ovarian cancer risk (Walker et al). 2002;186:8-14
Impact of early postpartum administration of progestin-only hormonal contraceptives compared with nonhormonal contraceptives on short-term breast-feeding patterns (Nelson and Halderman). 2002;186:1250-8
Oral contraceptives and the risk of focal nodular hyperplasia of the liver: a case-control study (Scalori et al). 2002;186:195-7

Contraceptives, oral, hormonal
Impact of early postpartum administration of progestin-only hormonal contraceptives compared with nonhormonal contraceptives on short-term breast-feeding patterns (Nelson and Halderman). 2002;186:1250-8

Contraction, uterine; *see* Uterine contraction

Conversion disorder
Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy (Buckwalter and Simpson). 2002;186:S210-4

Cornual hematometra; *see* Hematometra

Coronary disease
Polycystic ovary syndrome: a risk for coronary artery disease? (Wild). 2002;186:35-43

Correction
Resistance artery smooth muscle function in pregnancy and preeclampsia (VanWijk et al) (2002;186:148-54). 2002;186:722

Correspondence; *see* Letters to the editors

Cortical neuronal nuclei; *see* Brain

Corticosteroids; *see* Adrenal cortex hormones

Corticotropin-releasing hormone
Maternal plasma corticotropin-releasing hormone trajectories vary depending on the cause of preterm delivery (McGrath et al). 2002;186:257-60
Plasma corticotropin-releasing hormone and unconjugated estriol in human pregnancy: gestational patterns and ability to predict preterm delivery (Ellis et al). 2002;186:94-9

The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth (Moawad et al). 2002;186:990-6

Cost-benefit analysis

The cost-effectiveness of routine versus restrictive episiotomy in Argentina (Borghi et al). 2002;186:221-8

Costs and consequences of comprehensive stillbirth assessment (Michalski et al). 2002;186:1027-34

Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs (Walter et al). 2002;186:723-8

Vaginal birth after cesarean delivery: an historic cohort cost analysis (DiMaio et al). 2002;186:890-2 (Residents' papers)

Cost of illness

The burden of illness of severe nausea and vomiting of pregnancy in the United States (Attard et al). 2002;186:S220-7

Cranium, abnormalities; *see* Skull, abnormalities

Creatinine

Perioperative changes in serum creatinine after gynecologic surgery (Walter et al). 2002;186:1315-9

Prediction of 24-hour protein excretion in pregnancy with a single voided urine protein-to-creatinine ratio (Neithardt et al). 2002;186:883-6 (Residents' papers)

Cryosurgery

Interventional magnetic resonance imaging cryotherapy of uterine fibroid tumors: preliminary observation (Cowan et al). 2002;186:1183-7

Optimal ventricular pacing rate in fetal lambs with complete atrioventricular block (et al). 2002;186:1052-5

Curriculum

Effects of a laboratory-based skills curriculum on laparoscopic proficiency: a randomized trial (Coleman and Muller). 2002;186:836-42 (Education)

Cyclic guanosine monophosphate; *see* Guanosine cyclic monophosphate

Cystitis

Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain (Lentz et al). 2002;186:1268-73

Cystocele; *see* Bladder diseases

Cystoscopy

Perioperative changes in serum creatinine after gynecologic surgery (Walter et al). 2002;186:1315-9

Cytology

Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8

Managing atypical squamous cells of undetermined significance (ASCUS): human papillomavirus testing, ASCUS subtyping, or follow-up cytology? (Hughes et al). 2002;186:396-403

D

Death

Hormone replacement therapy and the risk of death from breast cancer: a systematic review (Nanda et al). 2002;186:325-34 (AJOG reviews)

Death, infant; *see* Infant mortality

Decidua

Placental basal plate formation is associated with fibrin deposition in decidual veins at sites of trophoblast cell invasion (Craven et al). 2002;186:291-6

Dehydrogenases; *see* Oxidoreductases

Delivery

Association of thrombocytopenia and delivery method with intraventricular hemorrhage among very-low-birth-weight infants (Kahn et al). 2002;186:109-16

Birth outcomes and need for hospitalization after delivery among women with multiple sclerosis (Mueller et al). 2002;186:446-52

Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery (Marcollet et al). 2002;186:784-9

Factors that predict low hematocrit levels in the postpartum patient after vaginal delivery (Petersen et al). 2002;186:737-44

Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999 (Chang et al). 2002;186:1299-1303

Severe preeclampsia and delivery outcomes: is immediate cesarean delivery beneficial? (Coppage and Polzin). 2002;186:921-3 (Residents' papers)

Substrate utilization and hormonal responses to moderate intensity exercise during pregnancy and after delivery (Bessinger et al). 2002;186:757-64

Demography

Demographic and obstetric factors influencing pregnancy outcome in twin gestations (Tarter et al). 2002;186:910-2 (Residents' papers)

Denervation

Obstetric denervation, gynecologic reinnervation (Quinn et al). 2002;186:168 (Letter)

Desogestrel

Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII (van Rooijen et al). 2002;186:44-8

Dexamethasone

Effect of dexamethasone on mitochondrial maturation in the fetal rat brain (Nakai et al). 2002;186:574-8

Diabetes, gestational

Clinical predictors for a high risk for the development of diabetes mellitus in the early puerperium in women with recent gestational diabetes mellitus (Schaefer-Graf et al). 2002;186:751-6

Does insulin secretion in patients with one abnormal glucose tolerance test value mimic gestational diabetes mellitus? (Ergin et al). 2002;186:204-9

Human placental growth hormone causes severe insulin resistance in transgenic mice (Barbour et al). 2002;186:512-7

Diabetes mellitus

Clinical predictors for a high risk for the development of diabetes mellitus in the early puerperium in women with recent gestational diabetes mellitus (Schaefer-Graf et al). 2002;186:751-6

Diabetes mellitus, insulin-dependent

Impaired vascular reactivity in pregnant women with insulin-dependent diabetes mellitus (Savvidou et al). 2002;186:84-8

Diabetic pregnancy; *see* Pregnancy in diabetes

Diagnosis, differential

Obstetric denervation, gynecologic reinnervation (Quinn et al). 2002;186:168 (Letter)

Diaphragmatic hernia; *see* Hernia, diaphragmatic

Diet

What are pregnant women eating? Nutrient and food group differences by race (Siega-Riz et al). 2002;186:480-6

Dilatation

The labor curve of the grand multipara: does progress of labor continue to improve with additional childbearing? (Gurewitsch et al). 2002;186:1331-8

Dinoprost

Nitric oxide induced cervical ripening in the human: involvement of cyclic guanosine monophosphate, prostaglandin $F_{2\alpha}$, and prostaglandin E^2 (Ekerhovd et al). 2002;186:745-50

Dinoprostone

Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques (Barrilleaux et al). 2002;186:1124-9

Nitric oxide induced cervical ripening in the human: involvement of cyclic guanosine monophosphate, prostaglandin $F_{2\alpha}$, and prostaglandin E^2 (Ekerhovd et al). 2002;186:745-50

Randomized trial of concurrent oxytocin with a sustained-release dinoprostone vaginal insert for labor induction at term (Christensen et al). 2002;186:61-5

DNA

Detection of maternal deoxyribonucleic acid in umbilical cord plasma by using fluorescent polymerase chain reaction amplification of short tandem repeat sequences (Bauer et al). 2002;186:117-20

Doppler ultrasonography, prenatal; *see* Ultrasonography, prenatal

Dose-response relationship, drug

Acceptance of altering the standard 21-day/7-day oral contraceptive regimen to delay menses and reduce hormone withdrawal symptoms (Sulak et al). 2002;186:1142-9

Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women (Naessen and Rodriguez-Macias). 2002;186:944-7

The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination (Dickinson and Evans). 2002;186:470-4

Repeated doses of antenatal corticosteroids in animals: a systematic review (Aghajafari et al). 2002;186:843-9 (AJOG reviews)

Transdermal contraception: evaluation of three transdermal norelgestromin/ethinyl estradiol doses in a randomized, multicenter, dose-response study (Dittrich et al). 2002;186:15-20

Douching; *see* Irrigation

Down syndrome

The comprehensive midtrimester test: high-sensitivity Down syndrome test (Bahado-Singh et al). 2002;186:803-8

Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome (Sonek and Nicolaides). 2002;186:139-41

Doxorubicin

Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer (Dowdy et al). 2002;186:1167-73

Drainage

Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (Magann et al). 2002;186:1119-23

Drinking

A randomized controlled trial of early versus "traditional" postoperative oral intake after major abdominal gynecologic surgery (Steed et al). 2002;186:861-5 (Residents' papers)

Drug abuse; *see* Substance abuse

Drug combinations

Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy (Farag et al). 2002;186:954-61

Drug therapy

The role of behavioral conditioning in the development of nausea (Matteson et al). 2002;186:S239-43

Drugs

Medical, social, and legal implications of treating nausea and vomiting of pregnancy (Brent). 2002;186:S262-6

The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk (Koren and Levichek). 2002;186:S248-52

Dystocia

Severe brachial plexus injury in the posterior arm: an alternative explanation (Allen and Adler) (Letter); (Jennett and Tarby) (Reply). 2002;186:1377-8

E

Early pregnancy; *see* Pregnancy trimester, first

Echocardiography, fetal

Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia (Sokol et al). 2002;186:1085-90

Eclampsia

Late postpartum eclampsia: a preventable disease (Chames et al). 2002;186:1174-7

Ectopic pregnancy; *see* Pregnancy, ectopic

Edinburgh Postnatal Depression Scale

Diagnosing postpartum depression: can we do better? (Ferguson et al). 2002;186:899-902 (Residents' papers)

Editorials

Summary of analysis of published articles. 2002;186:599-600

Education, medical

Effects of a laboratory-based skills curriculum on laparoscopic proficiency: a randomized trial (Coleman and Muller). 2002;186:836-42

A review of medical and allied health learners' satisfaction with their training in women's health (Emmons et al). 2002;186:1259-67

Selection of obstetrics and gynecology residents on the basis of medical school performance (Bell et al). 2002;186:1091-4

Elderly; *see* Aged

Elective abortion; *see* Abortion

Electrophoresis, gel, two-dimensional

Detection of genomic alterations in human endometrial cancer by two-dimensional gel electrophoresis (Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)

Embryo transfer

Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes (Phy et al). 2002;186:872-5 (Residents' papers)

Endometrial neoplasms

The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding (Mihm et al). 2002;186:858-60 (Residents' papers)

Detection of genomic alterations in human endometrial cancer by two-dimensional gel electrophoresis (Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)

Evaluation of endometrial polyps (Goldstein et al). 2002;186:669-74

Expression of receptors for luteinizing hormone-releasing hormone in human ovarian and endometrial cancers: frequency, autoregulation, and correlation with direct antiproliferative activity of luteinizing hormone-releasing hormone analogues (Völker et al). 2002;186:171-9

Expression of a retinol dehydrogenase (hRoDH-4), a member of the retinol/steroid dehydrogenase family implicated in retinoic acid biosynthesis, in normal and neoplastic endometria (Cain et al). 2002;186:675-83

Intrauterine progesterone treatment of early endometrial cancer (Montz et al). 2002;186:651-7

Role of hysteroscopy in the detection and extraction of endometrial polyps: results of a prospective study (Chui and Bhal) (Letter); (Gebauer) (Reply). 2002;186:1104

Endometriosis

Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain (Lentz et al). 2002;186:1268-73

Endometritis
Endometritis: the clinical-pathologic syndrome (Eckert et al). 2002;186:690-5

Endometrium
Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women (Naessen and Rodriguez-Macias). 2002;186:944-7
Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: a 10-year follow-up (McCausland and McCausland). 2002;186:1274-83
The significance of psammoma bodies that are found incidentally during endometrial biopsy (Fausett et al). 2002;186:180-3

Endoscopy, fetal
Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery (Gratacós et al). 2002;186:538-43

Endothelial growth factors
Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta (Matsumoto et al). 2002;186:303-10

Endothelin receptors; *see* Receptors, endothelin

Endothelium
Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro (Speer et al). 2002;186:551-6
Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63
Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia (Wang et al). 2002;186:214-20

Endotoxins
The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep (Newnham et al). 2002;186:1062-8

Enzymes
Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

EP3-6; *see* Receptors, prostaglandin RNA, messenger

Epidural analgesia; *see* Analgesia, epidural

Episiotomy
The cost-effectiveness of routine versus restrictive episiotomy in Argentina (Borghi et al). 2002;186:221-8

Equipment and supplies
Intrauterine progesterone treatment of early endometrial cancer (Montz et al). 2002;186:651-7

Erb's palsy; *see* Brachial plexus palsy

Erythrocytes
Red cell mass responses to daily erythropoietin and iron injections in the ovine fetus (Zhang et al). 2002;186:315-20

Erythromycin
Erythromycin use during pregnancy in relation to pyloric stenosis (Louik et al). 2002;186:288-90

Erythropoietin
Red cell mass responses to daily erythropoietin and iron injections in the ovine fetus (Zhang et al). 2002;186:315-20

Estradiol
Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women (Naessen and Rodriguez-Macias). 2002;186:944-7
Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8

Estriol
Plasma corticotropin-releasing hormone and unconjugated estriol in human pregnancy: gestational patterns and ability to predict preterm delivery (Ellis et al). 2002;186:94-9

Estrogen replacement therapy
Arterial stiffness is not improved in long-term use of estrogen (Rodriguez-Macias et al). 2002;186:189-94
Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy (Farag et al). 2002;186:954-61
Effect of raloxifene on the ovarian circulation in women after menopause (Lidor et al). 2002;186:984-9
Effects of tibolone and continuous combined hormone replacement therapy on mammographic breast density (Lundström et al). 2002;186:717-22
Efficacy of hormone replacement therapy assessed by quantitative ultrasonography (Pluskiewicz and Drozdzowska) (Letter); (Hadji) (Reply). 2002;186:337-8
Hormone replacement therapy: estrogen and progestin effects on plasma C-reactive protein concentrations (Skouby et al). 2002;186:969-77
Hormone replacement therapy and the risk of death from breast cancer: a systematic review (Nanda et al). 2002;186:325-34 (AJOG reviews)
Menopausal bone loss in long-term users of depot medroxyprogesterone acetate contraception (Cundy et al). 2002;186:978-83
Neither long-term treatment with raloxifene nor hormone replacement therapy modulate cardiac function in healthy postmenopausal women: two randomized, placebo-controlled, 2-year studies (Vogelvang et al). 2002;186:729-36

Estrogens
No headaches! (Griffin) (Letter); (Norman et al) (Reply). 2002;186:593-4

Ethics
Hippocrates and the dignity of human life (Baumgartner) (Letter); (Hertz) (Reply). 2002;186:1378-80
Medical, social, and legal implications of treating nausea and vomiting of pregnancy (Brent). 2002;186:S262-6
Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation (Wapner et al). 2002;186:1133-6

Ethinyl estradiol
Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol (Bjarnadóttir et al). 2002;186:389-95
Transdermal contraception: evaluation of three transdermal norelgestromin/ethinyl estradiol doses in a randomized, multicenter, dose-response study (Dittrich et al). 2002;186:15-20

Ethnic groups
The association of health literacy with cervical cancer prevention knowledge and health behaviors in a multiethnic cohort of women (Lindau et al). 2002;186:938-43
Mild gestational hypertension: differences in ethnicity are associated with altered outcomes in women who undergo outpatient treatment (Barton et al). 2002;186:896-8 (Residents' papers)
Pelvic organ prolapse in the Women's Health Initiative: gravidity and parity (Hendrix et al). 2002;186:1160-6

Etiology
Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy (Buckwalter and Simpson). 2002;186:S210-4

Evolution
Nausea and vomiting of pregnancy in an evolutionary perspective (Sherman and Flaxman). 2002;186:S190-7

Exercise
Continuing regular exercise during pregnancy: effect of exercise volume on fetoplacental growth (Clapp et al). 2002;186:142-7
Substrate utilization and hormonal responses to moderate intensity exercise during pregnancy and after delivery (Bessinger et al). 2002;186:757-64

EXIT procedure; *see* Fetal surgery

F

Factor V
Factor V Leiden mutation and preeclampsia (Rigó et al) (Letter); (Kim et al) (Reply). 2002;186:853-4

Fallopian tube neoplasms
Fallopian tube cancer in a *BRCA1* mutation carrier: rapid development and failure of screening (Hébert-Blouin et al). 2002;186:53-4

False negative reactions
Aberrant expression of E-cadherin in cervical intraepithelial neoplasia correlates with a false-negative Papanicolaou smear (Felix et al). 2002;186:1308-14

Femoral nerve, injuries
Prevention of femoral nerve injuries in gynecologic surgery (Chan and Manetta). 2002;186:1-7 (Clin. opinion)

Fentanyl
Paracervical block and elective abortion: the effect on pain of waiting between injection and procedure (Phair et al). 2002;186:1304-1307

Ferritin
The Preterm Prediction Study: elevated cervical ferritin levels at 22 to 24 weeks of gestation are associated with spontaneous preterm delivery in asymptomatic women (Ramsey et al). 2002;186:458-63

Fertility
Growth and fertility rates in the offspring of pregnant rats treated with L-ω nitro-L-arginine methyl ester (L-NAME), a nitric oxide inhibitor (Witlin et al). 2002;186:89-93

Fertilization
Neonatal outcomes in immediate versus delayed conceptions after spontaneous abortion: a retrospective case series (Goldstein et al). 2002;186:1230-6

Fertilization in vitro
Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes (Phy et al). 2002;186:872-5 (Residents' papers)
Establishing a clinical program for human immunodeficiency virus 1–seropositive men to father seronegative children by means of in vitro fertilization with intracytoplasmic sperm injection (Sauer and Chang). 2002;186:627-33
In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography (Tan et al). 2002;186:684-9

Fetal blood pressure; *see* Blood pressure

Fetal death
Costs and consequences of comprehensive stillbirth assessment (Michalski et al). 2002;186:1027-34

Fetal development
Adenosine A_{2A} receptors mediate hypoxic inhibition of fetal breathing in sheep (Koos et al). 2002;186:663-8
Continuing regular exercise during pregnancy: effect of exercise volume on fetoplacental growth (Clapp et al). 2002;186:142-7
Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62
Effects of chronic hypoxia and protein malnutrition on growth in the developing chick (Miller et al). 2002;186:261-7
Low maternal plasma volume may be the answer! (Goodlin) (Letter); (Bukowski and Saade) (Reply). 2002;186:851-2
Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7

Fetal diseases
Serial aggressive platelet transfusion for fetal alloimmune thrombocytopenia: platelet dynamics and perinatal outcome (Overton et al). 2002;186:826-31

Fetal growth retardation
Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep (Gagnon et al). 2002;186:1076-84
Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation (Ishihara et al). 2002;186:158-66
Investigation of intraplacental villous arteries by Doppler flow imaging in growth-restricted fetuses (Mu et al). 2002;186:297-302
Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Fetal heart rate; *see* Heart rate, fetal

Fetal membranes
Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta (Matsumoto et al). 2002;186:303-10

Fetal membranes, premature rupture
Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome (Refuerzo et al). 2002;186:1150-4
Surgical treatment of spontaneous rupture of membranes: the amniograft—first experience (Quintero et al). 2002;186:155-7

Fetal monitoring
A computer system for the numeric analysis of nonstress tests (Pardey et al). 2002;186:1095-103 (AJOG reviews)
How well does reflectance pulse oximetry reflect intrapartum fetal acidosis? (Stiller et al). 2002;186:1351-7
The prediction and prevention of intrapartum fetal asphyxia in preterm pregnancies (Low et al). 2002;186:279-82

Fetal organ maturity
A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy (Moore). 2002;186:641-50
The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep (Newnham et al). 2002;186:1062-8
Recommendations for repeat courses of antenatal corticosteroids: a decision analysis (Caughey and Parer). 2002;186:1221-9
Repeated doses of antenatal corticosteroids in animals: a systematic review (Aghajafari et al). 2002;186:843-9 (AJOG reviews)

Fetal surgery; *see* Surgery, fetal

Fetofetal transfusion
Natriuretic peptides in the pathogenesis of cardiac dysfunction in the recipient fetus of twin-twin transfusion syndrome (Bajoria et al). 2002;186:121-7

Fetoscopy
Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery (Gratacós et al). 2002;186:538-43
Surgical treatment of spontaneous rupture of membranes: the amniograft—first experience (Quintero et al). 2002;186:155-7

Fetus
The association between fetal and maternal sleep patterns in third-trimester pregnancies (Worth et al). 2002;186:924-5 (Residents' papers)
Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63
Evidence for fetal involvement in the pathologic process of clinical chorioamnionitis (Chaiworapongsa et al). 2002;186:1178-82
Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia (Sokol et al). 2002;186:1085-90
How well does reflectance pulse oximetry reflect intrapartum fetal acidosis? (Stiller et al). 2002;186:1351-7
Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503
Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome (Sonek and Nicolaides). 2002;186:139-41
Stereologic examination of placentas from mothers who smoke during pregnancy (Larsen et al). 2002;186:531-7
Ultrasonographic measurement of the abdominal circumference in fetuses with congenital diaphragmatic hernia (Rode et al). 2002;186:321-4

Fetus, animal
Effect of dexamethasone on mitochondrial maturation in the fetal rat brain (Nakai et al). 2002;186:574-8
Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62
Effect of Ro 61-1790, a selective endothelin-A receptor antagonist, on systemic and uterine hemodynamics and fetal oxygenation in sheep (McElvy et al). 2002;186:55-60
Effects of maternal betamethasone administration on fetal and maternal blood pressure and heart rate in the baboon at 0.7 of gestation (Koenen et al). 2002;186:812-7
Red cell mass responses to daily erythropoietin and iron injections in the ovine fetus (Zhang et al). 2002;186:315-20

Fetus, drug effects
Erythromycin use during pregnancy in relation to pyloric stenosis (Louik et al). 2002;186:288-90

Fibrin
Placental basal plate formation is associated with fibrin deposition in decidual veins at sites of trophoblast cell invasion (Craven et al). 2002;186:291-6

Fibroid tumor; *see* Leiomyoma

Flow rate; *see* Blood flow velocity

Fluorescence
Detection of maternal deoxyribonucleic acid in umbilical cord plasma by using fluorescent polymerase chain reaction amplification of short tandem repeat sequences (Bauer et al). 2002;186:117-20

Folates
Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503

Follicular phase
In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography (Tan et al). 2002;186:684-9

Follistatin
Follistatin-free activin A is not associated with preterm birth (Wang et al). 2002;186:464-9
Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7

Food
What are pregnant women eating? Nutrient and food group differences by race (Siega-Riz et al). 2002;186:480-6

Forceps, obstetrical; *see* Obstetrical forceps

G

G spot; *see* Vagina

Gastrointestinal system
Gastrointestinal factors in nausea and vomiting of pregnancy (Koch). 2002;186:S198-203

Gels
Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques (Barrilleaux et al). 2002;186:1124-9

Gender; *see* Sex

Gene transfer; *see* Transfection

Genes
The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea (Kim et al). 2002;186:345-50
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Genetics
Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion (Salvador et al). 2002;186:913-5 (Residents' papers)
Who should perform genetic amniocentesis? (Fleisher) (Letter); (Blessed et al) (Reply). 2002;186:338

Genital diseases, female
Characterization of genital human papillomavirus infection in women who have or who are at risk of having HIV infection (Jamieson et al). 2002;186:21-7

Genitourinary fistula; *see* Urinary fistula

Genome
Detection of genomic alterations in human endometrial cancer by two-dimensional gel electrophoresis (Pohlod-Miller et al). 2002;186:855-7 (Residents' papers)

Genotype
Maternal and fetal inherited thrombophilias (Grandone and Margaglione) (Letter); (Sibai) (Reply). 2002;186:1376
Prenatal HLA genotyping of uncultured amniotic fluid samples contaminated with maternal blood (Eichler et al). 2002;186:1366-71

Gestational age
Association of preeclampsia with high birth weight for gestational age (Jacquemyn et al) (Letter); (Xiong and Fraser) (Reply). 2002;186:1105-6
How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth? (Yang et al). 2002;186:433-7
Total and individual triplet birth weights as a function of gestational age (Blickstein et al). 2002;186:1372-5

Gestational diabetes; *see* Diabetes, gestational

Gestational hypertension; *see* Hypertension

Ginger; *see* Spices

Glucose tolerance test
Does insulin secretion in patients with one abnormal glucose tolerance test value mimic gestational diabetes mellitus? (Ergin et al). 2002;186:204-9

Gonadorelin
Expression of receptors for luteinizing hormone-releasing hormone in human ovarian and endometrial cancers: frequency,

autoregulation, and correlation with direct antiproliferative activity of luteinizing hormone-releasing hormone analogues (Völker et al). 2002;186:171-9
The influence of luteinizing hormone–releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma (Nowicki et al). 2002;186:340-4

Gonadotropins
Assessing the risk of multiple gestation in gonadotropin intrauterine insemination cycles (Kaplan et al). 2002;186:1244-9

Granulosa cells
Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes (Phy et al). 2002;186:872-5 (Residents' papers)

Group B streptococcus; *see Streptococcus agalactiae*

Growth
Effects of chronic hypoxia and protein malnutrition on growth in the developing chick (Miller et al). 2002;186:261-7
Growth and fertility rates in the offspring of pregnant rats treated with L-ω nitro-L-arginine methyl ester (L-NAME), a nitric oxide inhibitor (Witlin et al). 2002;186:89-93

Growth-restricted fetus; *see* Fetal growth retardation

Guanosine cyclic monophosphate
Nitric oxide induced cervical ripening in the human: involvement of cyclic guanosine monophosphate, prostaglandin $F_{2\alpha}$, and prostaglandin E^2 (Ekerhovd et al). 2002;186:745-50

Guidelines
Implementation of group B *Streptococcus* prevention strategy (Levine) (Letter); (Davis and Schuchat) (Reply). 2002;186:335

Gynecologic surgery; *see* Surgery, gynecologic

Gynecology
Burnout in chairs of obstetrics and gynecology: diagnosis, treatment, and prevention (Gabbe et al). 2002;186:601-12 (Pres. address)
Five-year experience with midtrimester amniocentesis performed by a single group of obstetricians-gynecologists at a community hospital (Blackwell et al). 2002;186:1130-2
The G-spot is the female prostate (Schubach) (Letter); (Hines) (Reply). 2002;186:850
The importance of physician gender in the selection of an obstetrician or a gynecologist (Plunkett et al). 2002;186:926-8 (Residents' papers)
Obstetrician-gynecologists performing genetic amniocentesis may be misleading themselves and their patients (Clewell et al) (Letter); (Blessed and Welch) (Reply). 2002;186:851
Selection of obstetrics and gynecology residents on the basis of medical school performance (Bell et al). 2002;186:1091-4 (Education)
Stress in residency: reality or myth? (Schneider et al). 2002;186:907-9 (Residents' papers)
Surgical skills assessment: a blinded examination of obstetrics and gynecology residents (Goff et al). 2002;186:613-7

H

Haiti
Peripartum cardiomyopathy in the Hospital Albert Schweitzer District of Haiti (Fett et al). 2002;186:1005-10

Head
Erb's palsy contrasted with Klumpke's and total palsy: different mechanisms are involved (Jennett et al). 2002;186:1216-20

Headache
No headaches! (Griffin) (Letter); (Norman et al) (Reply). 2002;186:593-4

Health behavior
The association of health literacy with cervical cancer prevention knowledge and health behaviors in a multiethnic cohort of women (Lindau et al). 2002;186:938-43

Health care
Bedlam beggars, Winchester geese, and mewling infants: medicine and women's health issues in Shakespeare (Peacock). 2002;186:1196-1201 (Pres. address)

Health education
The association of health literacy with cervical cancer prevention knowledge and health behaviors in a multiethnic cohort of women (Lindau et al). 2002;186:938-43

Heart block
Optimal ventricular pacing rate in fetal lambs with complete atrioventricular block (et al). 2002;186:1052-5

Heart diseases
Natriuretic peptides in the pathogenesis of cardiac dysfunction in the recipient fetus of twin-twin transfusion syndrome (Bajoria et al). 2002;186:121-7

Heart function tests
Neither long-term treatment with raloxifene nor hormone replacement therapy modulate cardiac function in healthy postmenopausal women: two randomized, placebo-controlled, 2-year studies (Vogelvang et al). 2002;186:729-36

Heart rate
Effects of maternal betamethasone administration on fetal and maternal blood pressure and heart rate in the baboon at 0.7 of gestation (Koenen et al). 2002;186:812-7

Heart rate, fetal
A computer system for the numeric analysis of nonstress tests (Pardey et al). 2002;186:1095-103 (AJOG reviews)
Effects of maternal betamethasone administration on fetal and maternal blood pressure and heart rate in the baboon at 0.7 of gestation (Koenen et al). 2002;186:812-7
Optimal ventricular pacing rate in fetal lambs with complete atrioventricular block (et al). 2002;186:1052-5

Heart ventricle
Optimal ventricular pacing rate in fetal lambs with complete atrioventricular block (et al). 2002;186:1052-5

Heat-shock proteins
Defective regulation of the proinflammatory immune response in women with vulvar vestibulitis syndrome (Gerber et al). 2002;186:696-700

HELLP syndrome
Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Hematocrit
Factors that predict low hematocrit levels in the postpartum patient after vaginal delivery (Petersen et al). 2002;186:737-44

Hematometra
Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: a 10-year follow-up (McCausland and McCausland). 2002;186:1274-83

Hemodynamics
Effect of Ro 61-1790, a selective endothelin-A receptor antagonist, on systemic and uterine hemodynamics and fetal oxygenation in sheep (McElvy et al). 2002;186:55-60

Hemolysis
Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Hemorrhage
Association of thrombocytopenia and delivery method with intraventricular hemorrhage among very-low-birth-weight infants (Kahn et al). 2002;186:109-16

Hernia, diaphragmatic
Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia (Sokol et al). 2002;186:1085-90
Ultrasonographic measurement of the abdominal circumference in fetuses with congenital diaphragmatic hernia (Rode et al). 2002;186:321-4

Herpes simplex
Acyclovir concentrations in human breast milk after valaciclovir administration (Sheffield et al). 2002;186:100-2

Hippocratic oath
Hippocrates and the dignity of human life (Baumgartner) (Letter); (Hertz) (Reply). 2002;186:1378-80

Histamine H1 receptor blockaders
Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61

HIV
Characterization of genital human papillomavirus infection in women who have or who are at risk of having HIV infection (Jamieson et al). 2002;186:21-7
Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery (Marcollet et al). 2002;186:784-9
Human immunodeficiency virus infection is a risk factor for adverse perinatal outcome (Ellis et al). 2002;186:903-6 (Residents' papers)
Recrudescence of cervical dysplasia among women who are infected with the human immunodeficiency virus: a case-control analysis (Tate and Anderson). 2002;186:880-2 (Residents' papers)

HIV seropositivity
Establishing a clinical program for human immunodeficiency virus 1–seropositive men to father seronegative children by means of in vitro fertilization with intracytoplasmic sperm injection (Sauer and Chang). 2002;186:627-33

HLA antigens
Prenatal HLA genotyping of uncultured amniotic fluid samples contaminated with maternal blood (Eichler et al). 2002;186:1366-71

Homocysteine
Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Levine et al) (Letter); (Cotter and Daly) (Reply). 2002;186:1107-8
Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503

Hormonal contraceptives; *see* Contraceptives, oral, hormonal

Hormone replacement therapy; *see* Estrogen replacement therapy

Hormones
Acceptance of altering the standard 21-day/7-day oral contraceptive regimen to delay menses and reduce hormone withdrawal symptoms (Sulak et al). 2002;186:1142-9
Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain (Lentz et al). 2002;186:1268-73
Substrate utilization and hormonal responses to moderate intensity exercise during pregnancy and after delivery (Bessinger et al). 2002;186:757-64

Hospitalization
Birth outcomes and need for hospitalization after delivery among women with multiple sclerosis (Mueller et al). 2002;186:446-52

Hospitals, community
Five-year experience with midtrimester amniocentesis performed by a single group of obstetricians-gynecologists at a community hospital (Blackwell et al). 2002;186:1130-2

Hospitals, urban
Risk of adverse pregnancy outcomes in young adolescent parturients in an inner-city hospital (Eure et al). 2002;186:918-20 (Residents' papers)

Hungary
Multiembryonic pregnancy reduction: the Hungarian experience (Patkós et al) (Letter); (Evans and Wapner) (Reply). 2002;186:596-7

Hydrotherapy
Nonpharmacologic relief of pain during labor: systematic reviews of five methods (Simkin and O'Hara). 2002;186:S131-59 (Symposium)

Hyperemesis gravidarum
Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9

Hyperplasia
Oral contraceptives and the risk of focal nodular hyperplasia of the liver: a case-control study (Scalori et al). 2002;186:195-7

Hypertension
Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia (Buchbinder et al). 2002;186:66-71
The effects of cardiovascular dynamics monitoring in the outpatient management of pregnancy hypertension (Fukushima et al). 2002;186:1207-15
Mild gestational hypertension: differences in ethnicity are associated with altered outcomes in women who undergo outpatient treatment (Barton et al). 2002;186:896-8 (Residents' papers)
Smoking before pregnancy and risk of gestational hypertension and preeclampsia (England et al). 2002;186:1035-40

Hypoxia; *see* Anoxia

Hysterectomy
Recrudescence of cervical dysplasia among women who are infected with the human immunodeficiency virus: a case-control analysis (Tate and Anderson). 2002;186:880-2 (Residents' papers)
Results with colposuspension by the Burch procedure in our practice (Domany et al) (Letter); (Gill and Hurt) (Reply). 2002;186:1108-9

Hysteroscopy
Role of hysteroscopy in the detection and extraction of endometrial polyps: results of a prospective study (Chui and Bhal) (Letter); (Gebauer) (Reply). 2002;186:1104
The use of oral misoprostol as a cervical ripening agent in operative hysteroscopy: a double-blind, placebo-controlled trial (Thomas et al). 2002;186:876-9 (Residents' papers)

I

In vitro fertilization; *see* Fertilization in vitro

Induction of labor; *see* Labor, induced

Infant, diseases
Association between the use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Mittendorf et al). 2002;186:1111-8

Infant, large for gestational age
Association of preeclampsia with high birth weight for gestational age (Jacquemyn et al) (Letter); (Xiong and Fraser) (Reply). 2002;186:1105-6

Infant, low birth weight
Association of thrombocytopenia and delivery method with intraventricular hemorrhage among very-low-birth-weight infants (Kahn et al). 2002;186:109-16

Risk factors for early death among extremely low-birth-weight infants (Shankaran et al). 2002;186:796-802

Infant, newborn

The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review (Leighton and Halpern). 2002;186:S69-77 (Symposium)

An evaluation of the effects of sucrose on neonatal pain with 2 commonly used circumcision methods (Kaufman et al). 2002;186:564-8

Maternal and fetal inherited thrombophilias (Grandone and Margaglione) (Letter); (Sibai) (Reply). 2002;186:1376

Neonatal morbidity associated with uterine rupture: what are the risk factors? (Bujold and Gauthier). 2002;186:311-4

Neonatal outcomes in immediate versus delayed conceptions after spontaneous abortion: a retrospective case series (Goldstein et al). 2002;186:1230-6

Severe preeclampsia at <25 weeks of gestation: maternal and neonatal outcomes (Jenkins et al). 2002;186:790-5

Infant, newborn, diseases

Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome (Refuerzo et al). 2002;186:1150-4

Congenital syphilis after maternal treatment for syphilis during pregnancy (Sheffield et al). 2002;186:569-73

Prevention of neonatal group B streptococcal disease: a combined intrapartum and neonatal protocol (Wendel et al). 2002;186:618-26

Infant, premature

Chronic intrauterine infection and inflammation in the preterm rabbit, despite antibiotic therapy (Gibbs et al). 2002;186:234-9

Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8

Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities (Arad et al). 2002;186:818-25

Low maternal plasma volume may be the answer! (Goodlin) (Letter); (Bukowski and Saade) (Reply). 2002;186:851-2

Prematurity in multiple gestations: identification of patients who are at low risk (McMahon et al). 2002;186:1137-41

Infant, small for gestational age

Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7

Perinatal predictors of neurodevelopmental outcome in small-for-gestational-age children at 18 months of age (McCowan et al). 2002;186:1069-75

Infant mortality

The impact of prenatal care on neonatal deaths in the presence and absence of antenatal high-risk conditions (Vintzileos et al). 2002;186:1011-6

Risk factors for early death among extremely low-birth-weight infants (Shankaran et al). 2002;186:796-802

Infection

Bacterially induced preterm labor in the mouse does not require maternal interleukin-1 signaling (Hirsch et al). 2002;186:523-30

Characterization of genital human papillomavirus infection in women who have or who are at risk of having HIV infection (Jamieson et al). 2002;186:21-7

Chronic intrauterine infection and inflammation in the preterm rabbit, despite antibiotic therapy (Gibbs et al). 2002;186:234-9

Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38

Postpartum *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections (Mahon et al). 2002;186:1320-5

Severe meconium aspiration syndrome (Merlob et al). 2002;186:1377 (Letter)

Inflammation

Chronic intrauterine infection and inflammation in the preterm rabbit, despite antibiotic therapy (Gibbs et al). 2002;186:234-9

The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep (Newnham et al). 2002;186:1062-8

Infusion pumps

The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep (Newnham et al). 2002;186:1062-8

Inhibin

Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7

Injections

Paracervical block and elective abortion: the effect on pain of waiting between injection and procedure (Phair et al). 2002;186:1304-1307

Injections, intravenous

Iron therapy in iron deficiency anemia in pregnancy: intravenous route versus oral route (Bayoumeu et al). 2002;186:518-22

Oxytocin preparation stability in several common obstetric intravenous solutions (Gard et al). 2002;186:496-8

Red cell mass responses to daily erythropoietin and iron injections in the ovine fetus (Zhang et al). 2002;186:315-20

Inner-city hospitals; *see* Hospitals, urban

Inpatients

Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease: results from the Pelvic Inflammatory Disease Evaluation and Clinical Health (PEACH) Randomized Trial (Ness et al). 2002;186:929-37

Trends for inpatient treatment of tubal pregnancy in Maryland (Sewell and Cundiff). 2002;186:404-8

Insemination, artificial

Assessing the risk of multiple gestation in gonadotropin intrauterine insemination cycles (Kaplan et al). 2002;186:1244-9

The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated (Matorras and Pijoan) (Letter); (Nachtigall) (Reply); (Roudebush) (Reply). 2002;186:597-8

Insulin

Does insulin secretion in patients with one abnormal glucose tolerance test value mimic gestational diabetes mellitus? (Ergin et al). 2002;186:204-9

Insulin-dependent diabetes; *see* Diabetes mellitus, insulin-dependent

Insulin-like growth factor-I

The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea (Kim et al). 2002;186:345-50

Insulin resistance

Human placental growth hormone causes severe insulin resistance in transgenic mice (Barbour et al). 2002;186:512-7

Integrins

Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro (Speer et al). 2002;186:551-6

Intensive care units

Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit (Drakeley et al). 2002;186:253-6

Interferon-alpha
A deficiency in interferon-α production in women with vulvar vestibulitis (Gerber et al). 2002;186:361-4

Interleukin-1
Bacterially induced preterm labor in the mouse does not require maternal interleukin-1 signaling (Hirsch et al). 2002;186:523-30
Defective regulation of the proinflammatory immune response in women with vulvar vestibulitis syndrome (Gerber et al). 2002;186:696-700
A deficiency in interferon-α production in women with vulvar vestibulitis (Gerber et al). 2002;186:361-4
Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38

Internship and residency
Effects of a laboratory-based skills curriculum on laparoscopic proficiency: a randomized trial (Coleman and Muller). 2002;186:836-42 (Education)
Selection of obstetrics and gynecology residents on the basis of medical school performance (Bell et al). 2002;186:1091-4 (Education)
Stress in residency: reality or myth? (Schneider et al). 2002;186:907-9 (Residents' papers)
Surgical skills assessment: a blinded examination of obstetrics and gynecology residents (Goff et al). 2002;186:613-7

Intracellular adhesion molecules; *see* Cell adhesion molecules

Intracytoplasmic sperm injection; *see* Reproduction techniques

Intraoperative care
A comparison of preoperative and intraoperative evaluations for patients who undergo site-specific operation for the correction of pelvic organ prolapse (Vineyard et al). 2002;186:1155-9

Intrauterine growth retardation; *see* Fetal growth retardation

Intrauterine pockets; *see* Uterus

Intravaginal administration; *see* Administration, intravaginal

Intraventricular hemorrhage; *see* Hemorrhage

Introital stenosis; *see* Stenosis

Iron
Iron therapy in iron deficiency anemia in pregnancy: intravenous route versus oral route (Bayoumeu et al). 2002;186:518-22
Red cell mass responses to daily erythropoietin and iron injections in the ovine fetus (Zhang et al). 2002;186:315-20
What are pregnant women eating? Nutrient and food group differences by race (Siega-Riz et al). 2002;186:480-6

Irrigation
A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery (Givens et al). 2002;186:1188-91
Risk of preterm birth that is associated with vaginal douching (Fiscella et al). 2002;186:1345-50

J

Jews
Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation (Wapner et al). 2002;186:1133-6

Junctional proteins; *see* Proteins

Jurisprudence
Medical, social, and legal implications of treating nausea and vomiting of pregnancy (Brent). 2002;186:S262-6
Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers (Abel and Kruger). 2002;186:768-72

K

Kidney, abnormalities
Obstructive mullerian anomalies (Acién). 2002;186:854 (Letter)

Kidney failure, acute
Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit (Drakeley et al). 2002;186:253-6

Kinases, protein; *see* Protein kinases

Klumpke's palsy; *see* Brachial plexus palsy

Korea
The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea (Kim et al). 2002;186:345-50

L

Labor
Anesthesia for childbirth: controversy and change (Caton et al). 2002;186:S25-30 (Symposium)
Connexin 43 expression in normal versus dysfunctional labor (Pierce et al). 2002;186:504-11
The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review (Leighton and Halpern). 2002;186:S69-77 (Symposium)
Epidural analgesia side effects, co-interventions, and care of women during childbirth: a systematic review (Mayberry et al). 2002;186:S81-93 (Symposium)
Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38
The labor curve of the grand multipara: does progress of labor continue to improve with additional childbearing? (Gurewitsch et al). 2002;186:1331-8
Labor pain management in the United States: understanding patterns and the issue of choice (Marmor and Krol). 2002;186:S173-80 (Symposium)
Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503
Methods and interpretation in systematic reviews: commentary on two parallel reviews of epidural analgesia during labor (Thacker and Stroup). 2002;186:S78-80 (Symposium)
The nature of labor pain (Lowe). 2002;186:S16-24 (Symposium)
The Nature and Management of Labor Pain: executive summary (Caton et al). 2002;186:S1-15 (Symposium)
Nitrous oxide for relief of labor pain: a systematic review (Rosen). 2002;186:S110-26 (Symposium)
Nonpharmacologic relief of pain during labor: systematic reviews of five methods (Simkin and O'Hara). 2002;186:S131-59 (Symposium)
Pain and women's satisfaction with the experience of childbirth: a systematic review (Hodnett). 2002;186:S160-72 (Symposium)
Paracervical block for labor analgesia: a brief historic review (Rosen). 2002;186:S127-30 (Symposium)
Parenteral opioids for labor pain relief: a systematic review (Bricker and Lavender). 2002;186:S94-109 (Symposium)
Pushing in labor: performance and not endurance (Buhimschi et al). 2002;186:1339-44
Risk of adverse pregnancy outcomes in young adolescent parturients in an inner-city hospital (Eure et al). 2002;186:918-20 (Residents' papers)
Unintended effects of epidural analgesia during labor: a systematic review (Lieberman and O'Donoghue). 2002;186:S31-68 (Symposium)

Labor, induced
Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques (Barrilleaux et al). 2002;186:1124-9
Factors affecting the likelihood of successful induction after intravaginal misoprostol application for cervical ripening and labor induction (Wing et al). 2002;186:1237-43
Outcome after elective labor induction in nulliparous women: a matched cohort study (Cammu et al). 2002;186:240-4
Randomized trial of concurrent oxytocin with a sustained-release dinoprostone vaginal insert for labor induction at term (Christensen et al). 2002;186:61-5
Sublingual misoprostol for the induction of labor at term (Shetty et al). 2002;186:72-6
Vaginal birth after cesarean delivery: to induce or not to induce (Oláh) (Letter); (Sims and Newman) (Reply). 2002;186:1109-10

Labor, premature
Antibiotic therapy for the treatment of preterm labor: a review of the evidence (Thorp et al). 2002;186:587-92 (AJOG reviews)
Antimicrobials in the prevention of prematurity (Groom et al) (Letter); (Goldenberg et al) (Reply). 2002;186:1106-7
Association between the use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Mittendorf et al). 2002;186:1111-8
Bacterially induced preterm labor in the mouse does not require maternal interleukin-1 signaling (Hirsch et al). 2002;186:523-30
Changes in cervical length and the risk of preterm labor (Naim et al). 2002;186:887-9 (Residents' papers)
Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery (Ghezzi et al). 2002;186:268-73
Follistatin-free activin A is not associated with preterm birth (Wang et al). 2002;186:464-9
How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth? (Yang et al). 2002;186:433-7
Is male sex an independent risk factor for preterm birth? (James). 2002;186:594 (Letter)
Maternal plasma corticotropin-releasing hormone trajectories vary depending on the cause of preterm delivery (McGrath et al). 2002;186:257-60
Pharmacokinetics of ionized versus total magnesium in subjects with preterm labor and preeclampsia (Taber et al). 2002;186:1017-21
Plasma corticotropin-releasing hormone and unconjugated estriol in human pregnancy: gestational patterns and ability to predict preterm delivery (Ellis et al). 2002;186:94-9
Poor design in cerclage studies (Harger) (Letter); (Novy and Gravett) (Reply); (Hassan et al) (Reply). 2002;186:594-6
The prediction and prevention of intrapartum fetal asphyxia in preterm pregnancies (Low et al). 2002;186:279-82
Prematurity in multiple gestations: identification of patients who are at low risk (McMahon et al). 2002;186:1137-41
The Preterm Prediction Study: elevated cervical ferritin levels at 22 to 24 weeks of gestation are associated with spontaneous preterm delivery in asymptomatic women (Ramsey et al). 2002;186:458-63
The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth (Moawad et al). 2002;186:990-6
Risk of preterm birth that is associated with vaginal douching (Fiscella et al). 2002;186:1345-50

Labor stage, first
Buccal versus intravaginal misoprostol administration for cervical ripening (Carlan et al). 2002;186:229-33
Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques (Barrilleaux et al). 2002;186:1124-9
Factors affecting the likelihood of successful induction after intravaginal misoprostol application for cervical ripening and labor induction (Wing et al). 2002;186:1237-43
Nitric oxide induced cervical ripening in the human: involvement of cyclic guanosine monophosphate, prostaglandin $F_{2\alpha}$, and prostaglandin E^2 (Ekerhovd et al). 2002;186:745-50
No headaches! (Griffin) (Letter); (Norman et al) (Reply). 2002;186:593-4

Laboratory-based skills curriculum; *see* Curriculum

Laparoscopic surgery; *see* Surgery, laparoscopic

Laparoscopy
Effects of a laboratory-based skills curriculum on laparoscopic proficiency: a randomized trial (Coleman and Muller). 2002;186:836-42 (Education)
Endometritis: the clinical-pathologic syndrome (Eckert et al). 2002;186:690-5

Legal implications; *see* Jurisprudence

Leiden mutation; *see* Mutation

Leiomyoma
Interventional magnetic resonance imaging cryotherapy of uterine fibroid tumors: preliminary observation (Cowan et al). 2002;186:1183-7
Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion (Salvador et al). 2002;186:913-5 (Residents' papers)

Length of stay
A randomized controlled trial of early versus "traditional" postoperative oral intake after major abdominal gynecologic surgery (Steed et al). 2002;186:861-5 (Residents' papers)

Leptin
The influence of luteinizing hormone–releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma (Nowicki et al). 2002;186:340-4
Umbilical cord plasma leptin is increased in preeclampsia Ødegård et al). 2002;186:427-32

Letters to the editors
Antimicrobials in the prevention of prematurity (Groom et al) (Letter); (Goldenberg et al) (Reply). 2002;186:1106-7
Association of preeclampsia with high birth weight for gestational age (Jacquemyn et al) (Letter); (Xiong and Fraser) (Reply). 2002;186:1105-6
Efficacy of hormone replacement therapy assessed by quantitative ultrasonography (Pluskiewicz and Drozdzowska) (Letter); (Hadji) (Reply). 2002;186:337-8
Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Levine et al) (Letter); (Cotter and Daly) (Reply). 2002;186:1107-8
Factor V Leiden mutation and preeclampsia (Rigó et al) (Letter); (Kim et al) (Reply). 2002;186:853-4
The G-spot is the female prostate (Schubach) (Letter); (Hines) (Reply). 2002;186:850
Hippocrates and the dignity of human life (Baumgartner) (Letter); (Hertz) (Reply). 2002;186:1378-80
Implementation of group B *Streptococcus* prevention strategy (Levine) (Letter); (Davis and Schuchat) (Reply). 2002;186:335
The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated (Matorras and Pijoan) (Letter); (Nachtigall) (Reply); (Roudebush) (Reply). 2002;186:597-8
Is helical computed tomography 100% sensitive to diagnose acute appendicitis during pregnancy? (Dupuis et al) (Letter); (Castro et al) (Reply). 2002;186:336
Is male sex an independent risk factor for preterm birth? (James). 2002;186:594 (Letter)
Low maternal plasma volume may be the answer! (Goodlin) (Letter); (Bukowski and Saade) (Reply). 2002;186:851-2
Maternal and fetal inherited thrombophilias (Grandone and Margaglione) (Letter); (Sibai) (Reply). 2002;186:1376
Multiembryonic pregnancy reduction: the Hungarian experience (Patkós et al) (Letter); (Evans and Wapner) (Reply). 2002;186:596-7

No headaches! (Griffin) (Letter); (Norman et al) (Reply). 2002;186:593-4
Obstetric denervation, gynecologic reinnervation (Quinn et al). 2002;186:168 (Letter)
Obstetrician-gynecologists performing genetic amniocentesis may be misleading themselves and their patients (Clewell et al) (Letter); (Blessed and Welch) (Reply). 2002;186:851
Obstructive mullerian anomalies (Acién). 2002;186:854 (Letter)
Outcomes of trial of labor after previous cesarean delivery (Brubaker). 2002;186:1104-5 (Letter)
Poor design in cerclage studies (Harger) (Letter); (Novy and Gravett) (Reply); (Hassan et al) (Reply). 2002;186:594-6
Results with colposuspension by the Burch procedure in our practice (Domany et al) (Letter); (Gill and Hurt) (Reply). 2002;186:1108-9
Role of hysteroscopy in the detection and extraction of endometrial polyps: results of a prospective study (Chui and Bhal) (Letter); (Gebauer) (Reply). 2002;186:1104
Severe brachial plexus injury in the posterior arm: an alternative explanation (Allen and Adler) (Letter); (Jennett and Tarby) (Reply). 2002;186:1377-8
Severe meconium aspiration syndrome (Merlob et al). 2002;186:1377 (Letter)
Surgical repair of cystocele with mesh by the vaginal route (de Tayrac and Fernandez) (Letter); (Sand) (Reply). 2002;186:852-3
Timing of emergency contraception (Raymond and Taylor) (Letter); (Rodrigues et al) (Reply). 2002;186:167-8
Total and individual triplet birth weights as a function of gestational age (Blickstein et al). 2002;186:1372-5
Vaginal birth after cesarean delivery: to induce or not to induce (Oláh) (Letter); (Sims and Newman) (Reply). 2002;186:1109-10
A VBAC question (Escamilla) (Letter); (Blanchette) (Reply). 2002;186:851
Who should perform genetic amniocentesis? (Fleisher) (Letter); (Blessed et al) (Reply). 2002;186:338

Levonorgestrel
Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol (Bjarnadóttir et al). 2002;186:389-95
Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII (van Rooijen et al). 2002;186:44-8

Lichen sclerosus
Perineoplasty for the treatment of introital stenosis related to vulvar lichen sclerosus (Rouzier et al). 2002;186:49-52

Lidocaine
Tubal surface lidocaine mediates pre-emptive analgesia in awake laparoscopic sterilization: a prospective, randomized clinical trial (Garwood et al). 2002;186:383-8

Lipoproteins
Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII (van Rooijen et al). 2002;186:44-8

Liver
Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9
Oral contraceptives and the risk of focal nodular hyperplasia of the liver: a case-control study (Scalori et al). 2002;186:195-7
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Local anesthesia; *see* Anesthesia, local

Low birth weight infant; *see* Infant, low birth weight

Lung
A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy (Moore). 2002;186:641-50
Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia (Sokol et al). 2002;186:1085-90

Luteinizing-granulosa cells; *see* Granulosa cells

Luteinizing hormone–releasing hormone; *see* Gonadorelin

M

Magnesium
Pharmacokinetics of ionized versus total magnesium in subjects with preterm labor and preeclampsia (Taber et al). 2002;186:1017-21

Magnesium sulfate
Association between the use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Mittendorf et al). 2002;186:1111-8

Magnetic resonance imaging
Accuracy of magnetic resonance imaging and transvaginal ultrasonography in the diagnosis, mapping, and measurement of uterine myomas (Dueholm et al). 2002;186:409-15
Interventional magnetic resonance imaging cryotherapy of uterine fibroid tumors: preliminary observation (Cowan et al). 2002;186:1183-7

Male sex; *see* Sex

Malnutrition; *see* Nutrition disorders

Mammary glands; *see* Breast

Mammography
Effects of tibolone and continuous combined hormone replacement therapy on mammographic breast density (Lundström et al). 2002;186:717-22

Mass screening
Fallopian tube cancer in a *BRCA1* mutation carrier: rapid development and failure of screening (Hébert-Blouin et al). 2002;186:53-4
Implementation of group B *Streptococcus* prevention strategy (Levine) (Letter); (Davis and Schuchat) (Reply). 2002;186:335
Randomized clinical trial of PCR–determined human papillomavirus detection methods: self-sampling versus clinician-directed–biologic concordance and women's preferences (Harper et al). 2002;186:365-73

Massage
Nonpharmacologic relief of pain during labor: systematic reviews of five methods (Simkin and O'Hara). 2002;186:S131-59 (Symposium)

Mast cells
Endogenous mast cell degranulation modulates cervical contractility in the guinea pig (Bytautiene et al). 2002;186:438-45

Maternal behavior
The association between fetal and maternal sleep patterns in third-trimester pregnancies (Worth et al). 2002;186:924-5 (Residents' papers)
Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome (Refuerzo et al). 2002;186:1150-4
The Maternal Lifestyle Study: drug exposure during pregnancy and short-term maternal outcomes (Bauer et al). 2002;186:487-95
Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers (Abel and Kruger). 2002;186:768-72
Risk of preterm birth that is associated with vaginal douching (Fiscella et al). 2002;186:1345-50
Smoking before pregnancy and risk of gestational hypertension and preeclampsia (England et al). 2002;186:1035-40
Stereologic examination of placentas from mothers who smoke during pregnancy (Larsen et al). 2002;186:531-7
Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Maternal-fetal exchange
Congenital syphilis after maternal treatment for syphilis during pregnancy (Sheffield et al). 2002;186:569-73
Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery (Marcollet et al). 2002;186:784-9
Erythromycin use during pregnancy in relation to pyloric stenosis (Louik et al). 2002;186:288-90
The Maternal Lifestyle Study: drug exposure during pregnancy and short-term maternal outcomes (Bauer et al). 2002;186:487-95
Recommendations for repeat courses of antenatal corticosteroids: a decision analysis (Caughey and Parer). 2002;186:1221-9

Maternal Lifestyle Study
The Maternal Lifestyle Study: drug exposure during pregnancy and short-term maternal outcomes (Bauer et al). 2002;186:487-95

Maternal mortality
Short-term maternal outcomes that are associated with the EXIT procedure, as compared with cesarean delivery (Noah et al). 2002;186:773-7

Maternal outcome; *see* Pregnancy outcome

Meconium aspiration
Severe meconium aspiration syndrome (Merlob et al). 2002;186:1377 (Letter)

Medical school performance; *see* Education, medical

Medical staff, hospital
Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999 (Chang et al). 2002;186:1299-1303

Medicine
Bedlam beggars, Winchester geese, and mewling infants: medicine and women's health issues in Shakespeare (Peacock). 2002;186:1196-1201 (Pres. address)

Medroxyprogesterone
Menopausal bone loss in long-term users of depot medroxyprogesterone acetate contraception (Cundy et al). 2002;186:978-83

Menopause
Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy (Farag et al). 2002;186:954-61
Effect of raloxifene on the ovarian circulation in women after menopause (Lidor et al). 2002;186:984-9
Effects of the selective estrogen receptor modulator, raloxifene, on carotid artery pulsatility index in postmenopausal women (Setacci et al). 2002;186:832-5
The expression of EP3-6 and inducible nitric oxide synthase messenger RNA are correlated in pregnant and misoprostol-treated but not in nongravid or menopausal myometrium (Goharkhay et al). 2002;186:1202-6
Menopausal bone loss in long-term users of depot medroxyprogesterone acetate contraception (Cundy et al). 2002;186:978-83
Neither long-term treatment with raloxifene nor hormone replacement therapy modulate cardiac function in healthy postmenopausal women: two randomized, placebo-controlled, 2-year studies (Vogelvang et al). 2002;186:729-36
The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea (Kim et al). 2002;186:345-50

Menstrual cycle
Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol (Bjarnadóttir et al). 2002;186:389-95

Menstruation
Acceptance of altering the standard 21-day/7-day oral contraceptive regimen to delay menses and reduce hormone withdrawal symptoms (Sulak et al). 2002;186:1142-9

Mental disorders
Characteristics of sexual assault in women with a major psychiatric diagnosis (Eckert et al). 2002;186:1284-91

Meperidine
Parenteral opioids for labor pain relief: a systematic review (Bricker and Lavender). 2002;186:S94-109 (Symposium)

Mesh, surgical; *see* Surgical mesh

Messenger RNA; *see* RNA, messenger

Metalloproteinases
Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38

Methotrexate
Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer (Dowdy et al). 2002;186:1167-73
Oral methotrexate for treatment of ectopic pregnancy (Lipscomb et al). 2002;186:1192-5

Methyl ester
Growth and fertility rates in the offspring of pregnant rats treated with L-ω nitro-L-arginine methyl ester (L-NAME), a nitric oxide inhibitor (Witlin et al). 2002;186:89-93

Methylenetetrahydrofolate
Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503

Metronidazole
Antimicrobials in the prevention of prematurity (Groom et al) (Letter); (Goldenberg et al) (Reply). 2002;186:1106-7

Midtrimester of pregnancy; *see* Pregnancy trimester, second

Migraine
Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9

Milk, human
Acyclovir concentrations in human breast milk after valaciclovir administration (Sheffield et al). 2002;186:100-2

Misoprostol
Buccal versus intravaginal misoprostol administration for cervical ripening (Carlan et al). 2002;186:229-33
Cervical ripening and induction of labor with misoprostol, dinoprostone gel, and a Foley catheter: a randomized trial of 3 techniques (Barrilleaux et al). 2002;186:1124-9
The expression of EP3-6 and inducible nitric oxide synthase messenger RNA are correlated in pregnant and misoprostol-treated but not in nongravid or menopausal myometrium (Goharkhay et al). 2002;186:1202-6
Factors affecting the likelihood of successful induction after intravaginal misoprostol application for cervical ripening and labor induction (Wing et al). 2002;186:1237-43
The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination (Dickinson and Evans). 2002;186:470-4
Sublingual misoprostol for the induction of labor at term (Shetty et al). 2002;186:72-6
The use of oral misoprostol as a cervical ripening agent in operative hysteroscopy: a double-blind, placebo-controlled trial (Thomas et al). 2002;186:876-9 (Residents' papers)

Mitochondria
Effect of dexamethasone on mitochondrial maturation in the fetal rat brain (Nakai et al). 2002;186:574-8

Morals
Hippocrates and the dignity of human life (Baumgartner) (Letter); (Hertz) (Reply). 2002;186:1378-80

Morbidity
Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery (Marcollet et al). 2002;186:784-9

Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs (Walter et al). 2002;186:723-8
Neonatal morbidity associated with uterine rupture: what are the risk factors? (Bujold and Gauthier). 2002;186:311-4
Parity and pregnancy outcomes (Bai et al). 2002;186:274-8
Severe preeclampsia and delivery outcomes: is immediate cesarean delivery beneficial? (Coppage and Polzin). 2002;186:921-3 (Residents' papers)

Mullerian ducts, abnormalities
Obstructive mullerian anomalies (Acién). 2002;186:854 (Letter)

Multiembryonic pregnancy reduction; *see* Abortion

Multimodal therapy; *see* Combined modality therapy

Multiparity; *see* Parity

Multiple pregnancy; *see* Pregnancy, multiple

Multiple sclerosis
Birth outcomes and need for hospitalization after delivery among women with multiple sclerosis (Mueller et al). 2002;186:446-52

Muscle, smooth
Regulation of *c-fos* expression by static stretch in rat myometrial smooth muscle cells (Shynlova et al). 2002;186:1358-65
Resistance artery smooth muscle function in pregnancy and preeclampsia (VanWijk et al). 2002;186:148-54. Correction 2002;186:722

Muscles
Age effects on urethral striated muscle. I. Changes in number and diameter of striated muscle fibers in the ventral urethra (Perucchini et al). 2002;186:351-5
Age effects on urethral striated muscle. II. Anatomic location of muscle loss (Perucchini et al). 2002;186:356-60

Mutation
Factor V Leiden mutation and preeclampsia (Rigó et al) (Letter); (Kim et al) (Reply). 2002;186:853-4
Fallopian tube cancer in a *BRCA* mutation carrier: rapid development and failure of screening (Hébert-Blouin et al). 2002;186:53-4
Maternal and fetal inherited thrombophilias (Grandone and Margaglione) (Letter); (Sibai) (Reply). 2002;186:1376

Myocardial diseases
Peripartum cardiomyopathy in the Hospital Albert Schweitzer District of Haiti (Fett et al). 2002;186:1005-10

Myoma
Accuracy of magnetic resonance imaging and transvaginal ultrasonography in the diagnosis, mapping, and measurement of uterine myomas (Dueholm et al). 2002;186:409-15
The influence of luteinizing hormone–releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma (Nowicki et al). 2002;186:340-4
Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion (Salvador et al). 2002;186:913-5 (Residents' papers)

Myometrium
Connexin 43 expression in normal versus dysfunctional labor (Pierce et al). 2002;186:504-11
Diversity of inhibitory responses to β_2-stimulants shown by term-pregnant human myometria in vitro is partly due to differences in receptor density (Sakakibara et al). 2002;186:997-1004
The expression of EP3-6 and inducible nitric oxide synthase messenger RNA are correlated in pregnant and misoprostol-treated but not in nongravid or menopausal myometrium (Goharkhay et al). 2002;186:1202-6
Polyamine effects on human myometrial contractility (Houlihan et al). 2002;186:778-83
Pushing in labor: performance and not endurance (Buhimschi et al). 2002;186:1339-44
Regulation of *c-fos* expression by static stretch in rat myometrial smooth muscle cells (Shynlova et al). 2002;186:1358-65

N

Narcotics
Anesthesia for childbirth: controversy and change (Caton et al). 2002;186:S25-30 (Symposium)
Parenteral opioids for labor pain relief: a systematic review (Bricker and Lavender). 2002;186:S94-109 (Symposium)

Nasal bone, abnormalities
Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome (Sonek and Nicolaides). 2002;186:139-41

Natriuretic factor, atrial; *see* Atrial natriuretic factor

Natural childbirth
Nonpharmacologic relief of pain during labor: systematic reviews of five methods (Simkin and O'Hara). 2002;186:S131-59 (Symposium)

Nausea
Acupressure and acustimulation bands for control of nausea: a brief review (Roscoe and Matteson). 2002;186:S244-7
The burden of illness of severe nausea and vomiting of pregnancy in the United States (Attard et al). 2002;186:S220-7
Development of a health-related quality of life instrument for nausea and vomiting of pregnancy (Magee et al). 2002;186:S232-8
Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61
Gastrointestinal factors in nausea and vomiting of pregnancy (Koch). 2002;186:S198-203
Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9
Maternal susceptibility to nausea and vomiting of pregnancy: is the vestibular system involved? (Black). 2002;186:S204-9
Medical, social, and legal implications of treating nausea and vomiting of pregnancy (Brent). 2002;186:S262-6
Motherisk—PUQE (pregnancy-unique quantification of emesis and nausea) scoring system for nausea and vomiting of pregnancy (Koren et al). 2002;186:S228-31
Nausea and vomiting in pregnancy: the problem of perception—is it really a disease? (Miller). 2002;186:S182-3
Nausea and vomiting of pregnancy: an obstetric syndrome (Goodwin). 2002;186:S184-9
Nausea and vomiting of pregnancy in an evolutionary perspective (Sherman and Flaxman). 2002;186:S190-7
Overview of nausea and vomiting of pregnancy with an emphasis on vitamins and ginger (Niebyl and Goodwin). 2002;186:S253-5
Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy (Buckwalter and Simpson). 2002;186:S210-4
The role of behavioral conditioning in the development of nausea (Matteson et al). 2002;186:S239-43
The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk (Koren and Levichek). 2002;186:S248-52
Understanding and treating nausea and vomiting of pregnancy (Goodwin et al). 2002;186:S181

Neisseria gonorrhoeae
Postpartum *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections (Mahon et al). 2002;186:1320-5

Neonatal death; *see* Infant mortality

Neonate; *see* Infant, newborn

Neoplasms
Family history of cancer, oral contraceptive use, and ovarian cancer risk (Walker et al). 2002;186:8-14

Neoplastic endometrium; *see* Endometrial neoplasms

Neurodevelopment, child; *see* Child development

Neutrophils
Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro (Speer et al). 2002;186:551-6

Nicotine
Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro (Speer et al). 2002;186:551-6

Nitric oxide
The expression of EP3-6 and inducible nitric oxide synthase messenger RNA are correlated in pregnant and misoprostol-treated but not in nongravid or menopausal myometrium (Goharkhay et al). 2002;186:1202-6
Growth and fertility rates in the offspring of pregnant rats treated with L-ω nitro-L-arginine methyl ester (L-NAME), a nitric oxide inhibitor (Witlin et al). 2002;186:89-93
Nitric oxide induced cervical ripening in the human: involvement of cyclic guanosine monophosphate, prostaglandin $F_{2\alpha}$, and prostaglandin E^2 (Ekerhovd et al). 2002;186:745-50
No headaches! (Griffin) (Letter); (Norman et al) (Reply). 2002;186:593-4

Nitrous oxide
Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery (Gratacós et al). 2002;186:538-43
Nitrous oxide for relief of labor pain: a systematic review (Rosen). 2002;186:S110-26 (Symposium)

Nonhormonal contraceptives; *see* Contraceptives, oral

Nonpharmacologic relief of labor pain; *see* Natural childbirth

Nonstress test; *see* Fetal monitoring

Norelgestromin
Transdermal contraception: evaluation of three transdermal norelgestromin/ethinyl estradiol doses in a randomized, multicenter, dose-response study (Dittrich et al). 2002;186:15-20

Northwestern Twin Chorionicity Study
The Northwestern Twin Chorionicity Study. I. Discordant inflammatory findings that are related to chorionicity in presenting versus nonpresenting twins (Phung et al). 2002;186:1041-5

Nulliparity; *see* Parity

Numeric analysis, computer-assisted
A computer system for the numeric analysis of nonstress tests (Pardey et al). 2002;186:1095-103 (AJOG reviews)

Nutrition
What are pregnant women eating? Nutrient and food group differences by race (Siega-Riz et al). 2002;186:480-6

Nutrition disorders
Effects of chronic hypoxia and protein malnutrition on growth in the developing chick (Miller et al). 2002;186:261-7

O

Obstetrical forceps
Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999 (Chang et al). 2002;186:1299-1303

Obstetrical outcome; *see* Pregnancy outcome

Obstetrics
Burnout in chairs of obstetrics and gynecology: diagnosis, treatment, and prevention (Gabbe et al). 2002;186:601-12 (Pres. address)
Demographic and obstetric factors influencing pregnancy outcome in twin gestations (Tarter et al). 2002;186:910-2 (Residents' papers)
Five-year experience with midtrimester amniocentesis performed by a single group of obstetricians-gynecologists at a community hospital (Blackwell et al). 2002;186:1130-2
The importance of physician gender in the selection of an obstetrician or a gynecologist (Plunkett et al). 2002;186:926-8 (Residents' papers)
Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999 (Chang et al). 2002;186:1299-1303
Obstetrician-gynecologists performing genetic amniocentesis may be misleading themselves and their patients (Clewell et al) (Letter); (Blessed and Welch) (Reply). 2002;186:851
Selection of obstetrics and gynecology residents on the basis of medical school performance (Bell et al). 2002;186:1091-4 (Education)
Stress in residency: reality or myth? (Schneider et al). 2002;186:907-9 (Residents' papers)
Surgical skills assessment: a blinded examination of obstetrics and gynecology residents (Goff et al). 2002;186:613-7

Olfaction; *see* Smell

Oligohydramnios
Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep (Gagnon et al). 2002;186:1076-84

Oocytes
In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography (Tan et al). 2002;186:684-9

Opioids; *see* Narcotics

Oral administration; *see* Administration, oral

Oral contraceptives; *see* Contraceptives, oral

Oral intake; *see* Drinking

Orgasm
The G-spot is the female prostate (Schubach) (Letter); (Hines) (Reply). 2002;186:850

Outcome of pregnancy; *see* Pregnancy outcome

Outpatient care; *see* Ambulatory care

Outpatients
Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease: results from the Pelvic Inflammatory Disease Evaluation and Clinical Health (PEACH) Randomized Trial (Ness et al). 2002;186:929-37

Ovarian neoplasms
Expression of receptors for luteinizing hormone-releasing hormone in human ovarian and endometrial cancers: frequency, autoregulation, and correlation with direct antiproliferative activity of luteinizing hormone-releasing hormone analogues (Völker et al). 2002;186:171-9
Family history of cancer, oral contraceptive use, and ovarian cancer risk (Walker et al). 2002;186:8-14

Ovary
Effect of raloxifene on the ovarian circulation in women after menopause (Lidor et al). 2002;186:984-9
In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography (Tan et al). 2002;186:684-9
Sonographic visualization of ovarian veins during the puerperium: an assessment of efficacy (Smith et al). 2002;186:893-5 (Residents' papers)

Oxidoreductases
Expression of a retinol dehydrogenase (hRoDH-4), a member of the retinol/steroid dehydrogenase family implicated in retinoic acid biosynthesis, in normal and neoplastic endometria (Cain et al). 2002;186:675-83

Oximetry
How well does reflectance pulse oximetry reflect intrapartum fetal acidosis? (Stiller et al). 2002;186:1351-7

Oxygen
Effect of Ro 61-1790, a selective endothelin-A receptor antagonist, on systemic and uterine hemodynamics and fetal oxygenation in sheep (McElvy et al). 2002;186:55-60
How well does reflectance pulse oximetry reflect intrapartum fetal acidosis? (Stiller et al). 2002;186:1351-7

Oxytocin
Oxytocin preparation stability in several common obstetric intravenous solutions (Gard et al). 2002;186:496-8
Randomized trial of concurrent oxytocin with a sustained-release dinoprostone vaginal insert for labor induction at term (Christensen et al). 2002;186:61-5

P

Pacific Coast Obstetrical and Gynecological Society
Transactions of the sixty-eighth annual meeting of the Pacific Coast Obstetrical and Gynecological Society. 2002;186:1196

Pain
Anesthesia for childbirth: controversy and change (Caton et al). 2002;186:S25-30 (Symposium)
The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review (Leighton and Halpern). 2002;186:S69-77 (Symposium)
Epidural analgesia side effects, co-interventions, and care of women during childbirth: a systematic review (Mayberry et al). 2002;186:S81-93 (Symposium)
An evaluation of the effects of sucrose on neonatal pain with 2 commonly used circumcision methods (Kaufman et al). 2002;186:564-8
Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain (Lentz et al). 2002;186:1268-73
Labor pain management in the United States: understanding patterns and the issue of choice (Marmor and Krol). 2002;186:S173-80 (Symposium)
Methods and interpretation in systematic reviews: commentary on two parallel reviews of epidural analgesia during labor (Thacker and Stroup). 2002;186:S78-80 (Symposium)
The nature of labor pain (Lowe). 2002;186:S16-24 (Symposium)
The Nature and Management of Labor Pain: executive summary (Caton et al). 2002;186:S1-15 (Symposium)
Nitrous oxide for relief of labor pain: a systematic review (Rosen). 2002;186:S110-26 (Symposium)
Nonpharmacologic relief of pain during labor: systematic reviews of five methods (Simkin and O'Hara). 2002;186:S131-59 (Symposium)
Obstetric denervation, gynecologic reinnervation (Quinn et al). 2002;186:168 (Letter)
Pain and women's satisfaction with the experience of childbirth: a systematic review (Hodnett). 2002;186:S160-72 (Symposium)
Paracervical block and elective abortion: the effect on pain of waiting between injection and procedure (Phair et al). 2002;186:1304-1307
Paracervical block for labor analgesia: a brief historic review (Rosen). 2002;186:S127-30 (Symposium)
Parenteral opioids for labor pain relief: a systematic review (Bricker and Lavender). 2002;186:S94-109 (Symposium)
A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery (Givens et al). 2002;186:1188-91
Unintended effects of epidural analgesia during labor: a systematic review (Lieberman and O'Donoghue). 2002;186:S31-68 (Symposium)

Papanicolaou tests; *see* Vaginal smears

Papillomaviruses
Antibodies to human papillomavirus 16 L1 virus-like particles as an independent prognostic marker in cervical cancer (Heim et al). 2002;186:705-11
Characterization of genital human papillomavirus infection in women who have or who are at risk of having HIV infection (Jamieson et al). 2002;186:21-7
A deficiency in interferon-α production in women with vulvar vestibulitis (Gerber et al). 2002;186:361-4
Factors associated with an increased risk of prevalent and incident grade III cervical intraepithelial neoplasia and invasive cervical cancer among women with Papanicolaou tests classified as grades I or II cervical intraepithelial neoplasia (Petry et al). 2002;186:28-34
Human papillomavirus detection for cervical cancer prevention with polymerase chain reaction in self-collected samples (Lorenzato et al). 2002;186:962-8
Managing atypical squamous cells of undetermined significance (ASCUS): human papillomavirus testing, ASCUS subtyping, or follow-up cytology? (Hughes et al). 2002;186:396-403
Randomized clinical trial of PCR–determined human papillomavirus detection methods: self-sampling versus clinician-directed–biologic concordance and women's preferences (Harper et al). 2002;186:365-73

Paracervical block; *see* Analgesia, obstetrical

Parasympatholytics
Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61

Parity
The labor curve of the grand multipara: does progress of labor continue to improve with additional childbearing? (Gurewitsch et al). 2002;186:1331-8
Outcome after elective labor induction in nulliparous women: a matched cohort study (Cammu et al). 2002;186:240-4
Parity and pregnancy outcomes (Bai et al). 2002;186:274-8
Pelvic organ prolapse in the Women's Health Initiative: gravidity and parity (Hendrix et al). 2002;186:1160-6
Perinatal outcome in women with recurrent preeclampsia compared with women who develop preeclampsia as nulliparas (Hnat et al). 2002;186:422-6

Patient acceptance of health care
Randomized clinical trial of PCR–determined human papillomavirus detection methods: self-sampling versus clinician-directed–biologic concordance and women's preferences (Harper et al). 2002;186:365-73

Patient satisfaction
Pain and women's satisfaction with the experience of childbirth: a systematic review (Hodnett). 2002;186:S160-72 (Symposium)

Patients
Patient characteristics that are associated with urodynamically diagnosed detrusor instability and genuine stress incontinence (Klingele et al). 2002;186:866-8 (Residents' papers)

PCR; *see* Polymerase chain reaction

Pelvic inflammatory disease; *see* Adnexitis

Pelvic Inflammatory Disease Evaluation and Clinical Health Randomized Trial
Effectiveness of inpatient and outpatient treatment strategies for women with pelvic inflammatory disease: results from the Pelvic Inflammatory Disease Evaluation and Clinical Health (PEACH) Randomized Trial (Ness et al). 2002;186:929-37

Pelvic organ prolapse; *see* Uterine prolapse

Pelvimetry
A VBAC question (Escamilla) (Letter); (Blanchette) (Reply). 2002;186:851

Pelvis
Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery (Partoll). 2002;186:1292-8
Hormonal manipulation in women with chronic, cyclic irritable bladder symptoms and pelvic pain (Lentz et al). 2002;186:1268-73
Obstetric denervation, gynecologic reinnervation (Quinn et al). 2002;186:168 (Letter)
Pelvic organ prolapse surgery in the United States, 1997 (Brown et al). 2002;186:712-6
The rhesus macaque as an animal model for pelvic organ prolapse (Otto et al). 2002;186:416-21

Penicillin G
Prevention of neonatal group B streptococcal disease: a combined intrapartum and neonatal protocol (Wendel et al). 2002;186:618-26

Perception
Nausea and vomiting in pregnancy: the problem of perception—is it really a disease? (Miller). 2002;186:S182-3

The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk (Koren and Levichek). 2002;186:S248-52

Perfusion

Flow rate–perfusion pressure relationships in situ in the uterine circulation of pregnant rats (Fulep et al). 2002;186:1022-6

Gene transfer to human placenta ex vivo: a novel application of dual perfusion of human placental cotyledon (Heikkilä et al). 2002;186:1046-51

Perinatal outcome; *see* Pregnancy outcome

Perineoplasty; *see* Surgery, gynecologic

Periostin

Novel chemiluminescence assay for serum periostin levels in women with preeclampsia and in normotensive pregnant women (Sasaki et al). 2002;186:103-8

Peripartum cardiomyopathy; *see* Myocardial diseases

Permeability

Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia (Wang et al). 2002;186:214-20

Personal satisfaction

A review of medical and allied health learners' satisfaction with their training in women's health (Emmons et al). 2002;186:1259-67

Pharmacokinetics

Pharmacokinetics of ionized versus total magnesium in subjects with preterm labor and preeclampsia (Taber et al). 2002;186:1017-21

Pharmacology

Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61

Phospholipids

A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy (Moore). 2002;186:641-50

Physician attitude; *see* Attitude of health personnel

Physician-patient relations

The association of health literacy with cervical cancer prevention knowledge and health behaviors in a multiethnic cohort of women (Lindau et al). 2002;186:938-43

Physicians

The importance of physician gender in the selection of an obstetrician or a gynecologist (Plunkett et al). 2002;186:926-8 (Residents' papers)

Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999 (Chang et al). 2002;186:1299-1303

Placenta

Continuing regular exercise during pregnancy: effect of exercise volume on fetoplacental growth (Clapp et al). 2002;186:142-7

Gene transfer to human placenta ex vivo: a novel application of dual perfusion of human placental cotyledon (Heikkilä et al). 2002;186:1046-51

Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation (Ishihara et al). 2002;186:158-66

Investigation of intraplacental villous arteries by Doppler flow imaging in growth-restricted fetuses (Mu et al). 2002;186:297-302

Placental basal plate formation is associated with fibrin deposition in decidual veins at sites of trophoblast cell invasion (Craven et al). 2002;186:291-6

Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta (Matsumoto et al). 2002;186:303-10

Stereologic examination of placentas from mothers who smoke during pregnancy (Larsen et al). 2002;186:531-7

Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Placenta diseases

Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63

Placenta hormones

Human placental growth hormone causes severe insulin resistance in transgenic mice (Barbour et al). 2002;186:512-7

Placental insufficiency

Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep (Gagnon et al). 2002;186:1076-84

Plasma

Detection of maternal deoxyribonucleic acid in umbilical cord plasma by using fluorescent polymerase chain reaction amplification of short tandem repeat sequences (Bauer et al). 2002;186:117-20

Different effects of oral contraceptives containing levonorgestrel or desogestrel on plasma lipoproteins and coagulation factor VII (van Rooijen et al). 2002;186:44-8

Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Levine et al) (Letter); (Cotter and Daly) (Reply). 2002;186:1107-8

Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63

Hormone replacement therapy: estrogen and progestin effects on plasma C-reactive protein concentrations (Skouby et al). 2002;186:969-77

Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503

Maternal plasma corticotropin-releasing hormone trajectories vary depending on the cause of preterm delivery (McGrath et al). 2002;186:257-60

Plasma corticotropin-releasing hormone and unconjugated estriol in human pregnancy: gestational patterns and ability to predict preterm delivery (Ellis et al). 2002;186:94-9

The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth (Moawad et al). 2002;186:990-6

Umbilical cord plasma leptin is increased in preeclampsia (Ødegård et al). 2002;186:427-32

Plasma volume

Low maternal plasma volume may be the answer! (Goodlin) (Letter); (Bukowski and Saade) (Reply). 2002;186:851-2

Platelet-activating factor

The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated (Matorras and Pijoan) (Letter); (Nachtigall) (Reply); (Roudebush) (Reply). 2002;186:597-8

Platelet count

Maternal benefit of corticosteroid therapy in patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: impact on the rate of regional anesthesia (O'Brien et al). 2002;186:475-9

Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Platelet derived growth factor

Use of topical recombinant human platelet–derived growth factor BB in abdominal wound separation (Shackelford et al). 2002;186:701-4

Platelet transfusion; *see* Blood component transfusion

Platelets; *see* Blood platelets

Polyamines

Polyamine effects on human myometrial contractility (Houlihan et al). 2002;186:778-83

Polycystic ovary syndrome
Polycystic ovary syndrome: a risk for coronary artery disease? (Wild). 2002;186:35-43

Polyhydramnios
Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta (Matsumoto et al). 2002;186:303-10

Polymerase chain reaction
Detection of maternal deoxyribonucleic acid in umbilical cord plasma by using fluorescent polymerase chain reaction amplification of short tandem repeat sequences (Bauer et al). 2002;186:117-20
Human papillomavirus detection for cervical cancer prevention with polymerase chain reaction in self-collected samples (Lorenzato et al). 2002;186:962-8
Randomized clinical trial of PCR–determined human papillomavirus detection methods: self-sampling versus clinician-directed–biologic concordance and women's preferences (Harper et al). 2002;186:365-73

Polymorphism
The relationship among serum insulin-like growth factor-I, insulin-like growth factor-I gene polymorphism, and bone mineral density in postmenopausal women in Korea (Kim et al). 2002;186:345-50

Polyps
Evaluation of endometrial polyps (Goldstein et al). 2002;186:669-74
Role of hysteroscopy in the detection and extraction of endometrial polyps: results of a prospective study (Chui and Bhal) (Letter); (Gebauer) (Reply). 2002;186:1104

Postmenopause; *see* Menopause

Postoperative care
Perioperative changes in serum creatinine after gynecologic surgery (Walter et al). 2002;186:1315-9
A randomized controlled trial of early versus "traditional" postoperative oral intake after major abdominal gynecologic surgery (Steed et al). 2002;186:861-5 (Residents' papers)
A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery (Givens et al). 2002;186:1188-91

Postpartum depression
Diagnosing postpartum depression: can we do better? (Ferguson et al). 2002;186:899-902 (Residents' papers)

Potassium channels
Prostaglandin-induced activation of uterine contractility in pregnant rats does not involve potassium channels (Bailie et al). 2002;186:453-7

Povidone-iodine
The effect of temperature on bactericidal properties of 10% povidone-iodine solution (Leung et al). 2002;186:869-71 (Residents' papers)

Precancerous conditions
Trimodal spectroscopy for the detection and characterization of cervical precancers in vivo (Georgakoudi et al). 2002;186:374-82

Predictive value of tests
Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery (Ghezzi et al). 2002;186:268-73
Perinatal predictors of neurodevelopmental outcome in small-for-gestational-age children at 18 months of age (McCowan et al). 2002;186:1069-75
The prediction and prevention of intrapartum fetal asphyxia in preterm pregnancies (Low et al). 2002;186:279-82

Preeclampsia; *see also* Pregnancy complications, cardiovascular
Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit (Drakeley et al). 2002;186:253-6
Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia (Buchbinder et al). 2002;186:66-71
Association of preeclampsia with high birth weight for gestational age (Jacquemyn et al) (Letter); (Xiong and Fraser) (Reply). 2002;186:1105-6
Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Levine et al) (Letter); (Cotter and Daly) (Reply). 2002;186:1107-8
Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia (Wang et al). 2002;186:214-20
Factor V Leiden mutation and preeclampsia (Rigó et al) (Letter); (Kim et al) (Reply). 2002;186:853-4
Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation (Ishihara et al). 2002;186:158-66
Maternal and fetal inherited thrombophilias (Grandone and Margaglione) (Letter); (Sibai) (Reply). 2002;186:1376
Novel chemiluminescence assay for serum periostin levels in women with preeclampsia and in normotensive pregnant women (Sasaki et al). 2002;186:103-8
Perinatal outcome in women with recurrent preeclampsia compared with women who develop preeclampsia as nulliparas (Hnat et al). 2002;186:422-6
Pharmacokinetics of ionized versus total magnesium in subjects with preterm labor and preeclampsia (Taber et al). 2002;186:1017-21
Prediction of 24-hour protein excretion in pregnancy with a single voided urine protein-to-creatinine ratio (Neithardt et al). 2002;186:883-6 (Residents' papers)
Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? (Ros et al). 2002;186:198-203
Resistance artery smooth muscle function in pregnancy and preeclampsia (VanWijk et al). 2002;186:148-54. Correction 2002;186:722
Severe preeclampsia and delivery outcomes: is immediate cesarean delivery beneficial? (Coppage and Polzin). 2002;186:921-3 (Residents' papers)
Severe preeclampsia at <25 weeks of gestation: maternal and neonatal outcomes (Jenkins et al). 2002;186:790-5
Smoking before pregnancy and risk of gestational hypertension and preeclampsia (England et al). 2002;186:1035-40
Stress in pregnancy: a new Wistar rat model for human preeclampsia (Takiuti et al). 2002;186:544-50
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3
Umbilical cord plasma leptin is increased in preeclampsia Ødegård et al). 2002;186:427-32

Pregnancy
Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63
The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated (Matorras and Pijoan) (Letter); (Nachtigall) (Reply); (Roudebush) (Reply). 2002;186:597-8
Stereologic examination of placentas from mothers who smoke during pregnancy (Larsen et al). 2002;186:531-7
Stress in pregnancy: a new Wistar rat model for human preeclampsia (Takiuti et al). 2002;186:544-50
What are pregnant women eating? Nutrient and food group differences by race (Siega-Riz et al). 2002;186:480-6

Pregnancy, ectopic
Oral methotrexate for treatment of ectopic pregnancy (Lipscomb et al). 2002;186:1192-5
Trends for inpatient treatment of tubal pregnancy in Maryland (Sewell and Cundiff). 2002;186:404-8

Pregnancy, multiple
Assessing the risk of multiple gestation in gonadotropin intrauterine insemination cycles (Kaplan et al). 2002;186:1244-9
Clinical implications of velamentous cord insertion in triplet gestations (Feldman et al). 2002;186:809-11
Demographic and obstetric factors influencing pregnancy outcome in twin gestations (Tarter et al). 2002;186:910-2 (Residents' papers)
Does chorionicity or zygosity predict adverse perinatal outcomes in twins? (Dubé et al). 2002;186:579-83

Effect of cerclage on obstetrical outcome in twin gestations with a shortened cervical length (Newman et al). 2002;186:634-40
Multiembryonic pregnancy reduction: the Hungarian experience (Patkós et al) (Letter); (Evans and Wapner) (Reply). 2002;186:596-7
The Northwestern Twin Chorionicity Study. I. Discordant inflammatory findings that are related to chorionicity in presenting versus nonpresenting twins (Phung et al). 2002;186:1041-5
Outcomes of dichorionic triplet pregnancies (Chasen et al). 2002;186:765-7
Prematurity in multiple gestations: identification of patients who are at low risk (McMahon et al). 2002;186:1137-41
Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? (Ros et al). 2002;186:198-203
Spontaneous reduction of multiple pregnancy: incidence and effect on outcome (Dickey et al). 2002;186:77-83
Total and individual triplet birth weights as a function of gestational age (Blickstein et al). 2002;186:1372-5

Pregnancy, physiology

Continuing regular exercise during pregnancy: effect of exercise volume on fetoplacental growth (Clapp et al). 2002;186:142-7
Diversity of inhibitory responses to β_2-stimulants shown by term-pregnant human myometria in vitro is partly due to differences in receptor density (Sakakibara et al). 2002;186:997-1004
Elevated amniotic fluid C-reactive protein at the time of genetic amniocentesis is a marker for preterm delivery (Ghezzi et al). 2002;186:268-73
Flow rate–perfusion pressure relationships in situ in the uterine circulation of pregnant rats (Fulep et al). 2002;186:1022-6
Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7
Placental basal plate formation is associated with fibrin deposition in decidual veins at sites of trophoblast cell invasion (Craven et al). 2002;186:291-6
Plasma corticotropin-releasing hormone and unconjugated estriol in human pregnancy: gestational patterns and ability to predict preterm delivery (Ellis et al). 2002;186:94-9
Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? (Ros et al). 2002;186:198-203
Resistance artery smooth muscle function in pregnancy and preeclampsia (VanWijk et al). 2002;186:148-54. Correction 2002;186:722
Smoking before pregnancy and risk of gestational hypertension and preeclampsia (England et al). 2002;186:1035-40
Substrate utilization and hormonal responses to moderate intensity exercise during pregnancy and after delivery (Bessinger et al). 2002;186:757-64

Pregnancy, tubal

Trends for inpatient treatment of tubal pregnancy in Maryland (Sewell and Cundiff). 2002;186:404-8

Pregnancy complications

Acupressure and acustimulation bands for control of nausea: a brief review (Roscoe and Matteson). 2002;186:S244-7
Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit (Drakeley et al). 2002;186:253-6
The burden of illness of severe nausea and vomiting of pregnancy in the United States (Attard et al). 2002;186:S220-7
Clinical implications of velamentous cord insertion in triplet gestations (Feldman et al). 2002;186:809-11
Clinical predictors for a high risk for the development of diabetes mellitus in the early puerperium in women with recent gestational diabetes mellitus (Schaefer-Graf et al). 2002;186:751-6
A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy (Moore). 2002;186:641-50
Development of a health-related quality of life instrument for nausea and vomiting of pregnancy (Magee et al). 2002;186:S232-8
Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61
Gastrointestinal factors in nausea and vomiting of pregnancy (Koch). 2002;186:S198-203
Human placental growth hormone causes severe insulin resistance in transgenic mice (Barbour et al). 2002;186:512-7
Impaired vascular reactivity in pregnant women with insulin-dependent diabetes mellitus (Savvidou et al). 2002;186:84-8
Iron therapy in iron deficiency anemia in pregnancy: intravenous route versus oral route (Bayoumeu et al). 2002;186:518-22
Is helical computed tomography 100% sensitive to diagnose acute appendicitis during pregnancy? (Dupuis et al) (Letter); (Castro et al) (Reply). 2002;186:336
Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9
Maternal susceptibility to nausea and vomiting of pregnancy: is the vestibular system involved? (Black). 2002;186:S204-9
Medical, social, and legal implications of treating nausea and vomiting of pregnancy (Brent). 2002;186:S262-6
Motherisk—PUQE (pregnancy-unique quantification of emesis and nausea) scoring system for nausea and vomiting of pregnancy (Koren et al). 2002;186:S228-31
Nausea and vomiting in pregnancy: the problem of perception—is it really a disease? (Miller). 2002;186:S182-3
Nausea and vomiting of pregnancy: an obstetric syndrome (Goodwin). 2002;186:S184-9
Nausea and vomiting of pregnancy in an evolutionary perspective (Sherman and Flaxman). 2002;186:S190-7
Oral methotrexate for treatment of ectopic pregnancy (Lipscomb et al). 2002;186:1192-5
Overview of nausea and vomiting of pregnancy with an emphasis on vitamins and ginger (Niebyl and Goodwin). 2002;186:S253-5
Peripartum cardiomyopathy in the Hospital Albert Schweitzer District of Haiti (Fett et al). 2002;186:1005-10
Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers (Abel and Kruger). 2002;186:768-72
Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome (Sonek and Nicolaides). 2002;186:139-41
Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy (Buckwalter and Simpson). 2002;186:S210-4
Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? (Ros et al). 2002;186:198-203
The role of behavioral conditioning in the development of nausea (Matteson et al). 2002;186:S239-43
Serial aggressive platelet transfusion for fetal alloimmune thrombocytopenia: platelet dynamics and perinatal outcome (Overton et al). 2002;186:826-31
The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk (Koren and Levichek). 2002;186:S248-52
Understanding and treating nausea and vomiting of pregnancy (Goodwin et al). 2002;186:S181

Pregnancy complications, cardiovascular

Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia (Buchbinder et al). 2002;186:66-71
The effects of cardiovascular dynamics monitoring in the outpatient management of pregnancy hypertension (Fukushima et al). 2002;186:1207-15

Pregnancy complications, hematologic

Association of thrombocytopenia and delivery method with intraventricular hemorrhage among very-low-birth-weight infants (Kahn et al). 2002;186:109-16
Natriuretic peptides in the pathogenesis of cardiac dysfunction in the recipient fetus of twin-twin transfusion syndrome (Bajoria et al). 2002;186:121-7

Pregnancy complications, infectious
Antimicrobials in the prevention of prematurity (Groom et al) (Letter); (Goldenberg et al) (Reply). 2002;186:1106-7
Bacterially induced preterm labor in the mouse does not require maternal interleukin-1 signaling (Hirsch et al). 2002;186:523-30
Chronic intrauterine infection and inflammation in the preterm rabbit, despite antibiotic therapy (Gibbs et al). 2002;186:234-9
Congenital syphilis after maternal treatment for syphilis during pregnancy (Sheffield et al). 2002;186:569-73
Erythromycin use during pregnancy in relation to pyloric stenosis (Louik et al). 2002;186:288-90
Evidence for fetal involvement in the pathologic process of clinical chorioamnionitis (Chaiworapongsa et al). 2002;186:1178-82
Human immunodeficiency virus infection is a risk factor for adverse perinatal outcome (Ellis et al). 2002;186:903-6 (Residents' papers)
Identification of matrix metalloproteinase-9 in amniotic fluid and amniochorion in spontaneous labor and after experimental intrauterine infection or interleukin-1β infusion in pregnant rhesus monkeys (Vadillo-Ortega et al). 2002;186:128-38
The Northwestern Twin Chorionicity Study. I. Discordant inflammatory findings that are related to chorionicity in presenting versus nonpresenting twins (Phung et al). 2002;186:1041-5
Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61
Urinary tract infections in pregnant women with bacterial vaginosis (Hillebrand et al). 2002;186:916-7 (Residents' papers)

Pregnancy complications, neoplastic
The role of behavioral conditioning in the development of nausea (Matteson et al). 2002;186:S239-43

Pregnancy in adolescence
Adolescents' ambivalence about becoming pregnant predicts infrequent contraceptive use: a prospective analysis of nonpregnant African American females (Crosby et al). 2002;186:251-2
Risk of adverse pregnancy outcomes in young adolescent parturients in an inner-city hospital (Eure et al). 2002;186:918-20 (Residents' papers)

Pregnancy in diabetes
A comparison of amniotic fluid fetal pulmonary phospholipids in normal and diabetic pregnancy (Moore). 2002;186:641-50
Impaired vascular reactivity in pregnant women with insulin-dependent diabetes mellitus (Savvidou et al). 2002;186:84-8

Pregnancy maintenance
Effect of cerclage on obstetrical outcome in twin gestations with a shortened cervical length (Newman et al). 2002;186:634-40
Poor design in cerclage studies (Harger) (Letter); (Novy and Gravett) (Reply); (Hassan et al) (Reply). 2002;186:594-6

Pregnancy outcome
Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia (Buchbinder et al). 2002;186:66-71
Association between the use of antenatal magnesium sulfate in preterm labor and adverse health outcomes in infants (Mittendorf et al). 2002;186:1111-8
Birth outcomes and need for hospitalization after delivery among women with multiple sclerosis (Mueller et al). 2002;186:446-52
Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome (Refuerzo et al). 2002;186:1150-4
Demographic and obstetric factors influencing pregnancy outcome in twin gestations (Tarter et al). 2002;186:910-2 (Residents' papers)
Does chorionicity or zygosity predict adverse perinatal outcomes in twins? (Dubé et al). 2002;186:579-83
Effect of cerclage on obstetrical outcome in twin gestations with a shortened cervical length (Newman et al). 2002;186:634-40
The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review (Leighton and Halpern). 2002;186:S69-77 (Symposium)
Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia (Sokol et al). 2002;186:1085-90
Human immunodeficiency virus infection is a risk factor for adverse perinatal outcome (Ellis et al). 2002;186:903-6 (Residents' papers)
The Maternal Lifestyle Study: drug exposure during pregnancy and short-term maternal outcomes (Bauer et al). 2002;186:487-95
Mild gestational hypertension: differences in ethnicity are associated with altered outcomes in women who undergo outpatient treatment (Barton et al). 2002;186:896-8 (Residents' papers)
Neonatal outcomes in immediate versus delayed conceptions after spontaneous abortion: a retrospective case series (Goldstein et al). 2002;186:1230-6
Outcome after elective labor induction in nulliparous women: a matched cohort study (Cammu et al). 2002;186:240-4
Outcomes of dichorionic triplet pregnancies (Chasen et al). 2002;186:765-7
Parity and pregnancy outcomes (Bai et al). 2002;186:274-8
Perinatal outcome in women with recurrent preeclampsia compared with women who develop preeclampsia as nulliparas (Hnat et al). 2002;186:422-6
Risk of adverse pregnancy outcomes in young adolescent parturients in an inner-city hospital (Eure et al). 2002;186:918-20 (Residents' papers)
Severe meconium aspiration syndrome (Merlob et al). 2002;186:1377 (Letter)
Severe preeclampsia and delivery outcomes: is immediate cesarean delivery beneficial? (Coppage and Polzin). 2002;186:921-3 (Residents' papers)
Severe preeclampsia at <25 weeks of gestation: maternal and neonatal outcomes (Jenkins et al). 2002;186:790-5
Short-term maternal outcomes that are associated with the EXIT procedure, as compared with cesarean delivery (Noah et al). 2002;186:773-7
Spontaneous reduction of multiple pregnancy: incidence and effect on outcome (Dickey et al). 2002;186:77-83

Pregnancy termination; *see* Abortion

Pregnancy trimester, first
Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Levine et al) (Letter); (Cotter and Daly) (Reply). 2002;186:1107-8
How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth? (Yang et al). 2002;186:433-7
Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation (Wapner et al). 2002;186:1133-6

Pregnancy trimester, second
The comprehensive midtrimester test: high-sensitivity Down syndrome test (Bahado-Singh et al). 2002;186:803-8
Five-year experience with midtrimester amniocentesis performed by a single group of obstetricians-gynecologists at a community hospital (Blackwell et al). 2002;186:1130-2
Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion (Salvador et al). 2002;186:913-5 (Residents' papers)
The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination (Dickinson and Evans). 2002;186:470-4
The Preterm Prediction Study: elevated cervical ferritin levels at 22 to 24 weeks of gestation are associated with spontaneous preterm delivery in asymptomatic women (Ramsey et al). 2002;186:458-63
Severe preeclampsia at <25 weeks of gestation: maternal and neonatal outcomes (Jenkins et al). 2002;186:790-5

Pregnancy trimester, third
The association between fetal and maternal sleep patterns in third-trimester pregnancies (Worth et al). 2002;186:924-5 (Residents' papers)

Direct prediction of amniotic fluid volume in the third trimester by 3-dimensional measurements of intrauterine pockets: a tool for routine clinical use (Hombo et al). 2002;186:245-50

Premature infant; *see* Infant, premature

Prenatal care

The impact of prenatal care on neonatal deaths in the presence and absence of antenatal high-risk conditions (Vintzileos et al). 2002;186:1011-6

Recommendations for repeat courses of antenatal corticosteroids: a decision analysis (Caughey and Parer). 2002;186:1221-9

Prenatal diagnosis

The comprehensive midtrimester test: high-sensitivity Down syndrome test (Bahado-Singh et al). 2002;186:803-8

Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities (Arad et al). 2002;186:818-25

Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome (Sonek and Nicolaides). 2002;186:139-41

Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation (Wapner et al). 2002;186:1133-6

Ultrasonographic measurement of the abdominal circumference in fetuses with congenital diaphragmatic hernia (Rode et al). 2002;186:321-4

Who should perform genetic amniocentesis? (Fleisher) (Letter); (Blessed et al) (Reply). 2002;186:338

Prenatal ultrasonography; *see* Ultrasonography, prenatal

Preoperative care

A comparison of preoperative and intraoperative evaluations for patients who undergo site-specific operation for the correction of pelvic organ prolapse (Vineyard et al). 2002;186:1155-9

Presidential address

Presidential address. 2002;186:601-12, 1196-1201

Preterm delivery; *see* Labor, premature

Preterm Prediction Study

The Preterm Prediction Study: elevated cervical ferritin levels at 22 to 24 weeks of gestation are associated with spontaneous preterm delivery in asymptomatic women (Ramsey et al). 2002;186:458-63

The Preterm Prediction Study: the value of serum alkaline phosphatase, α-fetoprotein, plasma corticotropin-releasing hormone, and other serum markers for the prediction of spontaneous preterm birth (Moawad et al). 2002;186:990-6

Preterm premature rupture of fetal membranes; *see* Fetal membranes, premature rupture

Professional competence

Effects of a laboratory-based skills curriculum on laparoscopic proficiency: a randomized trial (Coleman and Muller). 2002;186:836-42 (Education)

Progestational hormones

Hormone replacement therapy: estrogen and progestin effects on plasma C-reactive protein concentrations (Skouby et al). 2002;186:969-77

Impact of early postpartum administration of progestin-only hormonal contraceptives compared with nonhormonal contraceptives on short-term breast-feeding patterns (Nelson and Halderman). 2002;186:1250-8

Progesterone

Autonomic and cardiovascular function in postmenopausal women: the effects of estrogen versus combination therapy (Farag et al). 2002;186:954-61

Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8

Intrauterine progesterone treatment of early endometrial cancer (Montz et al). 2002;186:651-7

Prognosis

Antibodies to human papillomavirus 16 L1 virus-like particles as an independent prognostic marker in cervical cancer (Heim et al). 2002;186:705-11

Proinflammatory immunity

Defective regulation of the proinflammatory immune response in women with vulvar vestibulitis syndrome (Gerber et al). 2002;186:696-700

Prostaglandin E_2; *see* Dinoprostone

Prostaglandin $F_{2\alpha}$; *see* Dinoprost

Prostaglandins

The optimization of intravaginal misoprostol dosing schedules in second-trimester pregnancy termination (Dickinson and Evans). 2002;186:470-4

Prostaglandin-induced activation of uterine contractility in pregnant rats does not involve potassium channels (Bailie et al). 2002;186:453-7

Prostate

The G-spot is the female prostate (Schubach) (Letter); (Hines) (Reply). 2002;186:850

Protein deficiency

Effects of chronic hypoxia and protein malnutrition on growth in the developing chick (Miller et al). 2002;186:261-7

Protein kinases

Effect of hypoxia on calcium influx and calcium/calmodulin-dependent kinase activity in cortical neuronal nuclei of the guinea pig fetus during development (Maulik et al). 2002;186:658-62

Proteins

Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes (Phy et al). 2002;186:872-5 (Residents' papers)

Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia (Wang et al). 2002;186:214-20

Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Proteinuria

Prediction of 24-hour protein excretion in pregnancy with a single voided urine protein-to-creatinine ratio (Neithardt et al). 2002;186:883-6 (Residents' papers)

Psammoma bodies

The significance of psammoma bodies that are found incidentally during endometrial biopsy (Fausett et al). 2002;186:180-3

Psychiatric diagnosis; *see* Mental disorders

Psychoanalysis

Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy (Buckwalter and Simpson). 2002;186:S210-4

Puerperium

Clinical predictors for a high risk for the development of diabetes mellitus in the early puerperium in women with recent gestational diabetes mellitus (Schaefer-Graf et al). 2002;186:751-6

Differences in postpartum morbidity in women who are infected with the human immunodeficiency virus after elective cesarean delivery, emergency cesarean delivery, or vaginal delivery (Marcollet et al). 2002;186:784-9

Factors that predict low hematocrit levels in the postpartum patient after vaginal delivery (Petersen et al). 2002;186:737-44

Impact of early postpartum administration of progestin-only hormonal contraceptives compared with nonhormonal contraceptives on short-term breast-feeding patterns (Nelson and Halderman). 2002;186:1250-8

Late postpartum eclampsia: a preventable disease (Chames et al). 2002;186:174-7
Postpartum *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections (Mahon et al). 2002;186:1320-5
Sonographic visualization of ovarian veins during the puerperium: an assessment of efficacy (Smith et al). 2002;186:893-5 (Residents' papers)

Pulmonary artery
Fetal pulmonary artery diameters and their association with lung hypoplasia and postnatal outcome in congenital diaphragmatic hernia (Sokol et al). 2002;186:1085-90

Pulmonary embolism
Pulmonary embolism and stroke in relation to pregnancy: how can high-risk women be identified? (Ros et al). 2002;186:198-203

Pulsatility index
Effects of the selective estrogen receptor modulator, raloxifene, on carotid artery pulsatility index in postmenopausal women (Setacci et al). 2002;186:832-5

Pulse oximetry; *see* Oximetry

PUQE scoring system
Motherisk—PUQE (pregnancy-unique quantification of emesis and nausea) scoring system for nausea and vomiting of pregnancy (Koren et al). 2002;186:S228-31

Pyloric stenosis
Erythromycin use during pregnancy in relation to pyloric stenosis (Louik et al). 2002;186:288-90

Q

Quality of life
The burden of illness of severe nausea and vomiting of pregnancy in the United States (Attard et al). 2002;186:S220-7
Development of a health-related quality of life instrument for nausea and vomiting of pregnancy (Magee et al). 2002;186:S232-8

R

Racial factors
The impact of prenatal care on neonatal deaths in the presence and absence of antenatal high-risk conditions (Vintzileos et al). 2002;186:1011-6
What are pregnant women eating? Nutrient and food group differences by race (Siega-Riz et al). 2002;186:480-6

Raloxifene
Effect of raloxifene on the ovarian circulation in women after menopause (Lidor et al). 2002;186:984-9
Effects of the selective estrogen receptor modulator, raloxifene, on carotid artery pulsatility index in postmenopausal women (Setacci et al). 2002;186:832-5
Neither long-term treatment with raloxifene nor hormone replacement therapy modulate cardiac function in healthy postmenopausal women: two randomized, placebo-controlled, 2-year studies (Vogelvang et al). 2002;186:729-36

Receptors, adrenergic, beta
Diversity of inhibitory responses to β_2-stimulants shown by term-pregnant human myometria in vitro is partly due to differences in receptor density (Sakakibara et al). 2002;186:997-1004

Receptors, endothelin
Effect of Ro 61-1790, a selective endothelin-A receptor antagonist, on systemic and uterine hemodynamics and fetal oxygenation in sheep (McElvy et al). 2002;186:55-60

Receptors, estrogen
Effects of the selective estrogen receptor modulator, raloxifene, on carotid artery pulsatility index in postmenopausal women (Setacci et al). 2002;186:832-5

Receptors, prostaglandin RNA, messenger
The expression of EP3-6 and inducible nitric oxide synthase messenger RNA are correlated in pregnant and misoprostol-treated but not in nongravid or menopausal myometrium (Goharkhay et al). 2002;186:1202-6

Recurrence
Perinatal outcome in women with recurrent preeclampsia compared with women who develop preeclampsia as nulliparas (Hnat et al). 2002;186:422-6
Recrudescence of cervical dysplasia among women who are infected with the human immunodeficiency virus: a case-control analysis (Tate and Anderson). 2002;186:880-2 (Residents' papers)

Recurrent abortion; *see* Abortion, habitual

Red cells; *see* Erythrocytes

Reduction of multiple pregnancy; *see* Abortion

Regional anesthesia; *see* Anesthesia, conduction

Religion
Procedural risks versus theology: chorionic villus sampling for orthodox Jews at less than 8 weeks' gestation (Wapner et al). 2002;186:1133-6

Repetitive sequences, nucleic acid
Detection of maternal deoxyribonucleic acid in umbilical cord plasma by using fluorescent polymerase chain reaction amplification of short tandem repeat sequences (Bauer et al). 2002;186:117-20

Reproduction techniques
Assessing the risk of multiple gestation in gonadotropin intrauterine insemination cycles (Kaplan et al). 2002;186:1244-9
Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes (Phy et al). 2002;186:872-5 (Residents' papers)
Establishing a clinical program for human immunodeficiency virus 1–seropositive men to father seronegative children by means of in vitro fertilization with intracytoplasmic sperm injection (Sauer and Chang). 2002;186:627-33
The improvement in pregnancy rates with platelet-activating factor in intrauterine insemination was not demonstrated (Matorras and Pijoan) (Letter); (Nachtigall) (Reply); (Roudebush) (Reply). 2002;186:597-8
In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography (Tan et al). 2002;186:684-9

Residency; *see* Internship and residency

Residents' papers
Residents' papers. 2002;186:855-928

Resistance artery; *see* Arteries

Respiration
Adenosine A_{2A} receptors mediate hypoxic inhibition of fetal breathing in sheep (Koos et al). 2002;186:663-8

Respiratory distress syndrome
The fetal maturational and inflammatory responses to different routes of endotoxin infusion in sheep (Newnham et al). 2002;186:1062-8

Retinoic acid; *see* Tretinoin

Retinol; *see* Vitamin A

Retroviridae
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Risk factors
Elevated plasma homocysteine in early pregnancy: a risk factor for the development of severe preeclampsia (Levine et al) (Letter); (Cotter and Daly) (Reply). 2002;186:1107-8
Hormone replacement therapy and the risk of death from breast cancer: a systematic review (Nanda et al). 2002;186:325-34 (AJOG reviews)
Human immunodeficiency virus infection is a risk factor for adverse perinatal outcome (Ellis et al). 2002;186:903-6 (Residents' papers)
Is male sex an independent risk factor for preterm birth? (James). 2002;186:594 (Letter)

Neonatal morbidity associated with uterine rupture: what are the risk factors? (Bujold and Gauthier). 2002;186:311-4
Polycystic ovary syndrome: a risk for coronary artery disease? (Wild). 2002;186:35-43
Risk factors for early death among extremely low-birth-weight infants (Shankaran et al). 2002;186:796-802

Ritodrine
Diversity of inhibitory responses to β_2-stimulants shown by term-pregnant human myometria in vitro is partly due to differences in receptor density (Sakakibara et al). 2002;186:997-1004

RNA, messenger
Prolonged hypoxia upregulates vascular endothelial growth factor messenger RNA expression in ovine fetal membranes and placenta (Matsumoto et al). 2002;186:303-10
Regulation of *c-fos* expression by static stretch in rat myometrial smooth muscle cells (Shynlova et al). 2002;186:1358-65

Roster
Roster of American obstetric and gynecologic societies. 2002;186:169-70

Rupture of fetal membranes; *see* Fetal membranes, premature rupture

S

Salpingitis
Endometritis: the clinical-pathologic syndrome (Eckert et al). 2002;186:690-5

Satisfaction; *see* Personal satisfaction

Satisfaction, patient; *see* Patient satisfaction

School admission criteria
Selection of obstetrics and gynecology residents on the basis of medical school performance (Bell et al). 2002;186:1091-4 (Education)

Screening; *see* Mass screening

Second trimester of pregnancy; *see* Pregnancy trimester, second

Septicemia
Prevention of neonatal group B streptococcal disease: a combined intrapartum and neonatal protocol (Wendel et al). 2002;186:618-26

Seronegativity, HIV; *see* HIV seropositivity

Sex
The importance of physician gender in the selection of an obstetrician or a gynecologist (Plunkett et al). 2002;186:926-8 (Residents' papers)
Is male sex an independent risk factor for preterm birth? (James). 2002;186:594 (Letter)

Sex abuse
Characteristics of sexual assault in women with a major psychiatric diagnosis (Eckert et al). 2002;186:1284-91

Sexually transmitted diseases
Postpartum *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections (Mahon et al). 2002;186:1320-5

Shoulder
Erb's palsy contrasted with Klumpke's and total palsy: different mechanisms are involved (Jennett et al). 2002;186:1216-20
Severe brachial plexus injury in the posterior arm: an alternative explanation (Allen and Adler) (Letter); (Jennett and Tarby) (Reply). 2002;186:1377-8

Skull, abnormalities
Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities (Arad et al). 2002;186:818-25

Sleep
The association between fetal and maternal sleep patterns in third-trimester pregnancies (Worth et al). 2002;186:924-5 (Residents' papers)

Small for gestational age infant; *see* Infant, small for gestational age

Smell
Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9

Smoking
Smoking before pregnancy and risk of gestational hypertension and preeclampsia (England et al). 2002;186:1035-40
Stereologic examination of placentas from mothers who smoke during pregnancy (Larsen et al). 2002;186:531-7
Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Smooth muscle; *see* Muscle, smooth

Sodium chloride
The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding (Mihm et al). 2002;186:858-60 (Residents' papers)

Solutions
The effect of temperature on bactericidal properties of 10% povidone-iodine solution (Leung et al). 2002;186:869-71 (Residents' papers)
Oxytocin preparation stability in several common obstetric intravenous solutions (Gard et al). 2002;186:496-8

Sonography, prenatal; *see* Ultrasonography, prenatal

Sonohysterography; *see* Ultrasonography

Spectrum analysis
Trimodal spectroscopy for the detection and characterization of cervical precancers in vivo (Georgakoudi et al). 2002;186:374-82

Spices
Overview of nausea and vomiting of pregnancy with an emphasis on vitamins and ginger (Niebyl and Goodwin). 2002;186:S253-5

Spontaneous abortion; *see* Abortion, spontaneous

Statistics
Statistics usage in the *American Journal of Obstetrics and Gynecology*: has anything changed? (Welch and Gabbe). 2002;186:584-6 (Education)
Statistics usage in the *American Journal of Obstetrics and Gynecology*: things have changed. 2002;186:339 (Editorial)

Stenosis
Perineoplasty for the treatment of introital stenosis related to vulvar lichen sclerosus (Rouzier et al). 2002;186:49-52

Sterilization, tubal
Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: a 10-year follow-up (McCausland and McCausland). 2002;186:1274-83
Tubal surface lidocaine mediates pre-emptive analgesia in awake laparoscopic sterilization: a prospective, randomized clinical trial (Garwood et al). 2002;186:383-8

Steroids
Differences in steroidogenic acute regulatory protein expression from the luteinizing-granulosa cells of patients undergoing in vitro fertilization with embryo transfer: implications for cycle outcomes (Phy et al). 2002;186:872-5 (Residents' papers)
Expression of a retinol dehydrogenase (hRoDH-4), a member of the retinol/steroid dehydrogenase family implicated in retinoic acid biosynthesis, in normal and neoplastic endometria (Cain et al). 2002;186:675-83

Stillbirth; *see* Fetal death

Streptococcus agalactiae
Implementation of group B *Streptococcus* prevention strategy (Levine) (Letter); (Davis and Schuchat) (Reply). 2002;186:335
Prevention of neonatal group B streptococcal disease: a combined intrapartum and neonatal protocol (Wendel et al). 2002;186:618-26

Stress
Burnout in chairs of obstetrics and gynecology: diagnosis, treatment, and prevention (Gabbe et al). 2002;186:601-12 (Pres. address)
Stress in pregnancy: a new Wistar rat model for human preeclampsia (Takiuti et al). 2002;186:544-50
Stress in residency: reality or myth? (Schneider et al). 2002;186:907-9 (Residents' papers)

Stress incontinence; *see* Urinary incontinence, stress

Striated muscles; *see* Muscles

Stroke; *see* Cerebrovascular disorders

Students, medical
A review of medical and allied health learners' satisfaction with their training in women's health (Emmons et al). 2002;186:1259-67

Sublingual administration; *see* Administration, sublingual

Substance abuse
Characteristics of sexual assault in women with a major psychiatric diagnosis (Eckert et al). 2002;186:1284-91
Cocaine use and preterm premature rupture of membranes: improvement in neonatal outcome (Refuerzo et al). 2002;186:1150-4
The Maternal Lifestyle Study: drug exposure during pregnancy and short-term maternal outcomes (Bauer et al). 2002;186:487-95
Physician attitudes concerning legal coercion of pregnant alcohol and drug abusers (Abel and Kruger). 2002;186:768-72

Sucrose
An evaluation of the effects of sucrose on neonatal pain with 2 commonly used circumcision methods (Kaufman et al). 2002;186:564-8

Surgery
Surgical skills assessment: a blinded examination of obstetrics and gynecology residents (Goff et al). 2002;186:613-7

Surgery, fetal
Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery (Gratacós et al). 2002;186:538-43
Short-term maternal outcomes that are associated with the EXIT procedure, as compared with cesarean delivery (Noah et al). 2002;186:773-7

Surgery, gynecologic
A comparison of preoperative and intraoperative evaluations for patients who undergo site-specific operation for the correction of pelvic organ prolapse (Vineyard et al). 2002;186:1155-9
Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery (Partoll). 2002;186:1292-8
Perineoplasty for the treatment of introital stenosis related to vulvar lichen sclerosus (Rouzier et al). 2002;186:49-52
Perioperative changes in serum creatinine after gynecologic surgery (Walter et al). 2002;186:1315-9
Prevention of femoral nerve injuries in gynecologic surgery (Chan and Manetta). 2002;186:1-7 (Clin. opinion)
A randomized controlled trial of early versus "traditional" postoperative oral intake after major abdominal gynecologic surgery (Steed et al). 2002;186:861-5 (Residents' papers)
Stress urinary incontinence after delayed primary closure of genitourinary fistula: a technique for surgical management (Carey et al). 2002;186:948-53

Surgery, laparoscopic
Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs (Walter et al). 2002;186:723-8
Tubal surface lidocaine mediates pre-emptive analgesia in awake laparoscopic sterilization: a prospective, randomized clinical trial (Garwood et al). 2002;186:383-8

Surgery, prenatal; *see* Fetoscopy

Surgical mesh
Surgical repair of cystocele with mesh by the vaginal route (de Tayrac and Fernandez) (Letter); (Sand) (Reply). 2002;186:852-3

Sutures
The impact of a single-layer or double-layer closure on uterine rupture (Bujold et al). 2002;186:1326-30
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (Magann et al). 2002;186:1119-23

Symposium
Anesthesia for childbirth: controversy and change (Caton et al). 2002;186:S25-30
The effects of epidural analgesia on labor, maternal, and neonatal outcomes: a systematic review (Leighton and Halpern). 2002;186:S69-77
Epidural analgesia side effects, co-interventions, and care of women during childbirth: a systematic review (Mayberry et al). 2002;186:S81-93
Labor pain management in the United States: understanding patterns and the issue of choice (Marmor and Krol). 2002;186:S173-80
Methods and interpretation in systematic reviews: commentary on two parallel reviews of epidural analgesia during labor (Thacker and Stroup). 2002;186:S78-80
The nature of labor pain (Lowe). 2002;186:S16-24
The Nature and Management of Labor Pain: executive summary (Caton et al). 2002;186:S1-15
Nitrous oxide for relief of labor pain: a systematic review (Rosen). 2002;186:S110-26
Nonpharmacologic relief of pain during labor: systematic reviews of five methods (Simkin and O'Hara). 2002;186:S131-59
Pain and women's satisfaction with the experience of childbirth: a systematic review (Hodnett). 2002;186:S160-72
Paracervical block for labor analgesia: a brief historic review (Rosen). 2002;186:S127-30
Parenteral opioids for labor pain relief: a systematic review (Bricker and Lavender). 2002;186:S94-109
Unintended effects of epidural analgesia during labor: a systematic review (Lieberman and O'Donoghue). 2002;186:S31-68

Syncytin
Syncytin, a novel human endogenous retroviral gene in human placenta: evidence for its dysregulation in preeclampsia and HELLP syndrome (Knerr et al). 2002;186:210-3

Syncytiotrophoblast; *see* Trophoblast

Syphilis, congenital
Congenital syphilis after maternal treatment for syphilis during pregnancy (Sheffield et al). 2002;186:569-73

T

Tandem repeat; *see* Repetitive sequences, nucleic acid

Temperature
The effect of temperature on bactericidal properties of 10% povidone-iodine solution (Leung et al). 2002;186:869-71 (Residents' papers)

Teratogens
The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk (Koren and Levichek). 2002;186:S248-52

Termination of pregnancy; *see* Abortion

Theology; *see* Religion

Third trimester of pregnancy; *see* Pregnancy trimester, third

Thrombocytopenia
Association of thrombocytopenia and delivery method with intraventricular hemorrhage among very-low-birth-weight infants (Kahn et al). 2002;186:109-16
Serial aggressive platelet transfusion for fetal alloimmune thrombocytopenia: platelet dynamics and perinatal outcome (Overton et al). 2002;186:826-31

Thrombosis
Maternal and fetal inherited thrombophilias (Grandone and Margaglione) (Letter); (Sibai) (Reply). 2002;186:1376

Tibolone
Effects of tibolone and continuous combined hormone replacement therapy on mammographic breast density (Lundström et al). 2002;186:717-22

Tomography, x-ray computed
Is helical computed tomography 100% sensitive to diagnose acute appendicitis during pregnancy? (Dupuis et al) (Letter); (Castro et al) (Reply). 2002;186:336

Topical administration; *see* Administration, topical

Training, medical; *see* Education, medical

Transactions
Transactions of the annual meeting of the American Gynecological and Obstetrical Society. 2002;186:601-89
Transactions of the sixty-eighth annual meeting of the Pacific Coast Obstetrical and Gynecological Society. 2002;186:111155

Transdermal administration; *see* Administration, cutaneous

Transfection
Gene transfer to human placenta ex vivo: a novel application of dual perfusion of human placental cotyledon (Heikkilä et al). 2002;186:1046-51

Treatment failure
Congenital syphilis after maternal treatment for syphilis during pregnancy (Sheffield et al). 2002;186:569-73

Tretinoin
Expression of a retinol dehydrogenase (hRoDH-4), a member of the retinol/steroid dehydrogenase family implicated in retinoic acid biosynthesis, in normal and neoplastic endometria (Cain et al). 2002;186:675-83

Trial of labor
Outcomes of trial of labor after previous cesarean delivery (Brubaker). 2002;186:1104-5 (Letter)
Vaginal birth after cesarean delivery: an historic cohort cost analysis (DiMaio et al). 2002;186:890-2 (Residents' papers)

Triplets
Clinical implications of velamentous cord insertion in triplet gestations (Feldman et al). 2002;186:809-11
Outcomes of dichorionic triplet pregnancies (Chasen et al). 2002;186:765-7
Total and individual triplet birth weights as a function of gestational age (Blickstein et al). 2002;186:1372-5

Trophoblast
Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation (Ishihara et al). 2002;186:158-66
Placental basal plate formation is associated with fibrin deposition in decidual veins at sites of trophoblast cell invasion (Craven et al). 2002;186:291-6
Trophoblast apoptosis from pregnancies complicated by fetal growth restriction is associated with enhanced p53 expression (Levy et al). 2002;186:1056-61

Tubal pregnancy; *see* Pregnancy, tubal

Tubal sterilization; *see* Sterilization, tubal

Twin-twin transfusion syndrome; *see* Fetofetal transfusion

Twins
Demographic and obstetric factors influencing pregnancy outcome in twin gestations (Tarter et al). 2002;186:910-2 (Residents' papers)
Does chorionicity or zygosity predict adverse perinatal outcomes in twins? (Dubé et al). 2002;186:579-83
Effect of cerclage on obstetrical outcome in twin gestations with a shortened cervical length (Newman et al). 2002;186:634-40
The Northwestern Twin Chorionicity Study. I. Discordant inflammatory findings that are related to chorionicity in presenting versus nonpresenting twins (Phung et al). 2002;186:1041-5

Two-dimensional gel electrophoresis; *see* Electrophoresis, gel, two dimensional

U

Ultrasonography
The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding (Mihm et al). 2002;186:858-60 (Residents' papers)
Accuracy of magnetic resonance imaging and transvaginal ultrasonography in the diagnosis, mapping, and measurement of uterine myomas (Dueholm et al). 2002;186:409-15
Efficacy of hormone replacement therapy assessed by quantitative ultrasonography (Pluskiewicz and Drozdzowska) (Letter); (Hadji) (Reply). 2002;186:337-8
Evaluation of endometrial polyps (Goldstein et al). 2002;186:669-74

Ultrasonography, prenatal
Changes in cervical length and the risk of preterm labor (Naim et al). 2002;186:887-9 (Residents' papers)
Direct prediction of amniotic fluid volume in the third trimester by 3-dimensional measurements of intrauterine pockets: a tool for routine clinical use (Hombo et al). 2002;186:245-50
How does early ultrasound scan estimation of gestational age lead to higher rates of preterm birth? (Yang et al). 2002;186:433-7
In vitro maturation and fertilization of oocytes from unstimulated ovaries: predicting the number of immature oocytes retrieved by early follicular phase ultrasonography (Tan et al). 2002;186:684-9
Investigation of intraplacental villous arteries by Doppler flow imaging in growth-restricted fetuses (Mu et al). 2002;186:297-302
Long-term cognitive benefits of antenatal corticosteroids for prematurely born children with cranial ultrasound abnormalities (Arad et al). 2002;186:818-25
Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7
Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome (Sonek and Nicolaides). 2002;186:139-41
Sonographic visualization of ovarian veins during the puerperium: an assessment of efficacy (Smith et al). 2002;186:893-5 (Residents' papers)
Ultrasonographic measurement of the abdominal circumference in fetuses with congenital diaphragmatic hernia (Rode et al). 2002;186:321-4

Umbilical arteries
Maternal serum activin A, inhibin A, and follistatin in pregnancies with appropriately grown and small-for-gestational-age fetuses classified by umbilical artery Doppler ultrasound (Bobrow et al). 2002;186:283-7

Umbilical cord
Clinical implications of velamentous cord insertion in triplet gestations (Feldman et al). 2002;186:809-11
Detection of maternal deoxyribonucleic acid in umbilical cord plasma by using fluorescent polymerase chain reaction amplification of short tandem repeat sequences (Bauer et al). 2002;186:117-20
Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63
Umbilical cord plasma leptin is increased in preeclampsia Ødegård et al). 2002;186:427-32

Umbilical veins
Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia (Wang et al). 2002;186:214-20

Urethra
Age effects on urethral striated muscle. I. Changes in number and diameter of striated muscle fibers in the ventral urethra (Perucchini et al). 2002;186:351-5
Age effects on urethral striated muscle. II. Anatomic location of muscle loss (Perucchini et al). 2002;186:356-60

Urinary fistula
Stress urinary incontinence after delayed primary closure of genitourinary fistula: a technique for surgical management (Carey et al). 2002;186:948-53

Urinary incontinence, stress
Age effects on urethral striated muscle. II. Anatomic location of muscle loss (Perucchini et al). 2002;186:356-60
Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery (Partoll). 2002;186:1292-8
Patient characteristics that are associated with urodynamically diagnosed detrusor instability and genuine stress incontinence (Klingele et al). 2002;186:866-8 (Residents' papers)
Results with colposuspension by the Burch procedure in our practice (Domany et al) (Letter); (Gill and Hurt) (Reply). 2002;186:1108-9
Stress urinary incontinence after delayed primary closure of genitourinary fistula: a technique for surgical management (Carey et al). 2002;186:948-53

Urinary tract infections
Urinary tract infections in pregnant women with bacterial vaginosis (Hillebrand et al). 2002;186:916-7 (Residents' papers)

Urine
Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep (Gagnon et al). 2002;186:1076-84
Prediction of 24-hour protein excretion in pregnancy with a single voided urine protein-to-creatinine ratio (Neithardt et al). 2002;186:883-6 (Residents' papers)

Urodynamics
Patient characteristics that are associated with urodynamically diagnosed detrusor instability and genuine stress incontinence (Klingele et al). 2002;186:866-8 (Residents' papers)

Uterine contraction
Polyamine effects on human myometrial contractility (Houlihan et al). 2002;186:778-83
Prostaglandin-induced activation of uterine contractility in pregnant rats does not involve potassium channels (Bailie et al). 2002;186:453-7

Uterine hemorrhage
The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding (Mihm et al). 2002;186:858-60 (Residents' papers)

Uterine neoplasms
Accuracy of magnetic resonance imaging and transvaginal ultrasonography in the diagnosis, mapping, and measurement of uterine myomas (Ducholm et al). 2002;186:409-15
The influence of luteinizing hormone–releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma (Nowicki et al). 2002;186:340-4
Interventional magnetic resonance imaging cryotherapy of uterine fibroid tumors: preliminary observation (Cowan et al). 2002;186:1183-7

Uterine prolapse
A comparison of preoperative and intraoperative evaluations for patients who undergo site-specific operation for the correction of pelvic organ prolapse (Vineyard et al). 2002;186:1155-9
Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs (Walter et al). 2002;186:723-8
Pelvic organ prolapse surgery in the United States, 1997 (Brown et al). 2002;186:712-6
Pelvic organ prolapse in the Women's Health Initiative: gravidity and parity (Hendrix et al). 2002;186:1160-6
The rhesus macaque as an animal model for pelvic organ prolapse (Otto et al). 2002;186:416-21

Uterine rupture
The impact of a single-layer or double-layer closure on uterine rupture (Bujold et al). 2002;186:1326-30
Neonatal morbidity associated with uterine rupture: what are the risk factors? (Bujold and Gauthier). 2002;186:311-4

Uterus
Direct prediction of amniotic fluid volume in the third trimester by 3-dimensional measurements of intrauterine pockets: a tool for routine clinical use (Hombo et al). 2002;186:245-50
Endometrial thickness and uterine diameter not affected by ultralow doses of 17β-estradiol in elderly women (Naessen and Rodriguez-Macias). 2002;186:944-7
Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8
Obstructive mullerian anomalies (Acién). 2002;186:854 (Letter)

Uterus, blood supply
Effect of Ro 61-1790, a selective endothelin-A receptor antagonist, on systemic and uterine hemodynamics and fetal oxygenation in sheep (McElvy et al). 2002;186:55-60
Flow rate–perfusion pressure relationships in situ in the uterine circulation of pregnant rats (Fulep et al). 2002;186:1022-6

V

Vacuum extraction, obstetrical
Obstetric attending physician characteristics and their impact on vacuum and forceps delivery rates: University of California at San Francisco experience from 1977 to 1999 (Chang et al). 2002;186:1299-1303

Vagina
The G-spot is the female prostate (Schubach) (Letter); (Hines) (Reply). 2002;186:850
Growth of the uterus and mammary glands and vaginal cytologic features in extremely premature infants with postnatal replacement of estradiol and progesterone (Trotter et al). 2002;186:184-8
Obstructive mullerian anomalies (Acién). 2002;186:854 (Letter)
Randomized trial of concurrent oxytocin with a sustained-release dinoprostone vaginal insert for labor induction at term (Christensen et al). 2002;186:61-5
Risk of preterm birth that is associated with vaginal douching (Fiscella et al). 2002;186:1345-50

Vagina, surgery
Efficacy of tension-free vaginal tape with other pelvic reconstructive surgery (Partoll). 2002;186:1292-8
Laparoscopic versus open Burch retropubic urethropexy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs (Walter et al). 2002;186:723-8
Results with colposuspension by the Burch procedure in our practice (Domany et al) (Letter); (Gill and Hurt) (Reply). 2002;186:1108-9
Surgical repair of cystocele with mesh by the vaginal route (de Tayrac and Fernandez) (Letter); (Sand) (Reply). 2002;186:852-3

Vaginal birth after cesarean
The impact of a single-layer or double-layer closure on uterine rupture (Bujold et al). 2002;186:1326-30
Vaginal birth after cesarean delivery: an historic cohort cost analysis (DiMaio et al). 2002;186:890-2 (Residents' papers)
Vaginal birth after cesarean delivery: to induce or not to induce (Oláh) (Letter); (Sims and Newman) (Reply). 2002;186:1109-10
A VBAC question (Escamilla) (Letter); (Blanchette) (Reply). 2002;186:851

Vaginal delivery; *see* Delivery

Vaginal prolapse; *see* Uterine prolapse

Vaginal smears
Aberrant expression of E-cadherin in cervical intraepithelial neoplasia correlates with a false-negative Papanicolaou smear (Felix et al). 2002;186:1308-14
Factors associated with an increased risk of prevalent and incident grade III cervical intraepithelial neoplasia and invasive cervical cancer among women with Papanicolaou tests classified as grades I or II cervical intraepithelial neoplasia (Petry et al). 2002;186:28-34
Managing atypical squamous cells of undetermined significance (ASCUS): human papillomavirus testing, ASCUS subtyping, or follow-up cytology? (Hughes et al). 2002;186:396-403

The significance of psammoma bodies that are found incidentally during endometrial biopsy (Fausett et al). 2002;186:180-3

Vaginosis, bacterial
Urinary tract infections in pregnant women with bacterial vaginosis (Hillebrand et al). 2002;186:916-7 (Residents' papers)

Valaciclovir
Acyclovir concentrations in human breast milk after valaciclovir administration (Sheffield et al). 2002;186:100-2

Vascular diseases
Endothelial cell apoptosis is induced by fetal plasma from pregnancy with umbilical placental vascular disease (Wang et al). 2002;186:557-63
Impaired vascular reactivity in pregnant women with insulin-dependent diabetes mellitus (Savvidou et al). 2002;186:84-8

Veins
Sonographic visualization of ovarian veins during the puerperium: an assessment of efficacy (Smith et al). 2002;186:893-5 (Residents' papers)

Velamentous cord insertion; *see* Umbilical cord

Ventricle, heart; *see* Heart ventricle

Very low birth weight infant; *see* Infant, low birth weight

Vestibular system
Maternal susceptibility to nausea and vomiting of pregnancy: is the vestibular system involved? (Black). 2002;186:S204-9

Villous arteries; *see* Arteries

Vinblastine
Multimodal therapy including neoadjuvant methotrexate, vinblastine, doxorubicin, and cisplatin for stage IIB to IV cervical cancer (Dowdy et al). 2002;186:1167-73

Virion
Antibodies to human papillomavirus 16 L1 virus-like particles as an independent prognostic marker in cervical cancer (Heim et al). 2002;186:705-11

Vitamin A
Expression of a retinol dehydrogenase (hRoDH-4), a member of the retinol/steroid dehydrogenase family implicated in retinoic acid biosynthesis, in normal and neoplastic endometria (Cain et al). 2002;186:675-83

Vitamin B_{12}
Maternal and fetal plasma homocysteine concentrations at birth: the influence of folate, vitamin B_{12}, and the 5,10-methylenetetrahydrofolate reductase 677C→T variant (Molloy et al). 2002;186:499-503

Vitamins
Overview of nausea and vomiting of pregnancy with an emphasis on vitamins and ginger (Niebyl and Goodwin). 2002;186:S253-5

Vomiting
Acupressure and acustimulation bands for control of nausea: a brief review (Roscoe and Matteson). 2002;186:S244-7
The burden of illness of severe nausea and vomiting of pregnancy in the United States (Attard et al). 2002;186:S220-7
Development of a health-related quality of life instrument for nausea and vomiting of pregnancy (Magee et al). 2002;186:S232-8
Evidence-based view of safety and effectiveness of pharmacological therapy for nausea and vomiting of pregnancy (NVP) (Magee et al). 2002;186:S256-61
Gastrointestinal factors in nausea and vomiting of pregnancy (Koch). 2002;186:S198-203
Linking olfaction with nausea and vomiting of pregnancy, recurrent abortion, hyperemesis gravidarum, and migraine headache (Heinrichs). 2002;186:S215-9
Maternal susceptibility to nausea and vomiting of pregnancy: is the vestibular system involved? (Black). 2002;186:S204-9
Medical, social, and legal implications of treating nausea and vomiting of pregnancy (Brent). 2002;186:S262-6
Motherisk—PUQE (pregnancy-unique quantification of emesis and nausea) scoring system for nausea and vomiting of pregnancy (Koren et al). 2002;186:S228-31
Nausea and vomiting in pregnancy: the problem of perception—is it really a disease? (Miller). 2002;186:S182-3
Nausea and vomiting of pregnancy: an obstetric syndrome (Goodwin). 2002;186:S184-9
Nausea and vomiting of pregnancy in an evolutionary perspective (Sherman and Flaxman). 2002;186:S190-7
Overview of nausea and vomiting of pregnancy with an emphasis on vitamins and ginger (Niebyl and Goodwin). 2002;186:S253-5
Psychological factors in the etiology and treatment of severe nausea and vomiting in pregnancy (Buckwalter and Simpson). 2002;186:S210-4
The role of behavioral conditioning in the development of nausea (Matteson et al). 2002;186:S239-43
The teratogenicity of drugs for nausea and vomiting of pregnancy: perceived versus true risk (Koren and Levichek). 2002;186:S248-52
Understanding and treating nausea and vomiting of pregnancy (Goodwin et al). 2002;186:S181

Vulvar diseases
Defective regulation of the proinflammatory immune response in women with vulvar vestibulitis syndrome (Gerber et al). 2002;186:696-700
A deficiency in interferon-α production in women with vulvar vestibulitis (Gerber et al). 2002;186:361-4
Perineoplasty for the treatment of introital stenosis related to vulvar lichen sclerosus (Rouzier et al). 2002;186:49-52

W

Women's health
Bedlam beggars, Winchester geese, and mewling infants: medicine and women's health issues in Shakespeare (Peacock). 2002;186:1196-1201 (Pres. address)

Women's Health Initiative
Pelvic organ prolapse in the Women's Health Initiative: gravidity and parity (Hendrix et al). 2002;186:1160-6

Wound healing
A randomized trial of postoperative wound irrigation with local anesthetic for pain after cesarean delivery (Givens et al). 2002;186:1188-91
Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial (Magann et al). 2002;186:1119-23
Use of topical recombinant human platelet–derived growth factor BB in abdominal wound separation (Shackelford et al). 2002;186:701-4

Wounds and injuries
Characteristics of sexual assault in women with a major psychiatric diagnosis (Eckert et al). 2002;186:1284-91

Z

Zygote
Does chorionicity or zygosity predict adverse perinatal outcomes in twins? (Dubé et al). 2002;186:579-83